




NEMA Type 4X Single Door Stainless Enclosure EWSS & ASR Series




Part No.		Enclosure Size			Panel Size	
		H	W	D	h	w
EWSS-0302015	mm	306	206	150	250	170
	in	12	8.1	5.9	9.8	6.7
EWSS-0303015	mm	306	306	150	250	270
	in	12	12	5.9	9.8	10.6
EWSS-0403015	mm	406	306	150	350	270
	in	16	12	5.9	13.8	10.6
EWSS-0302520	mm	306	256	200	250	220
	in	12	10.1	7.9	9.8	8.7
EWSS-0352520	mm	356	256	200	300	220
	in	14	10.1	7.9	11.8	8.7
EWSS-0403020	mm	406	306	200	350	270
	in	16	12	7.9	13.8	10.6
EWSS-0404020	mm	406	406	200	350	370
	in	16	16	7.9	13.8	14.6
EWSS-0504020	mm	506	406	200	450	370
	in	19.9	16	7.9	17.7	14.6
EWSS-0505020	mm	506	506	200	450	470
	in	19.9	19.9	7.9	17.7	18.5
EWSS-0604020	mm	606	406	200	550	370
	in	23.9	16	7.9	21.7	14.6

Part No.		Enclosure Size			Panel Size	
		H	W	D	h	w
EWSS-0606020	mm	606	606	200	550	550
	in	23.9	23.9	7.9	12.7	21.7
EWSS-0705020	mm	706	506	200	650	450
	in	27.8	19.9	7.9	25.6	17.7
EWSS-0805020	mm	806	506	200	750	450
	in	31.7	19.9	7.9	29.5	17.7
EWSS-0806020	mm	806	606	200	750	550
	in	31.7	23.9	7.9	29.5	21.7
EWSS-0906020	mm	906	606	200	850	550
	in	35.7	23.9	7.9	33.5	21.7
EWSS-0806030	mm	806	606	300	750	550
	in	31.7	23.9	11.8	29.5	21.7
EWSS-0808030	mm	806	806	300	750	750
	in	31.7	31.7	11.8	29.5	29.5
EWSS-0906030	mm	906	606	300	850	550
	in	35.7	23.9	11.8	33.5	21.7
EWSS-1008030	mm	1006	806	300	950	750
	in	39.6	31.7	11.8	37.4	29.5



NEMA Type 4X Single Door Stainless Enclosure EWSS & ASR Series





NEMA Type 4X Single Door Stainless Enclosure EWSS & ASR Series

304 Stainless Part No.	316 Stainless Part No.		Enclosure Size			Panel Size		Locks
			H	W	D	h	w	
-	ASR-0182415-316	mm in	180 7.1	240 9.5	150 5.9	150 5.9	190 7.5	1
ASR-0302015	ASR-0302015-316	mm in	300 11.8	200 7.9	150 5.9	270 10.6	150 5.9	1
-	ASR-0504021-316	mm in	500 19.7	400 15.7	210 8.3	470 18.5	350 13.8	2
ASR-0505021	ASR-0505021-316	mm in	500 19.7	500 19.7	210 8.3	470 18.5	450 17.7	2
-	ASR-0604021-316	mm in	600 23.6	400 15.7	210 8.3	570 22.4	350 13.8	2
-	ASR-0606021-316	mm in	600 23.6	600 23.6	210 8.3	570 22.4	550 21.7	2
ASR-0606030	ASR-0606030-316	mm in	600 23.6	600 23.6	300 11.8	570 22.4	550 21.7	2
ASR-0608030	ASR-0608030-316	mm in	600 23.6	800 31.5	300 11.8	570 22.4	750 29.5	2
-	ASR-1008030-316	mm in	1000 39.4	800 31.5	300 11.8	970 38.2	750 29.5	1*
ASR-1208030	ASR-1208030-316	mm in	1200 47.2	800 31.5	300 11.8	1170 46.1	750 29.5	1*
-	ASR-1208040-316	mm in	1200 47.2	800 31.5	400 15.7	1170 46.1	750 29.5	1*
ASR-1408040	ASR-1408040-316	mm in	1400 55.1	800 31.5	400 15.7	1370 53.9	750 29.5	1*

1* = 3 point locking system