

EXPLOSION PROOF CONTROL STATIONS

Class 1, Div. 1 & 2 Group B, C & D
Class 2, Div. 1 & 2 Group E, F & G

NEW



Consult Our Order Desk For Pricing

Dome Cover Part No.	Flat Cover Part No.	Inside Dimensions			Weight lbs
		H	W	D	
CXJ-664	CXJ-664-FCS	6	6	4	17
CXJ-684	CXJ-684-FCS	8	6	4	23
CXJ-884	CXJ-884-FCS	8	8	4	33
CXJ-6104	CXJ-6104-FCS	10	6	4	26
CXJ-8104	CXJ-8104-FCS	10	8	4	36
CXJ-10104	CXJ-10104-FCS	10	10	4	40
CXJ-6124	CXJ-6124-FCS	12	6	4	30
CXJ-8124	CXJ-8124-FCS	12	8	4	41
CXJ-4164	CXJ-4164-FCS	16	4	4	33
CXJ-6164	CXJ-6164-FCS	16	6	4	42
CXJ-12124	CXJ-12124-FCS	12	12	4	70
CXJ-10144	CXJ-10144-FCS	14	10	4	60
CXJ-14144	CXJ-14144-FCS	14	14	4	83
CXJ-16164	CXJ-16164-FCS	16	16	4	103
CXJ-12184	CXJ-12184-FCS	18	12	4	102
CXJ-18184	CXJ-18184-FCS	18	18	4	131
CXJ-12244	CXJ-12244-FCS	24	12	4	126
CXJ-12364	CXJ-12364-FCS	36	12	4	197
CXJ-685	CXJ-685-FCS	8	6	5	25
CXJ-6115	CXJ-6115-FCS	11	6	5	29
CXJ-9115	CXJ-9115-FCS	11	9	5	46
CXJ-6135	CXJ-6135-FCS	13	6	5	34
#CXJ-6485	#CXJ-6485-FCS	48	6	5	109
CXJ-12205	CXJ-12205-FCS	20	12	5	111
CXJ-686	CXJ-686-FCS	8	6	6	26
CXJ-886	CXJ-886-FCS	8	8	6	36
CXJ-8106	CXJ-8106-FCS	10	8	6	41
CXJ-10106	CXJ-10106-FCS	10	10	6	50
CXJ-6126	CXJ-6126-FCS	12	6	6	36
CXJ-8126	CXJ-8126-FCS	12	8	6	46
CXJ-12126	CXJ-12126-FCS	12	12	6	77
CXJ-12126LW	CXJ-12126LW-FCS	12	12	6	58
CXJ-10146	CXJ-10146-FCS	14	10	6	68
CXJ-14146	CXJ-14146-FCS	14	14	6	94
CXJ-16166	CXJ-16166-FCS	16	16	6	120
CXJ-6186	CXJ-6186-FCS	18	6	6	46
CXJ-12186	CXJ-12186-FCS	18	12	6	116
CXJ-18186	CXJ-18186-FCS	18	18	6	149
CXJ-12246	CXJ-12246-FCS	24	12	6	142
CXJ-16246	CXJ-16246-FCS	24	16	6	174
CXJ-18246	CXJ-18246-FCS	24	18	6	193

Dome Cover Part No.	Flat Cover Part No.	Inside Dimensions			Weight lbs
		H	W	D	
CXJ-14286	CXJ-14286-FCS	28	14	6	153
CXJ-12366	CXJ-12366-FCS	36	12	6	210
CXJ-12306	CXJ-12306-FCS	30	12	6	177
CXJ-888	CXJ-888-FCS	8	8	8	39
CXJ-8108	CXJ-8108-FCS	10	8	8	46
CXJ-8128	CXJ-8128-FCS	12	8	8	50
CXJ-10108	CXJ-10108-FCS	10	10	8	57
CXJ-10128	CXJ-10128-FCS	12	12	8	87
CXJ-10148	CXJ-10148-FCS	14	10	8	75
CXJ-14148	CXJ-14148-FCS	14	14	8	104
CXJ-16168	CXJ-16168-FCS	16	16	8	143
CXJ-12188	CXJ-12188-FCS	18	12	8	120
CXJ-18188	CXJ-18188-FCS	18	18	8	176
CXJ-12248	CXJ-12248-FCS	24	12	8	154
CXJ-16248	CXJ-16248-FCS	24	16	8	194
CXJ-18248	CXJ-18248-FCS	24	18	8	210
CXJ-24248	CXJ-24248-FCS	24	24	8	306
CXJ-18308	CXJ-18308-FCS	30	18	8	268
CXJ-24308	CXJ-24308-FCS	30	24	8	306
CXJ-12368	CXJ-12368-FCS	36	12	8	222
CXJ-18368	CXJ-18368-FCS	36	18	8	410
CXJ-24368	CXJ-24368-FCS	36	24	8	471
*CXJ-12468	*CXJ-12468-FCS	46	12	8	260
*CXJ-38388	-	38	38	8	840
#CXJ-346810	-	68	34	5	1160
CXJ-122410	CXJ-122410-FCS	24	12	10	165
CXJ-162410	CXJ-162410-FCS	24	16	10	212
CXJ-182410	CXJ-182410-FCS	24	18	10	234
CXJ-242410	CXJ-242410-FCS	24	24	10	320
CXJ-183610	CXJ-183610-FCS	36	18	10	436
CXJ-243610	CXJ-243610-FCS	36	24	10	501
*CXJ-164610	*CXJ-164610-FCS	46	16	10	370
#CXJ-383816	-	38	38	16	900

OPTIONS:
Interior Mounting Plates
Nema 4 O-Ring
Hinges
Pilot Devices
NPT Conduit Openings
Windows

Notes:

= Made to Nema Type 4X, 7, 9 but hold no formal approval listings

* = UL and cUL for Canada and USA, but not CSA labelled

**SMALL EXPLOSION PROOF
CONTROL STATIONS**
Class 1, Div. 1 & 2 Group B*, C & D
Class 2, Div. 1 & 2 Group E, F & G

Consult Our Order Desk For Pricing




NEW



Part No.	Inside Dimensions			Max. Conduit Size	Weight lbs.
	H	W	D		
CXI 484	8	4.75	4	2"	19
CXI 6104	10	6.5	4	2"	21
CXI 6174	17	6.5	4	2"	33
CXI 6244	24	6.5	4	2"	45
CXI 6304	30	6.5	4	2"	56

**SMALL EXPLOSION PUSH
BUTTON STATIONS**
Class 1, Div. 1 & 2 Group B*, C & D
Class 2, Div. 1 & 2 Group E, F & G

Consult Our Order Desk For Pricing



Part No.	No. of Holes	Inside Dimensions			Conduit Size	Weight lbs.
		H	W	D		
CXI 333-X1	1	3.5	3.5	3	3/4"	5
CXI 363-X2	2	6	3.5	3	3/4"	6
CXI 373-X3	3	7	3.5	3	3/4"	7
CXI 393-X4	4	9	3.5	3	1"	8
CXI 3113-X5	5	11	3.5	3	1-1/4"	10
CXI 3133-X6	6	13	3.5	3	1-1/4"	11
CXI 3153-X7	7	15	3.5	3	1-1/4"	12
CXI 3183-X8	8	18	3.5	3	1-1/4"	14
CXI 3183-X9	9	18	3.5	3	1-1/4"	14

**EXPLOSION PROOF
INSTRUMENT HOUSING/METERING STATION**
Class 1, Div. 1 & 2 Group B*, C & D
Class 2, Div. 1 & 2 Group E, F & G

Consult Our Order Desk For Pricing



Solid Cover Part No.	Glass Cover Part No.	Inside Dimensions			Weight lbs.
		H	W	D	
XJCTS0*	XJCTG0*	3.75	3.75	2.5	5
XJCTS1	XJCTG1	5	5	3	9
XJCTS2	XJCTG2	6	6	4	12
XJCTS3	XJCTG3	6.5	6.5	4.5	13
XJCTS4	XJCTG4	7	7	6	20
XJCTS5	XJCTG5	8	8	4	26
XJCTS6	XJCTG6	8	8	6	29
XJCTS7	XJCTG7	10	8	6	36
XJCTS8	XJCTG8	10	10	6	45
XJCTS9	XJCTG9	10	10	8	51
XJCTS10	XJCTG10	11	12	7.5	55
XJCTS11	XJCTG11	12	12	6	54
XJCTS12	XJCTG12	5.5	6	4	12
XJCTS14	XJCTG14	9	7	4	33

EXPLOSION PROOF ENCLOSURE OPTIONS

PUSH BUTTONS




Flush



Extended



Reset



Dual



Push-Pull



Jumbo/E-Stop



Illuminated



Mini

PILOT LIGHTS

Pigtail, Saddle Clamp, Transformer



Standard



Mini

SELECTOR SWITCHES

2 & 3 Position



Standard



Keyed

POTENTIOMETERS


1k, 2k, 5k, 10k, Ohms




BREATHING/DRAIN



HINGES



Cast Aluminum



Stainless

WINDOWS

