

# NEMA / EEMAC TYPE 4, 12, IP66

## WATER-DUST TIGHT TERMINAL ENCLOSURE SCREW COVER ETB SERIES



Part No.		Size			Ship		Code
		H	W	D	Wt.		
ETB-181508	mm	180	150	80	1.7	kg	4
	in	7.1	5.9	3.1	3.7	lbs	
ETB-201808	mm	200	180	80	2	kg	4
	in	7.9	7.1	3.1	4.4	lbs	
ETB-202008	mm	200	200	80	2.1	kg	4
	in	7.9	7.9	3.1	4.6	lbs	
ETB-202012	mm	200	200	120	2.5	kg	4
	in	7.9	7.9	4.7	5.5	lbs	
ETB-301508	mm	300	150	80	2.4	kg	4
	in	11.8	5.9	3.1	5.3	lbs	
ETB-301512	mm	300	150	120	2.8	kg	4
	in	11.8	5.9	4.7	6.2	lbs	
ETB-302008	mm	300	200	80	2.7	kg	4
	in	11.8	7.9	3.1	6.1	lbs	
ETB-302012	mm	300	200	120	3.2	kg	4
	in	11.8	7.9	4.7	7.1	lbs	
ETB-303008	mm	300	300	80	3.6	kg	4
	in	11.8	11.8	3.1	8	lbs	
ETB-303012	mm	300	300	120	4.3	kg	4
	in	11.8	11.8	4.7	9.5	lbs	
ETB-402012	mm	400	200	120	4.7	kg	4
	in	15.7	7.9	4.7	10.4	lbs	
ETB-403012	mm	400	300	120	5.2	kg	4
	in	15.7	11.8	4.7	11.5	lbs	
ETB-404012	mm	400	400	120	6.4	kg	4
	in	15.7	15.7	4.7	14.1	lbs	
ETB-502012	mm	500	200	120	5.5	kg	4
	in	19.7	7.9	4.7	12.1	lbs	
ETB-503012	mm	500	300	120	7.1	kg	4
	in	19.7	11.8	4.7	15.7	lbs	
ETB-504012	mm	500	400	120	8.3	kg	4
	in	19.7	15.7	4.7	18.3	lbs	
ETB-602012	mm	600	200	120	6.2	kg	4
	in	23.6	7.9	4.7	13.7	lbs	
ETB-603012	mm	600	300	120	7.8	kg	4
	in	23.6	11.8	4.7	17.2	lbs	
ETB-604012	mm	600	400	120	10.4	kg	4
	in	23.6	15.7	4.7	22.9	lbs	
ETB-802012	mm	800	200	120	7.6	kg	4
	in	31.5	7.9	4.7	16.8	lbs	
ETB-804012	mm	800	400	120	12.9	kg	4
	in	31.5	15.7	4.7	28.4	lbs	

## INNER PANELS TBMP SERIES



Part No.		Size		For Enclosure	Ship Wt. (lbs)	Code
		H	W			
TBMP-1815	mm	155	132	180 x 150	0.6	4
	in	6.1	5.2			
TBMP-2018	mm	175	162	200 x 180	0.9	4
	in	6.9	6.4			
TBMP-2020	mm	175	182	200 x 200	1.0	4
	in	6.9	7.2			
TBMP-3015	mm	275	132	300 x 150	1.2	4
	in	10.8	5.2			
TBMP-3020	mm	275	182	300 x 200	1.6	4
	in	10.8	7.2			
TBMP-3030	mm	275	282	300 x 300	2.5	4
	in	10.8	11.1			
TBMP-4020	mm	375	182	400 x 200	2.2	4
	in	14.8	7.2			
TBMP-4030	mm	375	282	400 x 300	3.6	4
	in	14.8	11.1			
TBMP-4040	mm	375	382	400 x 400	4.7	4
	in	14.8	15			
TBMP-5020	mm	475	182	500 x 200	3.4	4
	in	18.7	7.2			
TBMP-5030	mm	475	282	500 x 300	4.7	4
	in	18.7	11.1			
TBMP-5040	mm	475	382	500 x 400	6.1	4
	in	18.7	15			
TBMP-6020	mm	575	182	600 x 200	3.6	4
	in	22.6	7.2			
TBMP-6030	mm	575	282	600 x 300	5.3	4
	in	22.6	11.1			
TBMP-6040	mm	575	382	600 x 400	7.3	4
	in	22.6	15			
TBMP-8020	mm	775	182	800 x 200	4.6	4
	in	30.5	7.2			
TBMP-8040	mm	775	382	800 x 400	10.0	4
	in	30.5	15			

## WALL BRACKETS 4 PER PACK

Part No.	Code
TBWB-01	4



# NEMA / EEMAC TYPE 12 PUSHBUTTON ENCLOSURES

## OIL-DUST TIGHT SCREW COVER STANDARD (30mm) PUSHBUTTON BOXES PB35-30 SERIES



Part No.	Size			Wt. Lbs.	No. of Holes	Code
	H	x W	x D			
PB35-1-30	3 1/2	3 1/4	2 3/4	1.8	1	1
PB35-2-30	5 3/4	3 1/4	2 3/4	2.3	2	1
PB35-3-30	8	3 1/4	2 3/4	3	3	1
PB35-4-30	10 1/4	3 1/4	2 3/4	3.5	4	1
PB35-6-30	9 1/2	6 1/4	3	5.3	6	1
PB35-9-30	9 1/2	8 1/2	3	6.5	9	1
PB35-12-30	11 3/4	8 1/2	3	7.5	12	1

## OIL-DUST TIGHT SCREW COVER MINIATURE (22mm) PUSHBUTTON BOXES PB35-22 SERIES



Part No.	Size			Wt. Lbs.	No. of Holes	Code
	H	x W	x D			
PB35-1-22	3 1/2	3 1/4	2 3/4	1.8	1	1
PB35-2-22	5 3/4	3 1/4	2 3/4	2.3	2	1
PB35-3-22	8	3 1/4	2 3/4	3	3	1
PB35-4-22	10 1/4	3 1/4	2 3/4	3.5	4	1
PB35-6-22	9 1/2	6 1/4	3	5.3	6	1
PB35-9-22	9 1/2	8 1/2	3	6.5	9	1
PB35-12-22	11 3/4	8 1/2	3	7.5	12	1

## OIL-DUST TIGHT PIANO HINGED STANDARD (30mm) PUSHBUTTON BOXES (Panel Included) PB89 SERIES



Part No.	Size			Wt. Lbs.	No. of Holes	Code
	H	x W	x D			
PB89-6	10 1/2	7 1/4	6	10	6	2
PB89-9	10 1/2	9 1/2	6	11.9	9	2
PB89-12	12 3/4	9 1/2	6	14.4	12	2

## OIL-DUST TIGHT SCREW COVER EXTRA DEEP STANDARD (30mm) PUSHBUTTON BOXES PB37-30 SERIES



Part No.	Size			Wt. Lbs.	No. of Holes	Code
	H	x W	x D			
PB37-1-30	4	4	4 3/4	2.8	1	1
PB37-2-30	6	4	4 3/4	3.5	2	1
PB37-3-30	8	4	4 3/4	4.5	3	1
PB37-4-30	10	4	4 3/4	5.3	4	1
PB37-6-30	9 1/2	6 1/4	4 3/4	5.3	6	1
PB37-9-30	9 1/2	8 1/2	4 3/4	6.5	9	1
PB37-12-30	11 3/4	8 1/2	4 3/4	7.5	12	1

## OIL-DUST TIGHT SCREW COVER EXTRA DEEP MINIATURE (22mm) PUSHBUTTON BOXES PB37-22 SERIES



Part No.	Size			Wt. Lbs.	No. of Holes	Code
	H	x W	x D			
PB37-1-22	4	4	4 3/4	2.8	1	1
PB37-2-22	6	4	4 3/4	3.5	2	1
PB37-3-22	8	4	4 3/4	4.5	3	1
PB37-4-22	10	4	4 3/4	5.3	4	1
PB37-6-22	9 1/2	6 1/4	4 3/4	5.3	6	1
PB37-9-22	9 1/2	8 1/2	4 3/4	6.5	9	1
PB37-12-22	11 3/4	8 1/2	4 3/4	7.5	12	1

## OIL-DUST TIGHT FLOOR MOUNTED PEDESTALS P95 SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
<b>COLUMN</b>					
P95-0404C	35	4	4	21.5	2
P95-0606C	35	6	6	21	2
<b>BASE</b>					
P95-1818B	1.13	18	18	17.9	2
P95-2424B	1.13	24	24	28.6	2

# NEMA / EEMAC TYPE 12

## OIL-DUST TIGHT SCREW COVER WIRING BOX PB35-BC SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
PB35-1-BC	3 1/2	3 1/4	2 3/4	1.8	1
PB35-2-BC	5 3/4	3 1/4	2 3/4	2.3	1
PB35-3-BC	8	3 1/4	2 3/4	3	1
PB35-4-BC	10 1/4	3 1/4	2 3/4	3.5	1
PB35-6-BC	9 1/2	6 1/4	3	5.3	1
PB35-9-BC	9 1/2	8 1/2	3	6.7	1

## OIL-DUST TIGHT EXTRA DEEP SCREW COVER WIRING BOX PB37-BC SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
PB37-1-BC	4	4	4 3/4	3	1
PB37-2-BC	6	4	4 3/4	3.5	1
PB37-3-BC	8	4	4 3/4	4.5	1
PB37-4-BC	10	4	4 3/4	5.3	1
PB37-6-BC	9 1/2	6 1/4	4 3/4	6.5	1
PB37-9-BC	9 1/2	8 1/2	4 3/4	8	1

## OIL-DUST TIGHT SLOPING FRONT CONSOLE C88 SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
C88-080807	8	8	7 5/32	7.3	2
C88-081207	8	12	7 5/32	10.0	2
C88-081607	8	16	7 5/32	12.5	2
C88-082007	8	20	7 5/32	15.1	2
C88-121209	12	12	9 5/32	14.2	2
C88-121609	12	16	9 5/32	17.5	2
C88-122009	12	20	9 5/32	20.1	2
C88-122409	12	24	9 5/32	24.1	2
C88-161611	16	16	11 5/32	22.8	2
C88-162011	16	20	11 5/32	27.1	2
C88-162411	16	24	11 5/32	31.2	2
C88-163011	16	30	11 5/32	37.5	2
C88-202013	20	20	13 5/32	33.7	2
C88-203013	20	30	13 5/32	44.3	2

## OIL-DUST TIGHT JIC ENCLOSURES LIFT-OFF COVER (Panel Included) IBOR SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
★ IBOR-040403	4	4	3	2.4	1
IBOR-080603	8	6	3.5	6.2	1
IBOR-060404	6	4	4	3.9	1
IBOR-060604	6	6	4	5.3	1
IBOR-100804	10	8	4	9.7	1
IBOR-121005	12	10	5	14	1
IBOR-141206	14	12	6	18.8	1

★ =NO INNER PANEL

## OIL-DUST TIGHT JIC ENCLOSURES PIANO HINGED COVER (Panel Included) IBOH SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
★ IBOH-040403	4	4	3	2.4	1
IBOH-060403	6	4	3	3	1
IBOH-080603	8	6	3.5	6.3	1
★ IBOH-040404	4	4	4	2.7	1
IBOH-060404	6	4	4	3.9	1
IBOH-060604	6	6	4	5.3	1
IBOH-080804	8	8	4	8.2	1
IBOH-100804	10	8	4	9.4	1
IBOH-120604	12	6	4	9	2
IBOH-121005	12	10	5	14	2
IBOH-080606	8	6	6	7.6	1
IBOH-100806	10	8	6	11.2	1
IBOH-101006	10	10	6	13	1
IBOH-121206	12	12	6	16.9	2
IBOH-140806	14	8	6	14.2	2
IBOH-141206	14	12	6	19.3	2
IBOH-161006	16	10	6	18.5	2
IBOH-161406	16	14	6	24.4	2
IBOH-121008	12	10	8	16.3	2
IBOH-141208	14	12	8	21.3	2
IBOH-161408	16	14	8	26.9	2
IBOH-161410	16	14	10	29	2

★ = NO INNER PANEL

## OIL-DUST TIGHT JIC ENCLOSURES SCREW COVER (Panel Included) IBSC SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
★ IBSC-040403	4	4	3	2.4	2
IBSC-060403	6	4	3	3.9	2
IBSC-080603	8	6	3.5	6.1	2
IBSC-060604	6	4	4	5.3	2
IBSC-100804	10	8	4	9.2	2
IBSC-121005	12	10	5	13.7	2
IBSC-141206	14	12	6	19.4	2
IBSC-161406	16	14	6	24	2

★ =NO INNER PANEL

# NEMA / EEMAC TYPE 12

**OIL-DUST TIGHT  
SINGLE DOOR  
ENCLOSURES  
(Panel Included)  
N12 SERIES**



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
N12-161206	16	12	6	21.5	2
N12-161606	16	16	6	26.4	2
N12-201606	20	16	6	31.3	2
N12-202006	20	20	6	36.2	2
N12-242006	24	20	6	41.2	2
N12-242406	24	24	6	46.6	2
N12-302006	30	20	6	49	2
N12-302406	30	24	6	55	2
N12-362406	36	24	6	67.1	2
N12-161208	16	12	8	23.8	2
N12-161608	16	16	8	29.5	2
N12-201608	20	16	8	34.4	2
N12-202008	20	20	8	40.1	2
N12-241208	24	12	8	31.6	2
N12-241608	24	16	8	38.8	2
N12-242008	24	20	8	44.8	2
N12-242408	24	24	8	51.4	2
N12-243008	24	30	8	62	2
N12-302408	30	24	8	60.6	2
N12-303008	30	30	8	75.7	2
N12-362408	36	24	8	71.1	2
N12-363008	36	30	8	85	2
N12-422408	42	24	8	82	2
N12-423008	42	30	8	99	2
N12-423608	42	36	8	118	2
N12-482408	48	24	8	88	2
N12-483008	48	30	8	114	2
N12-483608	48	36	8	126	2
N12-603608	60	36	8	153	2
N12-202010	20	20	10	42.3	2
N12-242010	24	20	10	48.7	2
N12-302010	30	20	10	57.8	2
N12-302410	30	24	10	63.5	2
N12-362410	36	24	10	76.7	2
N12-363010	36	30	10	90	2
N12-363610	36	36	10	110	2
N12-423010	42	30	10	102	2
N12-483010	48	30	10	116	2
N12-483610	48	36	10	133	2
N12-603610	60	36	10	162	2
N12-242412	24	24	12	60	2
N12-302412	30	24	12	70.3	2
N12-303012	30	30	12	88.6	2
N12-362412	36	24	12	82	2
N12-363012	36	30	12	96	2
N12-423012	42	30	12	109	2
N12-423612	42	36	12	126	2
N12-483612	48	36	12	142	2
N12-603612	60	36	12	164	2
N12-723012	72	30	12	230	2
N12-723612	72	36	12	270	2
N12-242016	24	20	16	61.2	2
N12-302416	30	24	16	79.4	2
N12-363016	36	30	16	110	2
N12-423616	42	36	16	144	2
N12-483616	48	36	16	160	2
N12-603616	60	36	16	186	2

# NEMA / EEMAC TYPE 12 V-SERIES AND ACCESSORIES

**WATER-DUST TIGHT  
ENCLOSURE  
(Panel Included)  
V-GP SERIES**



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
V-GP-121206	12	12	6	17.9	2
V-GP-161206	16	12	6	23.9	2
V-GP-161606	16	16	6	29.8	2
V-GP-201606	20	16	6	36.9	2
V-GP-202006	20	20	6	41.1	2
V-GP-161208	16	12	8	26.3	2
V-GP-162008	16	20	8	39.5	2
V-GP-201608	20	16	8	39.9	2
V-GP-202008	20	20	8	47.7	2
V-GP-202408	20	24	8	56.2	2
V-GP-241608	24	16	8	45.3	2
V-GP-242008	24	20	8	56.3	2
V-GP-242408	24	24	8	65.7	2
V-GP-243008	24	30	8	79.2	2
V-GP-302008	30	20	8	68.7	2
V-GP-302408	30	24	8	78.3	2
V-GP-303008	30	30	8	102.5	2
V-GP-362408	36	24	8	92.5	2
V-GP-363008	36	30	8	115.2	2
V-GP-242010	24	20	10	60.1	2
V-GP-302010	30	20	10	77.5	2
V-GP-302410	30	24	10	83.2	2
V-GP-362410	36	24	10	97.7	2
V-GP-423010	42	30	10	136.8	2
V-GP-202012	20	20	12	55	2
V-GP-242412	24	24	12	74	2
V-GP-302412	30	24	12	87.6	2
V-GP-363012	36	30	12	127.2	2
V-GP-363612	36	36	12	148.4	2
V-GP-423612	42	36	12	168.4	2
V-GP-482412	48	24	12	131.6	2
V-GP-483612	48	36	12	190.2	2
V-GP-602412	60	24	12	167.9	2
V-GP-603612	60	36	12	130.4	2
V-GP-242416	24	24	16	122.4	2
V-GP-363016	36	30	16	136.6	2
V-GP-483616	48	36	16	205.2	2
V-GP-603616	60	36	16	248.6	2

**WALL MOUNTING  
BRACKETS**

(4 Per Pack)



Part No.	Description	Code
V-WMB	Zinc Plated	2
AWS-41	Chrome Plated	2
V-SSWMB	304 Stainless Steel	2
V-SS-316-WMB	316 Stainless Steel	2

**WATER-DUST TIGHT  
GREY POWDER PAINT  
ENCLOSURE WITH  
WINDOW (Panel Included)  
V-GW SERIES**



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
V-GW-121206	12	12	6	17.9	2
V-GW-161206	16	12	6	23.9	2
V-GW-161606	16	16	6	29.8	2
V-GW-201606	20	16	6	36.9	2
V-GW-202006	20	20	6	44.1	2
V-GW-161208	16	12	8	29.4	2
V-GW-162008	16	20	8	39.9	2
V-GW-201608	20	16	8	45.7	2
V-GW-202008	20	20	8	47.7	2
V-GW-202408	20	24	8	56.2	2
V-GW-241608	24	16	8	45.3	2
V-GW-242008	24	20	8	56.3	2
V-GW-242408	24	24	8	65.7	2
V-GW-243008	24	30	8	79.2	2
V-GW-302008	30	20	8	68.7	2
V-GW-302408	30	24	8	78.3	2
V-GW-242010	24	20	10	60.1	2
V-GW-302010	30	20	10	74.1	2
V-GW-302410	30	24	10	83.2	2
V-GW-202012	20	20	12	55	2
V-GW-242412	24	24	12	74	2
V-GW-302412	30	24	12	87.6	2
V-GW-242416	24	24	16	83.2	2

**FACTORY  
INSTALLED**

**OPTIONAL  
SWING PANELS  
V-SP SERIES**



Part No.	Panel Size		For Enclosure	Wt. Lbs.	Code
	H	x W			
V-SP-1212	9	9 <sup>3</sup> / <sub>16</sub>	12 x 12	2.3	1
V-SP-1612	13	9 <sup>3</sup> / <sub>16</sub>	16 x 12	4.1	1
V-SP-1616	13	13 <sup>3</sup> / <sub>16</sub>	16 x 16	6	1
V-SP-1620	13	17 <sup>3</sup> / <sub>16</sub>	16 x 20	7.9	1
V-SP-2016	17	13 <sup>3</sup> / <sub>16</sub>	20 x 16	7.8	1
V-SP-2020	17	17 <sup>3</sup> / <sub>16</sub>	20 x 20	10.4	1
V-SP-2024	17	21 <sup>3</sup> / <sub>16</sub>	20 x 24	8.8	1
V-SP-2416	21	13 <sup>3</sup> / <sub>16</sub>	24 x 16	9.3	1
V-SP-2420	21	17 <sup>3</sup> / <sub>16</sub>	24 x 20	8.8	1
V-SP-2424	21	21 <sup>3</sup> / <sub>16</sub>	24 x 24	15.3	1
V-SP-2430	21	27 <sup>3</sup> / <sub>16</sub>	24 x 30	19.2	1
V-SP-3020	27	17 <sup>3</sup> / <sub>16</sub>	30 x 20	16	1
V-SP-3024	27	21 <sup>3</sup> / <sub>16</sub>	30 x 24	19.8	1
V-SP-3030	27	27 <sup>3</sup> / <sub>16</sub>	30 x 30	24.2	1
V-SP-3624	33	21 <sup>3</sup> / <sub>16</sub>	36 x 24	23.8	1
V-SP-3630	33	27 <sup>3</sup> / <sub>16</sub>	36 x 30	30.2	1
V-SP-3636	33	33 <sup>3</sup> / <sub>16</sub>	36 x 36	36.2	1
V-SP-4230	39	27 <sup>3</sup> / <sub>16</sub>	42 x 30	34.3	1
V-SP-4236	39	33 <sup>3</sup> / <sub>16</sub>	42 x 36	42.4	1
V-SP-4824	45	21 <sup>3</sup> / <sub>16</sub>	48 x 24	30.7	1
V-SP-4836	45	33 <sup>3</sup> / <sub>16</sub>	48 x 36	50	1

PLEASE NOTE: PRICE INCLUDES INSTALLATION

# NEMA / EEMAC TYPE 12, IP66

**OIL-DUST TIGHT  
WALL MOUNT DOUBLE DOOR  
ECONOMY ENCLOSURE  
(Panel Included)  
EWD SERIES**      **CE** **UL** **UL**  
(Standard gland plate included)



Part No.	Size			Ship Wt.	Code
	H	W	D		
EWD-0608030	mm 600	800	300	kg 34	4
	in 23.6	31.5	11.8	lbs 75.0	
EWD-0601020	mm 600	1000	200	kg 42	4
	in 23.6	39.4	7.9	lbs 92.6	
EWD-0801230	mm 800	1200	300	kg 65	4
	in 31.5	47.2	11.8	lbs 143.3	
EWD-1001030	mm 1000	1000	300	kg 63	4
	in 39.4	39.4	11.8	lbs 139	
EWD-1001230	mm 1000	1200	300	kg 72	4
	in 39.4	47.2	11.8	lbs 158.8	
EWD-1201030	mm 1200	1000	300	kg 72	4
	in 47.2	39.4	11.8	lbs 158.8	
EWD-1201230	mm 1200	1200	300	kg 81	4
	in 47.2	47.2	11.8	lbs 178.6	
EWD-1401030	mm 1400	1000	300	kg 83	4
	in 55.1	39.4	11.8	lbs 184	



## ENCLOSURE ACCESSORIES

Part No.	Description	Code
ADO-202	Door stop	2
EWMB-01	4 wall mounting brackets	4
DP-01	Document pocket	8

# NEMA / EEMAC TYPE 12

## OIL-DUST TIGHT DOUBLE DOOR ENCLOSURES (Panel Included) N12-DD SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
N12-DD-604808	60	48	8	352	2
N12-DD-244210	24	42	10	94	2
N12-DD-304210	30	42	10	102	2
N12-DD-604810	60	48	10	368	2
N12-DD-606010	60	60	10	448	2
N12-DD-726010	72	60	10	526	2
N12-DD-727210	72	72	10	602	2
N12-DD-364812	36	48	12	142	2
N12-DD-484812	48	48	12	250	2
N12-DD-604812	60	48	12	374	2
N12-DD-606012	60	60	12	462	2
N12-DD-726012	72	60	12	530	2
N12-DD-727212	72	72	12	626	2
N12-DD-604816	60	48	16	406	2
N12-DD-606016	60	60	16	488	2
N12-DD-727216	72	72	16	652	2
N12-DD-604820	60	48	20	438	2
N12-DD-726020	72	60	20	588	2
N12-DD-727220	72	72	20	688	2
N12-DD-727224	72	72	24	945	2

## OIL-DUST TIGHT FREE STANDING ENCLOSURES (Panel Included) N12-FS SERIES



Part No.	Size			Wt. Lbs.	List Price	Code
	H	x W	x D			
N12-FS-722418	72	24	18	298	2,028.80	2
N12-FS-723018	72	30	18	344	2,178.00	2
N12-FS-723618	72	36	18	388	2,383.80	2
N12-FS-603624	60	36	24	366	2,427.60	2
N12-FS-723024	72	30	24	388	2,412.20	2
N12-FS-723624	72	36	24	438	2,634.00	2
N12-FS-903624	90	36	24	536	3,044.40	2

## OIL-DUST TIGHT FREE STANDING DOUBLE DOOR ENCLOSURES (Panel Included) N12-FS-DD SERIES



Part No.	Size			Wt. Lbs.	List Price	Code
	H	x W	x D			
N12-FS-DD-724824	72	48	24	538	3,726.80	2
N12-FS-DD-726024	72	60	24	628	4,185.60	2
N12-FS-DD-727224	72	72	24	738	4,513.60	2

## MOUNTING FEET FOR N12-DD SERIES (Set of Two Feet) MF SERIES



Part No.	Enclosure Depth	Foot Height	Wt. Lbs.	Code
MF-1208	8	12	16	2
MF-0610	10	6	12.7	2
MF-1210	10	12	20.5	2
MF-1810	10	18	27.7	2
MF-0612	12	6	16.9	2
MF-1212	12	12	34.6	2
MF-1512	12	15	27.7	2
MF-1812	12	18	34.6	2
MF-0616	16	6	19.8	2
MF-1216	16	12	30.7	2
MF-0620	20	6	24.6	2
MF-1220	20	12	35	2
MF-1224	24	12	40.6	2

## OIL-DUST TIGHT FREE STANDING DUAL ACCESS ENCLOSURES (Panel Included) N12-FS-DA SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
N12-FS-DA-722424	72	24	24	345	2
N12-FS-DA-723024	72	30	24	390	2
N12-FS-DA-723624	72	36	24	440	2

## OIL-DUST TIGHT FREE STANDING DOUBLE DOOR DUAL ACCESS ENCLOSURES (Panel Included) N12-FS-DD-DA SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
N12-FS-DD-DA-724824	72	48	24	540	2
N12-FS-DD-DA-726024	72	60	24	630	2
N12-FS-DD-DA-727224	72	72	24	740	2

## OPTIONAL SIDE PANELS FOR FREE STANDING ENCLOSURES FS-SP SERIES



Part No.	For Enclosure Heights of	Panel Size H x W	Wt. Lbs.	Code
FS-SP-6020	72	60 x 20	38	2

# NEMA / EEMAC TYPE 12

**OIL-DUST TIGHT  
SINGLE DOOR  
FREE STANDING ENCLOSURE  
NEMA 12, 13, 14 IP66  
(Panel Included)  
MKS SERIES**



Part No.		Size			Ship Wt.	Code
		H	W	D		
EKS-20064	mm	2000	600	400	kg 103	2
	in	78.7	23.6	15.7	lbs 227	
MKS-20084-R5	mm	2000	800	400	kg 125	2
	in	78.7	31.5	15.7	lbs 276	
MKS-18085-R5	mm	1800	800	500	kg 120	2
	in	70.9	31.5	19.7	lbs 265	

**OIL-DUST TIGHT  
DOUBLE DOOR  
FREE STANDING ENCLOSURE  
NEMA 12, 13, IP55  
(Panel Included)  
MKD SERIES**



Part No.		Size			Ship Wt.	Code
		H	W	D		
EKD-12124	mm	1200	1200	400	kg 112	2
	in	47.2	47.2	15.7	lbs 247	
MKD-18164-R5	mm	1800	1600	400	kg 210	2
	in	70.9	63	15.7	lbs 463	
MKD-16125-R5	mm	1600	1200	500	kg 160	2
	in	63	47.2	19.7	lbs 352	
MKD-20125-R5	mm	2000	1200	500	kg 190	2
	in	78.7	47.2	19.7	lbs 419	

**OIL-DUST TIGHT  
MULTIPLE DOOR  
ENCLOSURE  
(Panel Included)  
N12-MD SERIES**



Part No.		Size			Ship Wt.	Code
		H	W	D		
N12-MD-3-8611216	in	86	112	15.5	1405	2
N12-MD-4-8614916	in	86	149	15.5	1730	2
N12-MD-5-8618716	in	86	187	15.5	2300	2