

NEMA / EEMAC TYPE 4, 12, IP66 STAINLESS STEEL

**WATER-DUST TIGHT
TERMINAL ENCLOSURE
SCREW COVER
ETBS SERIES** CE (UL) c(UL)



Part No.		Size			Ship Wt.	Code	
		H	W	D			
ETBS-181508	mm in	180 7.1	150 5.9	80 3.1	kg lbs	1.7 3.7	5
ETBS-201808	mm in	200 7.9	180 7.1	80 3.1	kg lbs	2 4.4	5
ETBS-202008	mm in	200 7.9	200 7.9	80 3.1	kg lbs	2.1 4.6	5
ETBS-202012	mm in	200 7.9	200 7.9	120 4.7	kg lbs	2.5 5.5	5
ETBS-301508	mm in	300 11.8	150 5.9	80 3.1	kg lbs	2.4 5.3	5
ETBS-301512	mm in	300 11.8	150 5.9	120 4.7	kg lbs	2.8 6.2	5
ETBS-302012	mm in	300 11.8	200 7.9	120 4.7	kg lbs	3.2 7.1	5
ETBS-303012	mm in	300 11.8	300 11.8	120 4.7	kg lbs	4.3 9.5	5
SSTB-204008	mm in	400 15.8	200 7.9	80 3.2	kg lbs	4 8	5
ETBS-402012	mm in	400 15.7	200 7.9	120 4.7	kg lbs	4.7 10.4	5
ETBS-403012	mm in	400 15.7	300 11.8	120 4.7	kg lbs	5.2 11.5	5
ETBS-404012	mm in	400 15.7	400 15.7	120 4.7	kg lbs	6.4 14.1	5
ETBS-502012	mm in	500 19.7	200 7.9	120 4.7	kg lbs	5.5 12.1	5
ETBS-503012	mm in	500 19.7	300 11.8	120 4.7	kg lbs	7.1 15.7	5
ETBS-504012	mm in	500 19.7	400 15.7	120 4.7	kg lbs	8.3 18.3	5
ETBS-602012	mm in	600 23.6	200 7.9	120 4.7	kg lbs	6.2 13.7	5
ETBS-603012	mm in	600 23.6	300 11.8	120 4.7	kg lbs	7.8 17.2	5
ETBS-604012	mm in	600 23.6	400 15.7	120 4.7	kg lbs	10.4 22.9	5
ETBS-802012	mm in	800 31.5	200 7.9	120 4.7	kg lbs	7.6 16.8	5
ETBS-804012	mm in	800 31.5	400 15.7	120 4.7	kg lbs	12.9 28.4	5

**INNER PANELS
TBMP SERIES**



Part No.		Size		For Enclosure	Wt. (lbs)	Code
		H	W			
TBMP-1815	mm in	155 6.1	132 5.2	180 x 150	0.6	4
TBMP-2018	mm in	175 6.9	162 6.4	200 x 180	0.85	4
TBMP-2020	mm in	175 6.9	182 7.2	200 x 200	0.98	4
TBMP-3015	mm in	275 10.8	132 5.2	300 x 150	1.2	4
TBMP-3020	mm in	275 10.8	182 7.2	300 x 200	1.63	4
TBMP-3030	mm in	275 10.8	282 11.1	300 x 300	2.5	4
BMP-2040	mm in	170 6.7	370 14.6	400 x 200 For SSTB	2	4
TBMP-4020	mm in	375 14.8	182 7.2	400 x 200	2.19	4
TBMP-4030	mm in	375 14.8	282 11.1	400 x 300	3.63	4
TBMP-4040	mm in	375 14.8	382 15	400 x 400	4.69	4
TBMP-5020	mm in	475 18.7	182 7.2	500 x 200	3.44	4
TBMP-5030	mm in	475 18.7	282 11.1	500 x 300	4.69	4
TBMP-5040	mm in	475 18.7	382 15	500 x 400	6.06	4
TBMP-6020	mm in	575 22.6	182 7.2	600 x 200	3.63	4
TBMP-6030	mm in	575 22.6	282 11.1	600 x 300	5.25	4
TBMP-6040	mm in	575 22.6	382 15	600 x 400	7.25	4
TBMP-8020	mm in	775 30.5	182 7.2	800 x 200	4.63	4
TBMP-8040	mm in	775 30.5	382 15	800 x 400	10.00	4

**WALL
BRACKETS
4 PER PACK**



Part No.	For	Code
AWS-41-304	SSTB	2
TBWB-SS	ETBS	5

NEMA / EEMAC TYPE 4, 4X STAINLESS STEEL

**WATER-DUST TIGHT
STAINLESS STEEL
JIC ENCLOSURES
PIANO HINGED COVER
(Panel Included)
IBWRH-SS SERIES**



NEW



304 Stainless Part No.	316 Stainless Part No.	H	Size W	D	Wt Lbs	Code
IBWRH-SS-060604	IBWRH-SS-316-060604	6	6	4	5.5	3
IBWRH-SS-080604	IBWRH-SS-316-080604	8	6	4	6.6	3
IBWRH-SS-100804	IBWRH-SS-316-100804	10	8	4	9.7	3
IBWRH-SS-121005	IBWRH-SS-316-121005	12	10	5	14.4	3
IBWRH-SS-080806	IBWRH-SS-316-080806	8	8	6	9.6	3
IBWRH-SS-121206	IBWRH-SS-316-121206	12	12	6	17.5	3
IBWRH-SS-141206	IBWRH-SS-316-141206	14	12	6	19.8	3
IBWRH-SS-161406	IBWRH-SS-316-161406	16	14	6	24.9	3
IBWRH-SS-100808	IBWRH-SS-316-100808	10	8	8	12.7	3
IBWRH-SS-141208	IBWRH-SS-316-141208	14	12	8	21.7	3

NEMA / EEMAC TYPE 4X, 4, 3R, 12 STAINLESS STEEL

**WATER-DUST TIGHT
ENCLOSURES
With 3 Point Locking Handle
(Panel Included)
N4X-3PSS SERIES**



NEW



304 Stainless Part No.	316 Stainless Part No.	H	Size W	D	Wt Lbs	Code
N4X-3PSS-242006	N4X-3PSS-316-242006	24	20	6	42	3
N4X-3PSS-242008	N4X-3PSS-316-242008	24	20	8	48	3
N4X-3PSS-242408	N4X-3PSS-316-242408	24	24	8	52	3
N4X-3PSS-302408	N4X-3PSS-316-242408	30	24	8	62	3
N4X-3PSS-303008	N4X-3PSS-316-303008	30	30	8	77	3
N4X-3PSS-362408	N4X-3PSS-316-362408	36	24	8	74	3
N4X-3PSS-363008	N4X-3PSS-316-363008	36	30	8	83	3
N4X-3PSS-483608	N4X-3PSS-316-483608	48	36	8	126	3
N4X-3PSS-242010	N4X-3PSS-316-242010	24	20	10	50	3
N4X-3PSS-363010	N4X-3PSS-316-363010	36	30	10	90	3
N4X-3PSS-423010	N4X-3PSS-316-423010	42	30	10	108	3
N4X-3PSS-483610	N4X-3PSS-316-483610	48	36	10	185	3
N4X-3PSS-242412	N4X-3PSS-316-242412	24	24	12	60	3
N4X-3PSS-302412	N4X-3PSS-316-302412	30	24	12	72	3
N4X-3PSS-363012	N4X-3PSS-316-363012	36	30	12	99	3
N4X-3PSS-363612	N4X-3PSS-316-363612	36	36	12	117	3
N4X-3PSS-423612	N4X-3PSS-316-423612	42	36	12	172	3
N4X-3PSS-483612	N4X-3PSS-316-483612	48	36	12	146	3
N4X-3PSS-603612	N4X-3PSS-316-603612	60	36	12	164	3
N4X-3PSS-483616	N4X-3PSS-316-483616	48	36	16	165	3
N4X-3PSS-603616	N4X-3PSS-316-603616	60	36	16	170	3

NEMA / EEMAC TYPE 4, 4X STAINLESS STEEL

**WATER-DUST TIGHT
STAINLESS STEEL
ENCLOSURES
(Panel Included)
N4X-SS SERIES**



NEW

304 Stainless Part No.	316 Stainless Part No.	H	Size W	D	Wt Lbs	Code
N4X-SS-161206	N4X-SS-316-161206	16	12	6	21.1	3
N4X-SS-161606	N4X-SS-316-161606	16	16	6	27.2	3
N4X-SS-162006	N4X-SS-316-162006	16	20	6	31.6	3
N4X-SS-201606	N4X-SS-316-201606	20	16	6	31.6	3
N4X-SS-202006	N4X-SS-316-202006	20	20	6	38.4	3
N4X-SS-242006	N4X-SS-316-242006	24	20	6	42.2	3
N4X-SS-161208	N4X-SS-316-161208	16	12	8	24	3
N4X-SS-201608	N4X-SS-316-201608	20	16	8	35.2	3
N4X-SS-202008	N4X-SS-316-202008	20	20	8	41.1	3
N4X-SS-202408	N4X-SS-316-202408	20	24	8	46.7	3
N4X-SS-241608	N4X-SS-316-241608	24	24	8	38.2	3
N4X-SS-242008	N4X-SS-316-242008	24	30	8	46.7	3
N4X-SS-242408	N4X-SS-316-242408	30	20	8	51.9	3
N4X-SS-243008	N4X-SS-316-243008	24	30	8	62.2	3
N4X-SS-302008	N4X-SS-316-302008	30	20	8	56.4	3
N4X-SS-302408	N4X-SS-316-302408	30	24	8	62.2	3
N4X-SS-303008	N4X-SS-316-303008	30	30	8	74	3
N4X-SS-362408	N4X-SS-316-362408	36	24	8	73	3
N4X-SS-363008	N4X-SS-316-363008	36	30	8	96	3
N4X-SS-423608	N4X-SS-316-423608	42	36	8	123	3
N4X-SS-483608	N4X-SS-316-483608	48	36	8	131	3
N4X-SS-201610	N4X-SS-316-201610	20	16	10	38.8	3
N4X-SS-242010	N4X-SS-316-242010	24	20	10	49.4	3
N4X-SS-362410	N4X-SS-316-362410	36	24	10	78	3
N4X-SS-363010	N4X-SS-316-201610	36	30	10	101	3
N4X-SS-423010	N4X-SS-316-201610	42	30	10	107	3
N4X-SS-242412	N4X-SS-316-242412	24	24	12	60.9	3
N4X-SS-302412	N4X-SS-316-302412	30	24	12	72.7	3
N4X-SS-363012	N4X-SS-316-363012	36	30	12	100	3
N4X-SS-363612	N4X-SS-316-363612	36	36	12	116	3
N4X-SS-483612	N4X-SS-316-483612	48	36	12	146	3
N4X-SS-603612	N4X-SS-316-603612	60	36	12	169	3
N4X-SS-302416	N4X-SS-316-302416	30	24	16	81	3
N4X-SS-363016	N4X-SS-316-363016	36	30	16	116	3
N4X-SS-483616	N4X-SS-316-483616	48	36	16	165	3

NEMA / EEMAC TYPE 4, 4X STAINLESS STEEL

**WATER-DUST TIGHT
STAINLESS STEEL
ENCLOSURES
(Panel Included)
V-SS SERIES**



NEW

304 Stainless Part No.	List Price	316 Stainless Part No.	List Price	H	Size W	D	Wt. Lbs.	Code
V-SS-121206	821.60	V-SS-316-121206	944.80	12	12	6	18.5	3
V-SS-161206	901.40	V-SS-316-161206	1,036.60	16	12	6	24.4	3
V-SS-161606	1,000.00	V-SS-316-161606	1,150.00	16	16	6	30.9	3
V-SS-201608	1,178.40	V-SS-316-201608	1,355.20	20	16	8	40.8	3
V-SS-202008	1,299.20	V-SS-316-202008	1,496.60	20	20	8	47.9	3
V-SS-202408	1,425.20	V-SS-316-202408	1,639.00	20	24	8	47.3	3
V-SS-241608	1,284.80	V-SS-316-241608	1,477.60	24	16	8	47	3
V-SS-242008	1,425.20	V-SS-316-242008	1,639.00	24	20	8	56.9	3
V-SS-242408	1,567.20	V-SS-316-242408	1,859.00	24	24	8	67.4	3
V-SS-302408	1,778.40	V-SS-316-302408	2,045.20	30	24	8	78.6	3
V-SS-303008	2,088.40	V-SS-316-303008	2,401.80	30	30	8	98.3	3
V-SS-362408	2,047.80	V-SS-316-362408	2,355.00	36	24	8	87.3	3
V-SS-363008	2,348.20	V-SS-316-363008	2,700.20	36	30	8	116.6	3
V-SS-423612	3,209.60	V-SS-316-423612	3,691.00	42	36	12	172.4	3
V-SS-483612	3,528.20	V-SS-316-483612	4,057.40	48	36	12	195.2	3

**WATER-DUST TIGHT
304 STAINLESS STEEL
ENCLOSURE WITH WINDOW
(Panel Included)
V-SW SERIES**



NEW

304 Stainless Part No.	316 Stainless Part No.	H	Size W	D	Wt. Lbs.	Code
V-SW-121206	V-SW-316-121206	12	12	6	16.5	3
V-SW-161206	V-SW-316-161206	16	12	6	24.5	3
V-SW-161606	V-SW-316-161606	16	16	6	30.9	3
V-SW-201608	V-SW-316-201608	20	16	8	40.8	3
V-SW-202008	V-SW-316-202008	20	20	8	47.9	3
V-SW-202408	V-SW-316-202408	20	24	8	56.9	3
V-SW-241608	V-SW-316-241608	24	16	8	47	3
V-SW-242008	V-SW-316-242008	24	20	8	56.9	3
V-SW-242408	V-SW-316-242408	24	24	8	61.4	3
V-SW-302408	V-SW-316-302408	30	24	8	71.2	3

**OPTIONAL
SWING PANELS
V-SP SERIES**

**FACTORY
INSTALLED**



Part No.	Panel Size H W	For Enclosure	Wt. Lbs.	Code
V-SP-1212	9 9 ³ / ₁₆	12 x 12	2.3	1
V-SP-1612	13 9 ³ / ₁₆	16 x 12	4.1	1
V-SP-1616	13 13 ³ / ₁₆	16 x 16	6	1
V-SP-2016	17 13 ³ / ₁₆	20 x 16	7.8	1
V-SP-2020	17 17 ³ / ₁₆	20 x 20	10.4	1
V-SP-2024	17 21 ³ / ₁₆	20 x 24	8.8	1
V-SP-2416	21 13 ³ / ₁₆	24 x 16	9.3	1
V-SP-2420	21 17 ³ / ₁₆	24 x 20	8.8	1
V-SP-2424	21 21 ³ / ₁₆	24 x 24	15.3	1
V-SP-3024	27 21 ³ / ₁₆	30 x 24	19.8	1
V-SP-3030	27 27 ³ / ₁₆	30 x 30	24.2	1
V-SP-3624	33 21 ³ / ₁₆	36 x 24	23.8	1
V-SP-3630	33 27 ³ / ₁₆	36 x 30	30.2	1
V-SP-4236	39 33 ³ / ₁₆	42 x 36	42.4	1
V-SP-4836	45 33 ³ / ₁₆	48 x 36	50	1

**WALL MOUNTING
BRACKETS
4 PER PACK**



Part No.	Description	Code
V-SS-316-WMB	316 Stainless Steel	2
V-SSWMB	304 Stainless Steel	2
AWS-41	Chrome Plated	2

PLEASE NOTE: PRICE INCLUDES INSTALLATION

NEMA / EEMAC TYPE 4, 4X, IP66 STAINLESS STEEL

(316 Stainless upon request)

**WATER-DUST TIGHT
STAINLESS STEEL
ECONOMY ENCLOSURE
(Panel Included)
EWSS SERIES**



NEW



Part No.		Size			Ship Wt.		Code
		H	W	D			
EWSS-0302015	mm	306	206	150	kg	5.2	5
	in	12	8.1	5.9	lbs	11.5	
EWSS-0303015	mm	306	306	150	kg	7	5
	in	12	12	5.9	lbs	15.4	
EWSS-0403015	mm	406	306	150	kg	9.6	5
	in	16	12	5.9	lbs	21.2	
EWSS-0302520	mm	306	256	200	kg	7	5
	in	12	10.1	7.9	lbs	15.4	
EWSS-0352520	mm	356	256	200	kg	8	5
	in	14	10.1	7.9	lbs	17.6	
EWSS-0403020	mm	406	306	200	kg	9.9	5
	in	16	12	7.9	lbs	21.8	
EWSS-0404020	mm	406	406	200	kg	10.5	5
	in	16	16	7.9	lbs	23.1	
EWSS-0504020	mm	506	406	200	kg	12.8	5
	in	19.9	16	7.9	lbs	28.2	
EWSS-0505020	mm	506	506	200	kg	15.1	5
	in	19.9	19.9	7.9	lbs	33.3	
EWSS-0604020	mm	606	406	200	kg	17	5
	in	23.9	16	7.9	lbs	37.5	
EWSS-0606020	mm	606	606	200	kg	23.6	5
	in	23.9	23.9	7.9	lbs	52.0	
EWSS-0705020	mm	706	506	200	kg	23	5
	in	27.8	19.9	7.9	lbs	50.7	
EWSS-0805020	mm	806	506	200	kg	26	5
	in	31.7	19.9	7.9	lbs	57.3	
EWSS-0806020	mm	806	606	200	kg	29.2	5
	in	31.7	23.9	7.9	lbs	64.4	
EWSS-0906020	mm	906	606	200	kg	32.7	5
	in	35.7	23.9	7.9	lbs	72.1	
EWSS-0806030	mm	806	606	300	kg	32.5	5
	in	31.7	23.9	11.8	lbs	71.7	
EWSS-0808030	mm	806	806	300	kg	38	5
	in	31.7	31.7	11.8	lbs	83.8	
EWSS-0906030	mm	906	606	300	kg	36.7	5
	in	35.7	23.9	11.8	lbs	80.9	
EWSS-1008030	mm	1006	806	300	kg	46	5
	in	39.6	31.7	11.8	lbs	101.4	

NEMA / EEMAC TYPE 4, 4X, IP66 STAINLESS STEEL

(316 Stainless upon request)

**WATER-DUST TIGHT
SLOPED ROOF ENCLOSURE
(Panel Included)
EST SERIES**



Part No.		Size				Ship Wt.	Code
		H1	H	W	D		
EST-0404021B	mm	280	400	400	210	11 kg	5
	in	11	15.7	15.7	8.3	24 lbs	
EST-0432015	mm	300	430	200	155	10 kg	5
	in	11.8	16.9	7.9	6.1	22 lbs	
EST-0404021	mm	310	400	400	210	11 kg	5
	in	12.2	15.8	15.75	8.3	24 lbs	
EST-0553020	mm	400	555	300	200	17 kg	5
	in	15.75	21.7	11.8	7.9	36 lbs	
EST-0604021B	mm	480	600	400	210	15 kg	5
	in	18.9	23.6	15.7	8.3	34 lbs	
EST-0604021	mm	506	600	400	210	15 kg	5
	in	19.9	23.6	15.75	8.3	34 lbs	
EST-0665020	mm	500	660	500	200	25 kg	5
	in	19.7	26	19.7	7.9	57 lbs	
EST-0754020	mm	600	755	400	200	23 kg	5
	in	23.6	29.7	15.75	7.9	50 lbs	
EST-0626030	mm	400	620	600	300	30 kg	5
	in	15.75	24.4	23.6	11.8	66 lbs	
EST-1026030	mm	800	1020	600	300	40 kg	5
	in	31.5	40.2	23.6	11.8	88 lbs	
EST-1228030	mm	1000	1220	800	300	60 kg	5
	in	39.4	48	31.5	11.8	132 lbs	
EST-1428030	mm	1200	1420	800	300	70 kg	5
	in	47.2	55.9	31.5	11.8	154 lbs	



Description	Chrome Plated Part No.	Code	304 Stainless Part No.	Code
Replacement Latch - Slot Type	RL-03	4	Z-2032N-304	2
EWSS Wall Mounting Brackets	EWMB-01	4	EWMB-02	5
EST Wall Mounting Brackets	-	-	EWMB-03	5
Door Stop	ADO-202	2	ADO-202S	2

www.ralstonmetal.com Toll Free 800-265-7611

HDW SERIES

Hygienic Design Wall Mount Enclosure

Made for the Food, Beverage, and Pharmaceutical Industry



The HDW series enclosure complies with the strict standards and regulations required for a hygienic design within the food, beverage, and pharmaceutical industries. A selection of appropriate materials allows high sanitary operations an ease for thorough cleaning, while avoiding areas or dead spaces which solid or liquid residue could accumulate. The HDW series allows high pressure cleaning under extreme temperatures to ensure products are safe for human consumption and free of contaminants.

The enclosure are made of stainless steel, with a high protection degree. The enclosure helps increase the life expectancy of stored items, and help reduce their maintenance cost due to its increase protection, and hygienic design.



Blue silicone gasket

- One piece gasket easy to remove for cleaning or replacement
- FDA certified for food production areas
- Blue colour makes any contaminants easily visible



Smart hinge design

- Completely hidden inside enclosure when closed
- Reversible - to swap door for left hand open without machining



Multiple earthing studs

- In the door
- In the enclosure
- Simplifies wiring



Mounting plate

- Supplied with the enclosure
- Galvanized steel 2mm thick



30° sloped roof

- Self draining
- Easy to hose clean
- Integrated 30mm overhang



Hygienic Lock

- Special hygienic locking system
- Self-cleaning design



8° sloped door edge



Surface finish



Gapless sealing

NEMA / EEMAC TYPE 4, 4X & IP69K HYGIENIC STAINLESS STEEL

**WATER-DUST TIGHT
304 STAINLESS STEEL
SLOPED ROOF ENCLOSURE
(Panel included)
HDW SERIES**



NEW

Part No.		Back	Front	W	D	Ship Wt.	Code
		H	H				
HDW-0442215	mm	442	350	220	155	8.1 kg	2
	in	17.4	13.8	8.7	4.5	17 lbs	
HDW-0553921	mm	552	430	390	210	16.2 kg	2
	in	21.7	16.9	15.4	8.3	35.7 lbs	
HDW-0675121	mm	672	550	510	210	23.8 kg	2
	in	26.5	21.7	20.1	8.3	52.5 lbs	
HDW-0773921	mm	772	650	390	210	21.9 kg	2
	in	30.4	25.6	15.4	8.3	48.3 lbs	
HDW-0776121	mm	772	650	610	210	31.1 kg	2
	in	30.4	25.6	24	8.3	68.6 lbs	
HDW-0606130	mm	605	430	610	300	26.5 kg	2
	in	23.8	16.9	24	11.8	58.4 lbs	
HDW-1228130	mm	1225	1050	810	300	64.9 kg	2
	in	48.2	41.3	31.9	11.8	143.1 lbs	
HDW-1428130	mm	1425	1250	810	300	74.7 kg	2
	in	56.1	49.2	31.9	11.8	164.7 lbs	

HDW HYGIENIC SERIES ACCESSORIES

Hygienic 3-A Leveling Feet 4 Per Pack

Part No.	Height Adjustment	Loading Rate	Weight	Code
LFHD-04	4" - 5.5"	675 lbs	4.5 lbs	2



Hygienic Wall Mount Brackets 1 Per Pack

Part No.	Description	Depth	Weight	Code
AWHD-050	304 Stainless Steel	50mm (2")	0.6 lbs	2
AWHD-300	304 Stainless Steel	300mm (12")	3.6 lbs	2



Hygienic Cable Glands 5 Per Pack

Part No.	Description	Code
CGHD-12	304 Stainless Steel - M12 x 1.5	2
CGHD-16	304 Stainless Steel - M16 x 1.5	2
CGHD-20	304 Stainless Steel - M20 x 1.5	2
CGHD-25	304 Stainless Steel - M25 x 1.5	2



Additional Hygienic Enclosure Key

Part No.	Description	Code
LSKHD-01	HDW Enclosure Key	2

NEMA / EEMAC TYPE 4, 4X STAINLESS STEEL

WATER-DUST TIGHT DOUBLE DOOR STAINLESS STEEL ENCLOSURES (Panel Included) N4X-DD SERIES



304 Stainless		316 Stainless		Size			Wt. Lbs.
Part No.	Code	Part No.	Code	H	W	D	
N4X-DD-SS-604812	3	N4X-DD-SS-316-604812	3A	60	48	12	422
N4X-DD-SS-606012	3	N4X-DD-SS-316-606012	3A	60	60	12	570
N4X-DD-SS-726012	3	N4X-DD-SS-316-726012	3A	72	60	12	660
N4X-DD-SS-727212	3	N4X-DD-SS-316-727212	3A	72	72	12	750
N4X-DD-SS-727220	3	N4X-DD-SS-316-727220	3A	72	72	20	765



HYGIENIC WALL MOUNT BRACKETS

1 Per Pack

Part No.	Description	Weight	Code
AWHD-050	304 Stainless 50mm 2" depth	0.6	2
AWHD-300	304 Stainless 300mm 12" depth	3.6	2



MOUNTING FEET STAINLESS Set of Two Feet MF Series

304 Stainless		316 Stainless		Size		Wt. Lbs.	Code
Part No.	Part No.	H	D	H	D		
MF-SS-1212	MF-SS-316-1212	12	12	12	12	26	2
MF-SS-0620	MF-SS-316-0620	6	20	6	20	25	2



WATER-DUST TIGHT 304 STAINLESS STEEL CONSOLE CABINETS (BACK PANEL INCLUDED) VCSS SERIES



Part No.	H	Size		Wt. Lbs.	No. of Lower Doors	Code
		W	D			
VCSS-24	40.125	24	18.25	152	1	1
VCSS-32	40.125	32	18.25	196	1	1
VCSS-40	40.125	40	18.25	228	2	1
VCSS-48	40.125	48	18.25	266	2	1

NOTE: VCSS are made to order and can not be cancelled once the order is placed.



OPTIONS

Part No.	Description	Code
V-CC-SP	25.75 High x 16" Wide side panel	1
V-TK	Triangular Key	1