

NEMA / EEMAC TYPE 4, 12, IP66

**WATER-DUST TIGHT
TERMINAL ENCLOSURE
SCREW COVER
ETB SERIES**



Part No.		Size			Ship Wt.	Code
		H	W	D		
ETB-181508	mm 180 in 7.1	150 5.9	80 3.1	kg 1.7 lbs 3.7	4	
ETB-201808	mm 200 in 7.9	180 7.1	80 3.1	kg 2 lbs 4.4	4	
ETB-202008	mm 200 in 7.9	200 7.9	80 3.1	kg 2.1 lbs 4.6	4	
ETB-202012	mm 200 in 7.9	200 7.9	120 4.7	kg 2.5 lbs 5.5	4	
ETB-301508	mm 300 in 11.8	150 5.9	80 3.1	kg 2.4 lbs 5.3	4	
ETB-301512	mm 300 in 11.8	150 5.9	120 4.7	kg 2.8 lbs 6.2	4	
ETB-302008	mm 300 in 11.8	200 7.9	80 3.1	kg 2.7 lbs 6.1	4	
ETB-302012	mm 300 in 11.8	200 7.9	120 4.7	kg 3.2 lbs 7.1	4	
ETB-303008	mm 300 in 11.8	300 11.8	80 3.1	kg 3.6 lbs 8	4	
ETB-303012	mm 300 in 11.8	300 11.8	120 4.7	kg 4.3 lbs 9.5	4	
ETB-402012	mm 400 in 15.7	200 7.9	120 4.7	kg 4.7 lbs 10.4	4	
ETB-403012	mm 400 in 15.7	300 11.8	120 4.7	kg 5.2 lbs 11.5	4	
ETB-404012	mm 400 in 15.7	400 15.7	120 4.7	kg 6.4 lbs 14.1	4	
ETB-502012	mm 500 in 19.7	200 7.9	120 4.7	kg 5.5 lbs 12.1	4	
ETB-503012	mm 500 in 19.7	300 11.8	120 4.7	kg 7.1 lbs 15.7	4	
ETB-504012	mm 500 in 19.7	400 15.7	120 4.7	kg 8.3 lbs 18.3	4	
ETB-602012	mm 600 in 23.6	200 7.9	120 4.7	kg 6.2 lbs 13.7	4	
ETB-603012	mm 600 in 23.6	300 11.8	120 4.7	kg 7.8 lbs 17.2	4	
ETB-604012	mm 600 in 23.6	400 15.7	120 4.7	kg 10.4 lbs 22.9	4	
ETB-802012	mm 800 in 31.5	200 7.9	120 4.7	kg 7.6 lbs 16.8	4	
ETB-804012	mm 800 in 31.5	400 15.7	120 4.7	kg 12.9 lbs 28.4	4	

**INNER PANELS
TBMP SERIES**



Part No.		Size		For Enclosure	Ship Wt. (lbs)	Code
		H	W			
TBMP-1815	mm 155 in 6.1	132 5.2	180 x 150	0.6	4	
TBMP-2018	mm 175 in 6.9	162 6.4	200 x 180	0.9	4	
TBMP-2020	mm 175 in 6.9	182 7.2	200 x 200	1.0	4	
TBMP-3015	mm 275 in 10.8	132 5.2	300 x 150	1.2	4	
TBMP-3020	mm 275 in 10.8	182 7.2	300 x 200	1.6	4	
TBMP-3030	mm 275 in 10.8	282 11.1	300 x 300	2.5	4	
TBMP-4020	mm 375 in 14.8	182 7.2	400 x 200	2.2	4	
TBMP-4030	mm 375 in 14.8	282 11.1	400 x 300	3.6	4	
TBMP-4040	mm 375 in 14.8	382 15	400 x 400	4.7	4	
TBMP-5020	mm 475 in 18.7	182 7.2	500 x 200	3.4	4	
TBMP-5030	mm 475 in 18.7	282 11.1	500 X 300	4.7	4	
TBMP-5040	mm 475 in 18.7	382 15	500 x 400	6.1	4	
TBMP-6020	mm 575 in 22.6	182 7.2	600 x 200	3.6	4	
TBMP-6030	mm 575 in 22.6	282 11.1	600 x 300	5.3	4	
TBMP-6040	mm 575 in 22.6	382 15	600 x 400	7.3	4	
TBMP-8020	mm 775 in 30.5	182 7.2	800 x 200	4.6	4	
TBMP-8040	mm 775 in 30.5	382 15	800 x 400	10.0	4	

**WALL BRACKET
4 PER PACK**



Part No.	Code
TBWB-01	4

NEMA / EEMAC TYPE 4

**WATER-DUST TIGHT
JIC ENCLOSURES
PIANO HINGED COVER
(Panel Included)
IBWRH SERIES**



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
★IBWRH-040403	4	4	3	2.4	2
IBWRH-060403	6	4	3	3.7	2
IBWRH-080603	8	6	3.5	6.4	2
IBWRH-060604	6	6	4	5.5	2
IBWRH-100804	10	8	4	9.6	2
IBWRH-121005	12	10	5	14.4	2
IBWRH-100806	10	8	6	11.2	2
IBWRH-121206	12	12	6	17.4	2
IBWRH-141206	14	12	6	19.8	2
IBWRH-161406	16	14	6	24.7	2
IBWRH-141208	14	12	8	22.5	2
IBWRH-161410	16	14	10	29.5	2

★ = NO INNER PANEL

**WATER-DUST TIGHT
JIC ENCLOSURES
LIFT OFF COVER
(Panel Included)
IBWR SERIES**



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
IBWR-060403	6	4	3	3.7	2
IBWR-060604	6	6	4	5.7	2
IBWR-121005	12	10	5	14.6	2

**WATER-DUST TIGHT
SINGLE DOOR ENCLOSURES
POWDER PAINTED
(Panel Included)
N4X SERIES**



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
N4X-161206	16	12	6	21.6	2
N4X-161606	16	16	6	26	2
N4X-201606	20	16	6	31.6	2
N4X-202006	20	20	6	37.1	2
N4X-242006	24	20	6	42.2	2
N4X-242406	24	24	6	47.8	2
N4X-161208	16	12	8	25.2	2
N4X-201608	20	16	8	34.7	2
N4X-202008	20	20	8	40.8	2
N4X-242008	24	20	8	45.9	2
N4X-242408	24	24	8	52.2	2
N4X-302408	30	24	8	62.2	2
N4X-303008	30	30	8	77	2
N4X-362408	36	24	8	73.5	2
N4X-363008	36	30	8	82.3	2
N4X-423608	42	36	8	114	2
N4X-242010	24	20	10	50.2	2
N4X-302410	30	24	10	65.9	2
N4X-362410	36	24	10	78	2
N4X-423010	42	30	10	108	2
N4X-302412	30	24	12	72	2
N4X-363012	36	30	12	99	2
N4X-423612	42	36	12	128	2
N4X-483612	48	36	12	146	2
N4X-603616	60	36	16	190	2

**WATER-DUST TIGHT
ENCLOSURES
With 3 Point Locking Handle
(Panel Included)
N43P SERIES**

NEW



Part No.	Size			Wt. Lbs.	Code
	H	x W	x D		
N43P-242006	24	20	6	41.2	2
N43P-242008	24	20	8	45.9	2
N43P-242408	24	24	8	51.2	2
N43P-302408	30	24	8	52.7	2
N43P-303008	30	30	8	77	2
N43P-362408	36	24	8	73.5	2
N43P-363008	36	30	8	82.3	2
N43P-423608	42	36	8	114	2
N43P-483608	48	36	8	128	2
N43P-242010	24	20	10	50.2	2
N43P-363010	36	30	10	92	2
N43P-423010	42	30	10	108	2
N43P-483610	48	36	10	135	2
N43P-242412	24	24	12	62	2
N43P-302412	30	24	12	72	2
N43P-363012	36	30	12	99	2
N43P-363612	36	36	12	115	2
N43P-423612	42	36	12	126	2
N43P-483612	48	36	12	142	2
N43P-603612	60	36	12	165	2
N43P-483616	48	36	12	162	2
N43P-603616	60	36	16	186	2

NEMA / EEMAC TYPE 4

**WATER-DUST TIGHT
GREY POWDER PAINT
ENCLOSURE
(Panel Included)
V-GP SERIES**



Part No.	Size			Wt. Lbs.	Code
	H x W x D				
V-GP-121206	12	12	6	17.9	2
V-GP-161206	16	12	6	23.9	2
V-GP-161606	16	16	6	29.8	2
V-GP-201606	20	16	6	36.9	2
V-GP-202006	20	20	6	41.1	2
V-GP-161208	16	12	8	26.3	2
V-GP-162008	16	20	8	39.5	2
V-GP-201608	20	16	8	39.9	2
V-GP-202008	20	20	8	47.7	2
V-GP-202408	20	24	8	56.2	2
V-GP-241608	24	16	8	45.3	2
V-GP-242008	24	20	8	56.3	2
V-GP-242408	24	24	8	65.7	2
V-GP-243008	24	30	8	79.2	2
V-GP-302008	30	20	8	68.7	2
V-GP-302408	30	24	8	78.3	2
V-GP-303008	30	30	8	102.5	2
V-GP-362408	36	24	8	92.5	2
V-GP-363008	36	30	8	115.2	2
V-GP-242010	24	20	10	60.1	2
V-GP-302010	30	20	10	77.5	2
V-GP-302410	30	24	10	83.2	2
V-GP-362410	36	24	10	97.7	2
V-GP-423010	42	30	10	136.8	2
V-GP-202012	20	20	12	55	2
V-GP-242412	24	24	12	74	2
V-GP-302412	30	24	12	87.6	2
V-GP-363012	36	30	12	127.2	2
V-GP-363612	36	36	12	148.4	2
V-GP-423612	42	36	12	168.4	2
V-GP-482412	48	24	12	131.6	2
V-GP-483612	48	36	12	190.2	2
V-GP-602412	60	24	12	167.9	2
V-GP-603612	60	36	12	130.4	2
V-GP-242416	24	24	16	122.4	2
V-GP-363016	36	30	16	136.6	2
V-GP-483616	48	36	16	205.2	2
V-GP-603616	60	36	16	248.6	2

NOTE: INNER PANELS AND WALL MOUNTING BRACKETS ARE OPTIONAL ACCESSORIES

**WALL MOUNTING
BRACKETS FOR
VGP AND VGW SERIES
4 PER PACK**



Part No.	Description	Code
V-SS-316-WMB	316 Stainless Steel	2
V-SSWMB	304 Stainless Steel	2
AWS-41	Chrome Plated	2
V-WMB	Zinc Plated	2

**WATER-DUST TIGHT
GREY POWDER PAINT
ENCLOSURE WITH WINDOW
(Panel Included)
V-GW SERIES**



Part No.	Size			Wt. Lbs.	Code
	H x W x D				
V-GW-121206	12	12	6	17.9	2
V-GW-161206	16	12	6	23.9	2
V-GW-161606	16	16	6	29.8	2
V-GW-201606	20	16	6	36.9	2
V-GW-202006	20	20	6	44.1	2
V-GW-161208	16	12	8	29.4	2
V-GW-162008	16	20	8	39.9	2
V-GW-201608	20	16	8	45.7	2
V-GW-202008	20	20	8	47.7	2
V-GW-202408	20	24	8	56.2	2
V-GW-241608	24	16	8	45.3	2
V-GW-242008	24	20	8	56.3	2
V-GW-242408	24	24	8	65.7	2
V-GW-243008	24	30	8	79.2	2
V-GW-302008	30	20	8	68.7	2
V-GW-302408	30	24	8	78.3	2
V-GW-242010	24	20	10	60.1	2
V-GW-302010	30	20	10	74.1	2
V-GW-302410	30	24	10	83.2	2
V-GW-202012	20	20	12	55	2
V-GW-242412	24	24	12	74	2
V-GW-302412	30	24	12	87.6	2
V-GW-242416	24	24	16	83.2	2

NOTE: INNER PANELS AND WALL MOUNTING BRACKETS ARE OPTIONAL ACCESSORIES

**OPTIONAL
SWING PANELS
FOR VGP AND
VGW SERIES**



Part No.	Panel Size		For Enclosure	Wt. Lbs.	Code
	H	W			
V-SP-1212	9	9 ^{3/16}	12 x 12	2.3	1
V-SP-1612	13	9 ^{3/16}	16 x 12	4.1	1
V-SP-1616	13	13 ^{3/16}	16 x 16	6	1
V-SP-1620	13	17 ^{3/16}	16 x 20	7.9	1
V-SP-2016	17	13 ^{3/16}	20 x 16	7.8	1
V-SP-2020	17	17 ^{3/16}	20 x 20	10.4	1
V-SP-2024	17	21 ^{3/16}	20 x 24	8.8	1
V-SP-2416	21	13 ^{3/16}	24 x 16	9.3	1
V-SP-2420	21	17 ^{3/16}	24 x 20	8.8	1
V-SP-2424	21	21 ^{3/16}	24 x 24	15.3	1
V-SP-2430	21	27 ^{3/16}	24 x 30	19.2	1
V-SP-3020	27	17 ^{3/16}	30 x 20	16	1
V-SP-3024	27	21 ^{3/16}	30 x 24	19.8	1
V-SP-3030	27	27 ^{3/16}	30 x 30	24.2	1
V-SP-3624	33	21 ^{3/16}	36 x 24	23.8	1
V-SP-3630	33	27 ^{3/16}	36 x 30	30.2	1
V-SP-3636	33	33 ^{3/16}	36 x 36	36.2	1
V-SP-4230	39	27 ^{3/16}	42 x 30	34.3	1
V-SP-4236	39	33 ^{3/16}	42 x 36	42.4	1
V-SP-4824	45	21 ^{3/16}	48 x 24	30.7	1
V-SP-4836	45	33 ^{3/16}	48 x 36	50	1

PLEASE NOTE: PRICE INCLUDES INSTALLATION

NEMA / EEMAC TYPE 4, 12, IP66

**OIL-DUST TIGHT
SINGLE DOOR
FREE STANDING ENCLOSURE
NEMA 12, 13, 4, IP66
(Panel Included)
MKS SERIES**



Part No.		Size			Ship Wt.	Code
		H	W	D		
EKS-20064	mm	2000	600	400	kg 103	2
	in	78.7	23.6	15.7	lbs 227	
MKS-20084-R5	mm	2000	800	400	kg 125	2
	in	78.7	31.5	15.7	lbs 276	
MKS-18085-R5	mm	1800	800	500	kg 120	2
	in	70.9	31.5	19.7	lbs 265	

**WATER-DUST TIGHT
DOUBLE DOOR
FREE STANDING
ENCLOSURES
(Panel Included)
N4-DD SERIES**



Part No.	H	Size		Wt. Lbs.	List Price	Code
		x W	x D			
N4-DD-604810	60	48	10	384	3,194.00	2
N4-DD-606012	60	60	12	466	3,722.40	2
N4-DD-726012	72	60	12	540	4,173.40	2
N4-DD-727212	72	72	12	656	4,700.00	2
N4-DD-727224	72	72	24	788	5,389.20	2

**WATER-DUST TIGHT
FREE STANDING
ENCLOSURE
(Panel Included)
N4-FS SERIES**



Part No.	H	Size		Wt. Lbs.	Code
		x W	x D		
N4-FS-723612	72	36	12	360	2
N4-FS-722418	72	24	18	285	2
N4-FS-723618	72	36	18	404	2

**MOUNTING FEET
FOR N4-DD
(Set of Two Feet)
MF SERIES**



Part No.	Enclosure Depth	Foot Height	Wt. Lbs.	Code
MF-0610	10	6	12.7	2
MF-1210	10	12	20.5	2
MF-1810	10	18	27.7	2
MF-0612	12	6	16.9	2
MF-1212	12	12	26	2
MF-1512	12	15	33.7	2
MF-1812	12	18	34.6	2
MF-1224	24	12	40.6	2

**OPTIONAL
SIDE PANELS
FOR FREE STANDING
ENCLOSURES
FS-SP SERIES**



Part No.	For Enclosure Heights of	Panel Size H x W	Wt. Lbs.	Code
FS-SP-6020	72	60 x 20	38	2