


NEMA / EEMAC TYPE 4, 12, IP66

WATER-DUST TIGHT TERMINAL ENCLOSURE SCREW COVER ETB SERIES



Part No.		Size			Ship Wt.	Code
		H	W	D		
ETB-181508	mm	180	150	80	1.7 kg	4
	in	7.1	5.9	3.1	3.7 lbs	
ETB-201808	mm	200	180	80	2 kg	4
	in	7.9	7.1	3.1	4.4 lbs	
ETB-202008	mm	200	200	80	2.1 kg	4
	in	7.9	7.9	3.1	4.6 lbs	
ETB-202012	mm	200	200	120	2.5 kg	4
	in	7.9	7.9	4.7	5.5 lbs	
ETB-301508	mm	300	150	80	2.4 kg	4
	in	11.8	5.9	3.1	5.3 lbs	
ETB-301512	mm	300	150	120	2.8 kg	4
	in	11.8	5.9	4.7	6.2 lbs	
ETB-302008	mm	300	200	80	2.7 kg	4
	in	11.8	7.9	3.1	6.1 lbs	
ETB-302012	mm	300	200	120	3.2 kg	4
	in	11.8	7.9	4.7	7.1 lbs	
ETB-303008	mm	300	300	80	3.6 kg	4
	in	11.8	11.8	3.1	8 lbs	
ETB-303012	mm	300	300	120	4.3 kg	4
	in	11.8	11.8	4.7	9.5 lbs	
ETB-402012	mm	400	200	120	4.7 kg	4
	in	15.7	7.9	4.7	10.4 lbs	
ETB-403012	mm	400	300	120	5.2 kg	4
	in	15.7	11.8	4.7	11.5 lbs	
ETB-404012	mm	400	400	120	6.4 kg	4
	in	15.7	15.7	4.7	14.1 lbs	
ETB-502012	mm	500	200	120	5.5 kg	4
	in	19.7	7.9	4.7	12.1 lbs	
ETB-503012	mm	500	300	120	7.1 kg	4
	in	19.7	11.8	4.7	15.7 lbs	
ETB-504012	mm	500	400	120	8.3 kg	4
	in	19.7	15.7	4.7	18.3 lbs	
ETB-602012	mm	600	200	120	6.2 kg	4
	in	23.6	7.9	4.7	13.7 lbs	
ETB-603012	mm	600	300	120	7.8 kg	4
	in	23.6	11.8	4.7	17.2 lbs	
ETB-604012	mm	600	400	120	10.4 kg	4
	in	23.6	15.7	4.7	22.9 lbs	
ETB-802012	mm	800	200	120	7.6 kg	4
	in	31.5	7.9	4.7	16.8 lbs	
ETB-804012	mm	800	400	120	12.9 kg	4
	in	31.5	15.7	4.7	28.4 lbs	

INNER PANELS TBMP SERIES



Part No.		Size		For Enclosure	Ship Wt. (lbs)	Code
		H	W			
TBMP-1815	mm	155	132	180 x 150	0.6	4
	in	6.1	5.2			
TBMP-2018	mm	175	162	200 x 180	0.9	4
	in	6.9	6.4			
TBMP-2020	mm	175	182	200 x 200	1.0	4
	in	6.9	7.2			
TBMP-3015	mm	275	132	300 x 150	1.2	4
	in	10.8	5.2			
TBMP-3020	mm	275	182	300 x 200	1.6	4
	in	10.8	7.2			
TBMP-3030	mm	275	282	300 x 300	2.5	4
	in	10.8	11.1			
TBMP-4020	mm	375	182	400 x 200	2.2	4
	in	14.8	7.2			
TBMP-4030	mm	375	282	400 x 300	3.6	4
	in	14.8	11.1			
TBMP-4040	mm	375	382	400 x 400	4.7	4
	in	14.8	15			
TBMP-5020	mm	475	182	500 x 200	3.4	4
	in	18.7	7.2			
TBMP-5030	mm	475	282	500 x 300	4.7	4
	in	18.7	11.1			
TBMP-5040	mm	475	382	500 x 400	6.1	4
	in	18.7	15			
TBMP-6020	mm	575	182	600 x 200	3.6	4
	in	22.6	7.2			
TBMP-6030	mm	575	282	600 x 300	5.3	4
	in	22.6	11.1			
TBMP-6040	mm	575	382	600 x 400	7.3	4
	in	22.6	15			
TBMP-8020	mm	775	182	800 x 200	4.6	4
	in	30.5	7.2			
TBMP-8040	mm	775	382	800 x 400	10.0	4
	in	30.5	15			

WALL BRACKET 4 per package

Part No.	Code
TBWB-01	4



NEMA / EEMAC TYPE 12 PUSHBUTTON ENCLOSURES

OIL-DUST TIGHT SCREW COVER STANDARD (30mm) PUSHBUTTON BOXES PB35-30 SERIES



Part No.	Size				Wt. Lbs.	No. of Holes	Code
	H	x	W	x			
PB35-1-30	3 1/2		3 1/4		2 3/4	1.8	1
PB35-2-30	5 3/4		3 1/4		2 3/4	2.3	2
PB35-3-30	8		3 1/4		2 3/4	3	3
PB35-4-30	10 1/4		3 1/4		2 3/4	3.5	4
PB35-6-30	9 1/2		6 1/4		3	5.3	6
PB35-9-30	9 1/2		8 1/2		3	6.5	9
PB35-12-30	11 3/4		8 1/2		3	7.5	12

OIL-DUST TIGHT SCREW COVER MINIATURE (22mm) PUSHBUTTON BOXES PB35-22 SERIES



Part No.	Size				Wt. Lbs.	No. of Holes	Code
	H	x	W	x			
PB35-1-22	3 1/2		3 1/4		2 3/4	1.8	1
PB35-2-22	5 3/4		3 1/4		2 3/4	2.3	2
PB35-3-22	8		3 1/4		2 3/4	3	3
PB35-4-22	10 1/4		3 1/4		2 3/4	3.5	4
PB35-6-22	9 1/2		6 1/4		3	5.3	6
PB35-9-22	9 1/2		8 1/2		3	6.5	9
PB35-12-22	11 3/4		8 1/2		3	7.5	12

OIL-DUST TIGHT PIANO HINGED STANDARD (30mm) PUSHBUTTON BOXES (Panel Included) PB89 SERIES



Part No.	Size				Wt. Lbs.	No. of Holes	Code
	H	x	W	x			
PB89-6	10 1/2		7 1/4		6	10	2
PB89-9	10 1/2		9 1/2		6	11.9	2
PB89-12	12 3/4		9 1/2		6	14.4	2

OIL-DUST TIGHT SCREW COVER EXTRA DEEP STANDARD (30mm) PUSHBUTTON BOXES PB37-30 SERIES



Part No.	Size				Wt. Lbs.	No. of Holes	Code
	H	x	W	x			
PB37-1-30	4		4		4 3/4	2.8	1
PB37-2-30	6		4		4 3/4	3.5	2
PB37-3-30	8		4		4 3/4	4.5	3
PB37-4-30	10		4		4 3/4	5.3	4
PB37-6-30	9 1/2		6 1/4		4 3/4	5.3	6
PB37-9-30	9 1/2		8 1/2		4 3/4	6.5	9
PB37-12-30	11 3/4		8 1/2		4 3/4	7.5	12

OIL-DUST TIGHT SCREW COVER EXTRA DEEP MINIATURE (22mm) PUSHBUTTON BOXES PB37-22 SERIES



Part No.	Size				Wt. Lbs.	No. of Holes	Code
	H	x	W	x			
PB37-1-22	4		4		4 3/4	2.8	1
PB37-2-22	6		4		4 3/4	3.5	2
PB37-3-22	8		4		4 3/4	4.5	3
PB37-4-22	10		4		4 3/4	5.3	4
PB37-6-22	9 1/2		6 1/4		4 3/4	5.3	6
PB37-9-22	9 1/2		8 1/2		4 3/4	6.5	9
PB37-12-22	11 3/4		8 1/2		4 3/4	7.5	12

OIL-DUST TIGHT FLOOR MOUNTED PEDESTALS P95 SERIES



Part No.	Size					Wt. Lbs.	Code
	H	x	W	x	D		
COLUMN							
P95-0404C	35		4		4	21.5	2
P95-0606C	35		6		6	21	2
BASE							
P95-1818B	1.13		18		18	17.9	2
P95-2424B	1.13		24		24	28.6	2

NEMA / EEMAC TYPE 12

OIL-DUST TIGHT SCREW COVER WIRING BOX PB35-BC SERIES



Part No.	Size				Wt. Lbs.	Code
	H	x	W	x D		
PB35-1-BC	3 1/2	3 1/4	2 3/4		1.8	1
PB35-2-BC	5 3/4	3 1/4	2 3/4		2.3	1
PB35-3-BC	8	3 1/4	2 3/4		3	1
PB35-4-BC	10 1/4	3 1/4	2 3/4		3.5	1
PB35-6-BC	9 1/2	6 1/4	3		5.3	1
PB35-9-BC	9 1/2	8 1/2	3		6.7	1

OIL-DUST TIGHT EXTRA DEEP SCREW COVER WIRING BOX PB37-BC SERIES



Part No.	Size				Wt. Lbs.	Code
	H	x	W	x D		
PB37-1-BC	4	4	4 3/4		3	1
PB37-2-BC	6	4	4 3/4		3.5	1
PB37-3-BC	8	4	4 3/4		4.5	1
PB37-4-BC	10	4	4 3/4		5.3	1
PB37-6-BC	9 1/2	6 1/4	4 3/4		6.5	1
PB37-9-BC	9 1/2	8 1/2	4 3/4		8	1

OIL-DUST TIGHT SLOPING FRONT CONSOLE C88 SERIES



Part No.	Size				Wt. Lbs.	Code
	H	x	W	x D		
C88-080807	8	8	7 5/32		7.3	2
C88-081207	8	12	7 5/32		10.0	2
C88-081607	8	16	7 5/32		12.5	2
C88-082007	8	20	7 5/32		15.1	2
C88-121209	12	12	9 5/32		14.2	2
C88-121609	12	16	9 5/32		17.5	2
C88-122009	12	20	9 5/32		20.1	2
C88-122409	12	24	9 5/32		24.1	2
C88-161611	16	16	11 5/32		22.8	2
C88-162011	16	20	11 5/32		27.1	2
C88-162411	16	24	11 5/32		31.2	2
C88-163011	16	30	11 5/32		37.5	2
C88-202013	20	20	13 5/32		33.7	2
C88-203013	20	30	13 5/32		44.3	2

OIL-DUST TIGHT JIC ENCLOSURES LIFT-OFF COVER (Panel Included) IBOR SERIES



Part No.	Size				Wt. Lbs.	Code
	H	x	W	x D		
★ IBOR-040403	4	4	3		2.4	1
IBOR-080603	8	6	3.5		6.2	1
IBOR-060404	6	4	4		3.9	1
IBOR-060604	6	6	4		5.3	1
IBOR-100804	10	8	4		9.7	1
IBOR-121005	12	10	5		14	1
IBOR-141206	14	12	6		18.8	1

★ =NO INNER PANEL

OIL-DUST TIGHT JIC ENCLOSURES PIANO HINGED COVER (Panel Included) IBOH SERIES



Part No.	Size				Wt. Lbs.	Code
	H	x	W	x D		
★ IBOH-040403	4	4	3		2.4	1
IBOH-060403	6	4	3		3	1
IBOH-080603	8	6	3.5		6.3	1
★ IBOH-040404	4	4	4		2.7	1
IBOH-060404	6	4	4		3.9	1
IBOH-060604	6	6	4		5.3	1
IBOH-080804	8	8	4		8.2	1
IBOH-100804	10	8	4		9.4	1
IBOH-120604	12	6	4		9	2
IBOH-121005	12	10	5		14	2
IBOH-080606	8	6	6		7.6	1
IBOH-100806	10	8	6		11.2	1
IBOH-101006	10	10	6		13	1
IBOH-121206	12	12	6		16.9	2
IBOH-140806	14	8	6		14.2	2
IBOH-141206	14	12	6		19.3	2
IBOH-161006	16	10	6		18.5	2
IBOH-161406	16	14	6		24.4	2
IBOH-121008	12	10	8		16.3	2
IBOH-141208	14	12	8		21.3	2
IBOH-161408	16	14	8		26.9	2
IBOH-161410	16	14	10		29	2

★ = NO INNER PANEL

OIL-DUST TIGHT JIC ENCLOSURES SCREW COVER (Panel Included) IBSC SERIES




Part No.	Size				Wt. Lbs.	Code
	H	x	W	x D		
★ IBSC-040403	4	4	3		2.4	2
IBSC-060403	6	4	3		3.9	2
IBSC-080603	8	6	3.5		6.1	2
IBSC-060604	6	4	4		5.3	2
IBSC-100804	10	8	4		9.2	2
IBSC-121005	12	10	5		13.7	2
IBSC-141206	14	12	6		19.4	2
IBSC-161406	16	14	6		24	2

★ =NO INNER PANEL

NEMA / EEMAC TYPE 12

OIL-DUST TIGHT SINGLE DOOR ENCLOSURES (Panel Included) N12 SERIES



Part No.	Size					Wt. Lbs.	Code
	H	x	W	x	D		
N12-161206	16		12		6	21.5	2
N12-161606	16		16		6	26.4	2
N12-201606	20		16		6	31.3	2
N12-202006	20		20		6	36.2	2
N12-242006	24		20		6	41.2	2
N12-242406	24		24		6	46.6	2
N12-302006	30		20		6	49	2
N12-302406	30		24		6	55	2
N12-362406	36		24		6	67.1	2
N12-161208	16		12		8	23.8	2
N12-161608	16		16		8	29.5	2
N12-201608	20		16		8	34.4	2
N12-202008	20		20		8	40.1	2
N12-241208	24		12		8	31.6	2
N12-241608	24		16		8	38.8	2
N12-242008	24		20		8	44.8	2
N12-242408	24		24		8	51.4	2
N12-243008	24		30		8	62	2
N12-302408	30		24		8	60.6	2
N12-303008	30		30		8	75.7	2
N12-362408	36		24		8	71.1	2
N12-363008	36		30		8	85	2
N12-422408	42		24		8	82	2
N12-423008	42		30		8	99	2
N12-423608	42		36		8	118	2
N12-482408	48		24		8	88	2
N12-483008	48		30		8	114	2
N12-483608	48		36		8	126	2
N12-603608	60		36		8	153	2
N12-202010	20		20		10	42.3	2
N12-242010	24		20		10	48.7	2
N12-302010	30		20		10	57.8	2
N12-302410	30		24		10	63.5	2
N12-362410	36		24		10	76.7	2
N12-363010	36		30		10	90	2
N12-363610	36		36		10	110	2
N12-423010	42		30		10	102	2
N12-483010	48		30		10	116	2
N12-483610	48		36		10	133	2
N12-603610	60		36		10	162	2
N12-242412	24		24		12	60	2
N12-302412	30		24		12	70.3	2
N12-303012	30		30		12	88.6	2
N12-362412	36		24		12	82	2
N12-363012	36		30		12	96	2
N12-423012	42		30		12	109	2
N12-423612	42		36		12	126	2
N12-483612	48		36		12	142	2
N12-603612	60		36		12	164	2
N12-723012	72		30		12	230	2
N12-723612	72		36		12	270	2
N12-242016	24		20		16	61.2	2
N12-302416	30		24		16	79.4	2
N12-363016	36		30		16	110	2
N12-423616	42		36		16	144	2
N12-483616	48		36		16	160	2
N12-603616	60		36		16	186	2

NEMA / EEMAC TYPE 12 V-SERIES AND ACCESSORIES

WATER-DUST TIGHT ENCLOSURE (Panel Included) V-GP SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x	D		
V-GP-121206	12	12	6	17.9	2
V-GP-161206	16	12	6	23.9	2
V-GP-161606	16	16	6	29.8	2
V-GP-201606	20	16	6	36.9	2
V-GP-202006	20	20	6	41.1	2
V-GP-161208	16	12	8	26.3	2
V-GP-162008	16	20	8	39.5	2
V-GP-201608	20	16	8	39.9	2
V-GP-202008	20	20	8	47.7	2
V-GP-202408	20	24	8	56.2	2
V-GP-241608	24	16	8	45.3	2
V-GP-242008	24	20	8	56.3	2
V-GP-242408	24	24	8	65.7	2
V-GP-243008	24	30	8	79.2	2
V-GP-302008	30	20	8	68.7	2
V-GP-302408	30	24	8	78.3	2
V-GP-303008	30	30	8	102.5	2
V-GP-362408	36	24	8	92.5	2
V-GP-363008	36	30	8	115.2	2
V-GP-242010	24	20	10	60.1	2
V-GP-302010	30	20	10	77.5	2
V-GP-302410	30	24	10	83.2	2
V-GP-362410	36	24	10	97.7	2
V-GP-423010	42	30	10	136.8	2
V-GP-202012	20	20	12	55	2
V-GP-242412	24	24	12	74	2
V-GP-302412	30	24	12	87.6	2
V-GP-363012	36	30	12	127.2	2
V-GP-363612	36	36	12	148.4	2
V-GP-423612	42	36	12	168.4	2
V-GP-482412	48	24	12	131.6	2
V-GP-483612	48	36	12	190.2	2
V-GP-602412	60	24	12	167.9	2
V-GP-603612	60	36	12	130.4	2
V-GP-242416	24	24	16	122.4	2
V-GP-363016	36	30	16	136.6	2
V-GP-483616	48	36	16	205.2	2
V-GP-603616	60	36	16	248.6	2


WALL MOUNTING BRACKETS

4 per package



Part No.	Description	Code
V-WMB	Zinc Plated	2
AWS-41	Chrome Plated	1
V-SSWMB	304 Stainless Steel	2
V-SS-316-WMB	316 Stainless Steel	2

WATER-DUST TIGHT GREY POWDER PAINT ENCLOSURE WITH WINDOW (Panel Included) V-GW SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x	D		
V-GW-121206	12	12	6	17.9	2
V-GW-161206	16	12	6	23.9	2
V-GW-161606	16	16	6	29.8	2
V-GW-201606	20	16	6	36.9	2
V-GW-202006	20	20	6	44.1	2
V-GW-161208	16	12	8	29.4	2
V-GW-162008	16	20	8	39.9	2
V-GW-201608	20	16	8	45.7	2
V-GW-202008	20	20	8	47.7	2
V-GW-202408	20	24	8	56.2	2
V-GW-241608	24	16	8	45.3	2
V-GW-242008	24	20	8	56.3	2
V-GW-242408	24	24	8	65.7	2
V-GW-243008	24	30	8	79.2	2
V-GW-302008	30	20	8	68.7	2
V-GW-302408	30	24	8	78.3	2
V-GW-242010	24	20	10	60.1	2
V-GW-302010	30	20	10	74.1	2
V-GW-302410	30	24	10	83.2	2
V-GW-202012	20	20	12	55	2
V-GW-242412	24	24	12	74	2
V-GW-302412	30	24	12	87.6	2
V-GW-242416	24	24	16	83.2	2

**FACTORY
INSTALLED**

OPTIONAL SWING PANELS FOR VGP & VGW SERIES



Part No.	Panel Size		For Enclosure	Wt. Lbs.	Code
	H	W			
V-SP-1212	9	9 ³ / ₁₆	12 x 12	2.3	1
V-SP-1612	13	9 ³ / ₁₆	16 x 12	4.1	1
V-SP-1616	13	13 ³ / ₁₆	16 x 16	6	1
V-SP-1620	13	17 ³ / ₁₆	16 x 20	7.9	1
V-SP-2016	17	13 ³ / ₁₆	20 x 16	7.8	1
V-SP-2020	17	17 ³ / ₁₆	20 x 20	10.4	1
V-SP-2024	17	21 ³ / ₁₆	20 x 24	8.8	1
V-SP-2416	21	13 ³ / ₁₆	24 x 16	9.3	1
V-SP-2420	21	17 ³ / ₁₆	24 x 20	8.8	1
V-SP-2424	21	21 ³ / ₁₆	24 x 24	15.3	1
V-SP-2430	21	27 ³ / ₁₆	24 x 30	19.2	1
V-SP-3020	27	17 ³ / ₁₆	30 x 20	16	1
V-SP-3024	27	21 ³ / ₁₆	30 x 24	19.8	1
V-SP-3030	27	27 ³ / ₁₆	30 x 30	24.2	1
V-SP-3624	33	21 ³ / ₁₆	36 x 24	23.8	1
V-SP-3630	33	27 ³ / ₁₆	36 x 30	30.2	1
V-SP-3636	33	33 ³ / ₁₆	36 x 36	36.2	1
V-SP-4230	39	27 ³ / ₁₆	42 x 30	34.3	1
V-SP-4236	39	33 ³ / ₁₆	42 x 36	42.4	1
V-SP-4824	45	21 ³ / ₁₆	48 x 24	30.7	1
V-SP-4836	45	33 ³ / ₁₆	48 x 36	50	1


PLEASE NOTE: PRICE INCLUDES INSTALLATION

NEMA / EEMAC TYPE 12, IP66

**OIL-DUST TIGHT
WALL MOUNT DOUBLE DOOR
ECONOMY ENCLOSURE
(Panel Included)
EWD SERIES
(Standard gland plate included)**



Part No.		Size			Ship Wt.		Code
		H	W	D			
EWD-0608030	mm	600	800	300	kg	34	4
	in	23.6	31.5	11.8	lbs	75.0	
EWD-0601020	mm	600	1000	200	kg	42	4
	in	23.6	39.4	7.9	lbs	92.6	
EWD-0801230	mm	800	1200	300	kg	65	4
	in	31.5	47.2	11.8	lbs	143.3	
EWD-1001030	mm	1000	1000	300	kg	63	4
	in	39.4	39.4	11.8	lbs	139	
EWD-1001230	mm	1000	1200	300	kg	72	4
	in	39.4	47.2	11.8	lbs	158.8	
EWD-1201030	mm	1200	1000	300	kg	72	4
	in	47.2	39.4	11.8	lbs	158.8	
EWD-1201230	mm	1200	1200	300	kg	81	4
	in	47.2	47.2	11.8	lbs	178.6	
EWD-1401030	mm	1400	1000	300	kg	83	4
	in	55.1	39.4	11.8	lbs	184	



ENCLOSURE ACCESSORIES

Part No.	Description	Code
DS-01	Door stop	1
EWMB-01	4 wall mounting brackets	4
DP-01	Document pocket	8

NEMA / EEMAC TYPE 12

OIL-DUST TIGHT DOUBLE DOOR ENCLOSURES (Panel Included) N12-DD SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x	D		
N12-DD-604808	60	48	8	352	2
N12-DD-244210	24	42	10	94	2
N12-DD-304210	30	42	10	102	2
N12-DD-604810	60	48	10	368	2
N12-DD-606010	60	60	10	448	2
N12-DD-726010	72	60	10	526	2
N12-DD-727210	72	72	10	602	2
N12-DD-364812	36	48	12	142	2
N12-DD-484812	48	48	12	250	2
N12-DD-604812	60	48	12	374	2
N12-DD-606012	60	60	12	462	2
N12-DD-726012	72	60	12	530	2
N12-DD-727212	72	72	12	626	2
N12-DD-604816	60	48	16	406	2
N12-DD-606016	60	60	16	488	2
N12-DD-727216	72	72	16	652	2
N12-DD-604820	60	48	20	438	2
N12-DD-726020	72	60	20	588	2
N12-DD-727220	72	72	20	688	2
N12-DD-727224	72	72	24	945	2

OIL-DUST TIGHT FREE STANDING ENCLOSURES (Panel Included) N12-FS SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x	D		
N12-FS-722418	72	24	18	298	2
N12-FS-723018	72	30	18	344	2
N12-FS-723618	72	36	18	388	2
N12-FS-603624	60	36	24	366	2
N12-FS-723024	72	30	24	388	2
N12-FS-723624	72	36	24	438	2
N12-FS-903624	90	36	24	536	2

OIL-DUST TIGHT FREE STANDING DOUBLE DOOR ENCLOSURES (Panel Included) N12-FS-DD SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x	D		
N12-FS-DD-724824	72	48	24	538	2
N12-FS-DD-726024	72	60	24	628	2
N12-FS-DD-727224	72	72	24	738	2

MOUNTING FEET FOR N12-DD SERIES (Set of Two Feet) MF SERIES



Part No.	Enclosure Depth	Foot Height	Wt. Lbs.	Code
MF-1208	8	12	16	2
MF-0610	10	6	12.7	2
MF-1210	10	12	20.5	2
MF-1810	10	18	27.7	2
MF-0612	12	6	16.9	2
MF-1212	12	12	34.6	2
MF-1512	12	15	27.7	2
MF-1812	12	18	34.6	2
MF-0616	16	6	19.8	2
MF-1216	16	12	30.7	2
MF-0620	20	6	24.6	2
MF-1220	20	12	35	2
MF-1224	24	12	40.6	2

OIL-DUST TIGHT FREE STANDING DUAL ACCESS ENCLOSURES (Panel Included) N12-FS-DA SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x	D		
N12-FS-DA-722424	72	24	24	345	2
N12-FS-DA-723024	72	30	24	390	2
N12-FS-DA-723624	72	36	24	440	2

OIL-DUST TIGHT FREE STANDING DOUBLE DOOR DUAL ACCESS ENCLOSURES (Panel Included) N12-FS-DD-DA SERIES



Part No.	Size			Wt. Lbs.	Code
	H	x	D		
N12-FS-DD-DA-724824	72	48	24	540	2
N12-FS-DD-DA-726024	72	60	24	750	2
N12-FS-DD-DA-727224	72	72	24	730	2

OPTIONAL SIDE PANELS FOR FREE STANDING ENCLOSURES FS-SP SERIES



Part No.	For Enclosure Heights of	Panel Size H x W	Wt. Lbs.	Code
FS-SP-6020	72	60 20	38	1


NEMA / EEMAC TYPE 12

**OIL-DUST TIGHT
SINGLE DOOR
FREE STANDING ENCLOSURE
NEMA 12, 13, 14 IP66
(Panel Included)
MKS SERIES**



Part No.	Size						Ship Wt.	Code
	H	W	D					
MKS-20084-R5	mm	2000	800	400	kg	125	276	2
	in	78.7	31.5	15.7	lbs			

**OIL-DUST TIGHT
MULTIPLE DOOR
ENCLOSURE
(Panel Included)
N12-MD SERIES**



Part No.	Size						Ship Wt.	Code
	H	W	D					
N12-MD-3-8611216	in	86	112	15.5		1405		2
N12-MD-4-8614916	in	86	149	15.5		1730		2
N12-MD-5-8618716	in	86	187	15.5		2300		2