


NON METALLIC SPECIALS BUILT TO YOUR SPECIFICATIONS

Normally used in highly corrosive environments, our Non-Metallic enclosures provide a light weight, easily machined alternative to metal. Industries we serve include Pharmaceutical, Chemical, Petroleum, Water & Wastewater, Pulp & Paper, and Mass Transit.

Specially made to your exact needs, features on non-metallic include:

- Corrosive resistance
- Light weight and easily machined
- Unlimited choice of colour
- Fire retardant and non-conductive
- Meets NEMA classifications



QUALITY - SERVICE - DEPENDABILITY

NON METALLIC ENCLOSURES

CHEMICAL RESISTANCE CHART

Chemical Environment	Polyamide	Polycarbonate	Polyester
Acetic Acid 10%	R	R	R
Acetic Acid 50%	L	L	L
Acetone	R	U	U
Aluminum Chloride	L	R	R
Aluminum Sulphate	L	R	R
Ammonia	U	U	L
Ammonium Hydroxide 10%	U	U	U
Aniline	U	U	U
Amyl Acetate	-	U	L
Amyl Alcohol	-	L	L
Antifreeze	-	L	R
Aqua Regia	-	L	U
Benzene	R	U	L
Benzolc Acid	L	U	L
Boric Acid	L	U	L
Brake Fluid	-	L	L
Bromine	-	U	U
Butyl Acetate	-	U	L
Butyl Alcohol	R	R	R
Butyl Ether	-	U	L
Butilic Acid	L	U	L
Calcium Chloride	R	R	R
Calcium Hydroxide	U	-	L
Calcium Nitrate	L	R	R
Carbon Dioxide	L	-	R
Carbon Disulphide	L	-	R
Carbon Monoxide	L	-	R
Carbon Tetrachloride	R	U	L
Chlorine	L	L	L
Chlorobenzene	R	U	U
Chloroform	R	U	U
Chromic Acid 10%	U	R	L
Citric Acid 5%	R	R	R
Clorox	-	R	L
Copper Chloride	L	R	-
Copper Sulphate	L	R	R
Cresol	U	U	U
Crude Oils	L	-	L
Diesel Fuels	-	R	R
Dimethyl Sulfoxide	U	U	-
Dimenthyformamine	U	U	L
Dioxane	-	U	L
Ethyl Acetate	R	U	L
Ethyl Alcohol	R	L	R
Ethyl Chloride	R	U	L
Ethyl Dichloride	R	U	U
Ethyl Ether	R	U	U
Ethylene Glycol	L	R	R
Ethylene Oxide	-	R	R
Ferric Chloride	L	R	R
Formaldahyde 37%	L	R	R
Formic Acid 10%	R	R	L
Freon 113	-	L	R
Freon 22	-	U	R
Freon TF	L	L	L
Gasoline	R	L	R
Helium	U	-	R
Heptane	R	R	R
Hexane	-	L	R
Hydraulic Fluid	R	L	R

Chemical Environment	Polyamide	Polycarbonate	Polyester
Hydrazine	U	U	-
Hydrobromic Acid	L	-	L
Hydrochorlic Acid 10%	L	L	L
HydrofloricAcid10%	L	R	L
Hydrogen Peroxide 30%	-	R	R
HydrogenSulfide	L	R	R
Isopropyl Alcohol	R	R	R
Jet Aircraft Fuels	R	L	R
Kerosene	R	R	R
Lacquers	-	R	L
Lactic Acid 10%	L	R	R
Magnesium Chloride	L	R	R
Methyl Alcohol	R	L	L
Methyl Ethyl Ketone	R	U	L
Methylene Chloride	R	U	U
Mineral Oils	L	R	R
Naphtha	-	R	R
Nitric Acid 10%	L	R	L
Nitrobenzene	L	U	L
Oleic Acid	L	R	R
Oleum	U	-	U
Oxalic Acid 10%	L	R	R
Oxygen	-	U	L
Ozone	-	U	L
Perchloroethylene	R	-	U
Petroleum Ether	-	R	R
Phenal	L	U	U
Phosphoric Acid 25%	L	L	L
Phthalic Acid	L	-	R
Potassium Chloride	-	R	R
Potassium Dichromate	U	-	L
Potassium Hydroxide 10%	L	U	U
Potassium Nitrate	L	R	R
Potassium Permanganate 10%	U	R	L
Pyridine	L	U	-
Sodium Bicarbonate	U	R	R
Sodium Bisulphate 10%	-	R	R
Sodium Carbonate 10%	U	R	R
Sodium Chloride 10%	L	R	R
Sodium Hydroixde 10%	R	U	L
Sodium Hypochlorite 10%	U	R	L
Sodium Nitrate	L	U	R
Sodium Sulphate	L	R	R
Sulphur Dioxide	L	L	R
Sulphuric Acid	L	L	L
Tartaric Acid	L	R	R
Tetrahydrofuran	-	U	U
Toluene	L	U	L
Trichloroacetic Acid	-	R	U
Trichloroethane	-	U	L
Trichloroethylene	L	-	L
Trisodium Phosphate	U	L	-
Turpentine	-	L	R
Water	R	R	R
Xylene	-	U	L
Zinc Chloride	L	R	R
Zinc Sulphate	L	R	R

R = Recommended L = Limited U = Unsatisfactory

NON METALLIC JIC TYPE NM SERIES

POLYCARBONATE JIC TYPE LIFT OFF SCREW COVER ENCLOSURE (SUBMERSIBLE) TYPE 4X, 6/6P, IP66



Part No.	Size			Ship Wt.	Code
	H	W	D		
SOLID COVER					
NMSC-100802	10.5	8.5	3.45	2.9	6
NMSC-060604	6.5	6.5	5.2	2	6
NMSC-080604	8.4	6.4	5.2	2.2	6
NMSC-080804	8.4	8.5	5.2	2.6	6
NMSC-100804	10.5	8.5	5.2	3.3	6
NMSC-121004	12.5	10.5	5.2	4.7	6
NMSC-100806	10.5	8.5	7.25	3.7	6
NMSC-121006	12.5	10.5	7.25	5.1	6
NMSC-141206	14.5	12.6	7.3	7	6
NMSC-161407	16.5	14.5	8.5	10.7	6
NMSC-181610	19	17	11.5	17	6

CLEAR COVER

NMSC-100802-C	10.5	8.5	3.45	2.9	6
NMSC-060604-C	6.5	6.5	5.2	2	6
NMSC-080604-C	8.4	6.4	5.2	2.2	6
NMSC-080804-C	8.4	8.5	5.2	2.6	6
NMSC-100804-C	10.5	8.5	5.2	3.3	6
NMSC-121004-C	12.5	10.5	5.2	4.7	6
NMSC-100806-C	10.5	8.5	7.25	3.7	6
NMSC-121006-C	12.5	10.5	7.25	5.1	6
NMSC-141205-C	14.5	12.6	7.3	7	6
NMSC-161407-C	16.5	14.5	8.5	10.7	6
NMSC-181610-C	19	17	11.5	17	6

POLYCARBONATE JIC TYPE HINGED COVER ENCLOSURE (SUBMERSIBLE) TYPE 4X, 6/6P, IP66



Part No.	Size			Ship Wt.	Code
	H	W	D		
SOLID COVER					
NMHC-100802	10.5	8.5	3.45	2.9	6
NMHC-060604	6.5	6.5	5.2	2	6
NMHC-080604	8.4	6.4	5.2	2.2	6
NMHC-080804	8.4	8.5	5.2	2.6	6
NMHC-100804	10.5	8.5	5.2	3.3	6
NMHC-121004	12.5	10.5	5.2	4.7	6
NMHC-100806	10.5	8.5	7.25	3.7	6
NMHC-121006	12.5	10.5	7.25	5.1	6
NMHC-141206	14.5	12.6	7.3	7	6
NMHC-161407	16.5	14.5	8.5	10.7	6
NMHC-181610	19	17	11.5	17	6

CLEAR COVER

NMHC-100802-C	10.5	8.5	3.45	2.9	6
NMHC-060604-C	6.5	6.5	5.2	2	6
NMHC-080604-C	8.4	6.4	5.2	2.2	6
NMHC-080804-C	8.4	8.5	5.2	2.6	6
NMHC-100804-C	10.5	8.5	5.2	3.3	6
NMHC-121004-C	12.5	10.5	5.2	4.7	6
NMHC-100806-C	10.5	8.5	7.25	3.7	6
NMHC-121006-C	12.5	10.5	7.25	5.1	6
NMHC-141205-C	14.5	12.6	7.3	7	6
NMHC-161407-C	16.5	14.5	8.5	10.7	6
NMHC-181610-C	19	17	11.5	17	6

POLYCARBONATE JIC TYPE QUICK RELEASE HINGED COVER ENCLOSURE (SUBMERSIBLE) TYPE 4X, 6/6P, IP66



SOLID COVER

Part No.	Size			Ship Wt.	Code
	H	W	D		
NMQR-100802	10.5	8.5	3.45	2.9	6
NMQR-060604	6.5	6.5	5.2	2.1	6
NMQR-080604	8.4	6.4	5.2	2.4	6
NMQR-080804	8.4	8.5	5.2	2.8	6
NMQR-100804	10.5	8.5	5.2	3.5	6
NMQR-121004	12.5	10.5	5.2	4.9	6
NMQR-100806	10.5	8.5	7.25	3.9	6
NMQR-121006	12.5	10.5	7.25	5.3	6
NMQR-141206	14.6	12.6	7.3	7.2	6
NMQR-161407	16.5	14.5	8.5	10.8	6
NMQR-181610	19	17	11.5	17.2	6

CLEAR COVER

Part No.	Size			Ship Wt.	Code
	H	W	D		
NMQR-100802-C	10.5	8.5	3.45	2.9	6
NMQR-060604-C	6.5	6.5	5.2	2.1	6
NMQR-080604-C	8.4	6.4	5.2	2.4	6
NMQR-080804-C	8.4	8.5	5.2	2.8	6
NMQR-100804-C	10.5	8.5	5.2	3.5	6
NMQR-121004-C	12.5	10.5	5.2	4.9	6
NMQR-100806-C	10.5	8.5	7.25	3.9	6
NMQR-121006-C	12.5	10.5	7.25	5.3	6
NMQR-141206-C	14.6	12.6	7.3	7.2	6
NMQR-161407-C	16.5	14.5	8.5	10.8	6
NMQR-181610-C	19	17	11.5	17.2	6

NOTE: BLACK UPON REQUEST

NM SERIES ACCESSORIES


OPTIONAL INTERIOR MOUNTING PANELS



For Enclosure	Aluminum	Wt. lbs	Code	Steel	Wt. lbs	Code
6 x 6	AP-0606	0.2	6	SP-0606	0.5	2
8 x 6	AP-0806	0.3	6	SP-0806	0.7	2
8 x 8	AP-0808	0.3	6	SP-0808	1.0	2
10 x 8	AP-1008	0.4	6	SP-1008	1.3	2
10 x 8 x 2	AP-10082	0.4	6	-	-	-
12 x 10	AP-1210	0.6	6	SP-1210	2.1	2
14 x 12	AP-1412	1.2	6	SP-1412	3.0	2
16 x 14	AP-1614	1.6	2	SP-1614	3.2	2
18 x 16	AP-1816	2.4	2	SP-1816	5.9	2

DEPTH ADJUSTABLE PANEL KIT

Part No.	Code
DAPK	6



SWING PANEL KIT



Part No.	For Enclosure	Wt. lb.	Code
SPK-0606	6 x 6	0.3	6
SPK-0806	8 x 6	0.4	6
SPK-0808	8 x 8	0.5	6
SPK-1008	10 x 8	0.5	6
SPK-1210	12 x 10	0.8	6
SPK-1412	14 x 12	1.3	6
SPK-1614	16 x 14	1.9	6
SPK-1816	18 x 16	2.1	6

DIN RAIL KIT

Includes 2 rails and mounting hardware. Mountable from top to bottom or side to side.



Part No.	For Enclosure	Code
DIN-6	6 inch	1
DIN-8	8 inch	1
DIN-10	10 inch	1
DIN-12	12 inch	1
DIN-14	14 inch	1
DIN-16	16 inch	1
DIN-18	18 inch	1

POLE MOUNTING KIT

Galvanized components with zinc-plated fasteners.



Part No.	Description	For Enclosure	Code
PMK-26	For 2 inch pole	6 inch wide	1
PMK-36	For 3 inch pole	6 inch wide	1
PMK-46	For 4 inch pole	6 inch wide	1
PMK-28	For 2 inch pole	8 inch wide	1
PMK-38	For 3 inch pole	8 inch wide	1
PMK-48	For 4 inch pole	8 inch wide	1
PMK-128	For 12 inch pole	8 inch wide	1
PMK-210	For 2 inch pole	10 inch wide	1
PMK-310	For 3 inch pole	10 inch wide	1
PMK-410	For 4 inch pole	10 inch wide	1
PMK-1210	For 12 inch pole	10 inch wide	1
PMK-212	For 2 inch pole	12 inch wide	1
PMK-312	For 3 inch pole	12 inch wide	1
PMK-412	For 4 inch pole	12 inch wide	1
PMK-1212	For 12 inch pole	12 inch wide	1
PMK-214	For 2 inch pole	14 inch wide	1
PMK-314	For 3 inch pole	14 inch wide	1
PMK-414	For 4 inch pole	14 inch wide	1
PMK-1214	For 12 inch pole	14 inch wide	1
PMK-216	For 2 inch pole	16 inch wide	1
PMK-316	For 3 inch pole	16 inch wide	1
PMK-416	For 4 inch pole	16 inch wide	1
PMK-1216	For 12 inch pole	16 inch wide	1

OPTIONAL MOUNTING STAINLESS FEET SYSTEMS

All NM Series come complete with non-metallic feet.



Part No.	Code
MFKSS	1

NEMA / EEMAC TYPE 4, 4X NON METALLIC RAL-JB SERIES

**FIBERGLASS REINFORCED
POLYESTER ENCLOSURES
WITH OPAQUE SCREW
COVERS**



Part No.		H	Size			Wt.	Code
			W	D			
RAL-JB-1313*	mm	135	135	129	kg	0.3	14
	in	5.3	5.3	5.1	lbs	0.8	
RAL-JB-1813*	mm	180	135	129	kg	0.5	14
	in	7.1	5.3	5.1	lbs	1.1	
RAL-JB-1818*	mm	270	180	141	kg	0.5	14
	in	10.6	7.1	5.5	lbs	1.1	
RAL-JB-2713*	mm	270	135	129	kg	0.6	14
	in	10.6	5.3	5.1	lbs	1.4	
RAL-JB-2718	mm	270	180	171	kg	1.1	14
	in	10.6	7.1	6.7	lbs	2.4	
RAL-JB-2718L	mm	270	180	141	kg	1	14
	in	10.6	7.1	5.5	lbs	1.3	
RAL-JB-2727	mm	270	270	171	kg	2	14
	in	10.6	10.6	6.7	lbs	4.3	
RAL-JB-3618*	mm	360	180	171	kg	1.3	14
	in	14.2	7.1	6.7	lbs	2.9	
RAL-JB-3627	mm	360	270	171	kg	1.9	14
	in	14.2	10.6	6.7	lbs	4.2	
RAL-JB-3627H	mm	360	270	201	kg	1.9	14
	in	14.2	10.6	7.9	lbs	4.2	
RAL-JB-3636	mm	360	360	171	kg	2.3	14
	in	14.2	14.2	6.7	lbs	5.1	
RAL-JB-3636H	mm	360	360	201	kg	2.5	14
	in	14.2	14.2	7.9	lbs	5.5	
RAL-JB-5427	mm	540	270	171	kg	2.7	14
	in	21.3	10.6	6.7	lbs	5.9	
RAL-JB-5427H	mm	540	270	201	kg	2.8	14
	in	21.3	10.6	7.9	lbs	6.2	
RAL-JB-5436	mm	540	360	171	kg	3.4	14
	in	21.3	14.2	6.7	lbs	7.6	
RAL-JB-5436H	mm	540	360	201	kg	3.4	14
	in	21.3	14.2	7.9	lbs	7.6	
RAL-JB-5454	mm	540	540	171	kg	5.6	14
	in	21.3	21.3	6.7	lbs	12.3	
RAL-JB-5454H	mm	540	540	201	kg	5.5	14
	in	21.3	21.3	7.9	lbs	12.2	
RAL-JB-7236H	mm	720	360	201	kg	4.6	14
	in	28.3	14.2	7.9	lbs	10.1	
RAL-JB-7254H	mm	720	540	201	kg	8	14
	in	28.3	21.3	7.9	lbs	17.6	

* Made to N4X Specs - Not CSA or UL

**FIBERGLASS REINFORCED
POLYESTER ENCLOSURES
WITH TRANSPARENT
SCREW COVERS**



Part No.		H	Size			Wt.	Code
			W	D			
RAL-JB-1313-C*	mm	135	125	129	kg	0.3	14
	in	5.3	5.3	5.1	lbs	0.8	
RAL-JB-1813-C*	mm	180	135	129	kg	0.5	14
	in	7.1	5.3	5.1	lbs	1.1	
RAL-JB-1818-C*	mm	180	180	129	kg	0.5	14
	in	7.1	7.1	5.1	lbs	1.1	
RAL-JB-2713-C*	mm	270	135	129	kg	0.6	14
	in	10.6	5.3	5.1	lbs	1.4	
RAL-JB-2718-C	mm	270	180	171	kg	1.1	14
	in	10.6	7.1	6.7	lbs	2.4	
RAL-JB-2718L-C	mm	270	180	141	kg	1	14
	in	10.6	7.1	5.5	lbs	2.3	
RAL-JB-2727-C	mm	270	270	171	kg	1.9	14
	in	10.6	10.6	6.7	lbs	4.2	
RAL-JB-3618-C*	mm	360	180	171	kg	1.3	14
	in	14.2	7.1	6.7	lbs	2.9	
RAL-JB-3627-C	mm	360	270	171	kg	1.9	14
	in	14.2	10.6	6.7	lbs	4.2	
RAL-JB-3627H-C	mm	360	270	201	kg	1.9	14
	in	14.2	10.6	7.9	lbs	4.2	
RAL-JB-3636-C	mm	360	360	171	kg	2.3	14
	in	14.2	14.2	6.7	lbs	5.1	
RAL-JB-3636H-C	mm	360	360	201	kg	2.5	14
	in	14.2	14.2	7.9	lbs	5.5	
RAL-JB-5427-C	mm	540	270	171	kg	2.8	14
	in	21.3	10.6	6.7	lbs	6.2	
RAL-JB-5427H-C	mm	540	270	201	kg	2.8	14
	in	21.3	10.6	7.9	lbs	6.2	
RAL-JB-5436-C	mm	540	360	171	kg	3.4	14
	in	21.3	14.2	6.7	lbs	7.6	
RAL-JB-5436H-C	mm	540	360	201	kg	3.4	14
	in	21.3	14.2	7.9	lbs	7.6	
RAL-JB-5454-C	mm	540	540	171	kg	5.6	14
	in	21.3	21.3	6.7	lbs	12.3	
RAL-JB-5454H-C	mm	540	540	201	kg	5.5	14
	in	21.3	21.3	7.9	lbs	12.2	
RAL-JB-7236H-C	mm	720	360	201	kg	4.6	14
	in	28.3	14.2	7.9	lbs	10.1	
RAL-JB-7254H-C	mm	720	540	201	kg	8	14
	in	28.3	21.3	7.9	lbs	17.6	

**FIBERGLASS REINFORCED
POLYESTER ENCLOSURE
WITH INSPECTION DOOR
E SERIES**



Part No.	Size					Ship Wt.	Code
	H	W	D				
EE-2736-UP	mm	270	360	187		3.2 kg	1
	in	10.6	14.2	7.4		7.1 lbs	



RAL-JB ACCESSORIES

OPTIONAL INNER PANELS

PM = Metal


PP = Baquelite



Part No.	For Enclosure No.	Height x Width Inches	Height x Width Millimeters	Wt. lb.	Code
PM-1313	1313	3.8 x 3.8	97 x 97	0.3	2
PP-1313	1313	3.8 x 3.8	97 x 97	0.1	14
PM-1813	1813	5.6 x 3.8	142 x 97	0.5	2
PP-1813	1813	5.6 x 3.8	142 x 97	0.1	14
PM-1818	1818	5.6 x 5.6	142 x 142	0.7	2
PP-1818	1818	5.6 x 5.6	142 x 142	0.2	14
PM-2713	2713	9.2 x 3.9	234 x 98.5	0.8	2
PP-2713	2713	9.2 x 3.9	234 x 98.5	0.2	14
PM-2718	2718	8.6 x 5.1	220 x 130	1	2
PP-2718	2718	8.6 x 5.1	220 x 130	0.4	14
PM-2727	2727	8.6 x 8.6	220 x 220	1.7	2
PP-2727	2727	8.6 x 8.6	220 x 220	0.6	14
PM-3618	3618	12.2 x 5.1	310 x 130	1.3	2
PP-3618	3618	12.2 x 5.1	310 x 130	0.5	14
PM-3627	3627	12.2 x 8.6	310 x 220	2.3	2
PP-3627	3627	12.2 x 8.6	310 x 220	0.8	14
PM-3636	3636	12.2 x 12.2	310 x 310	3.3	2
PP-3636	3636	12.2 x 12.2	310 x 310	1.4	14
PM-5427	5427	19.3 x 8.6	490 x 220	3.5	2
PP-5427	5427	19.3 x 8.6	490 x 220	1.3	14
PM-5436	5436	19.3 x 12.2	490 x 310	5.1	2
PP-5436	5436	19.3 x 12.2	490 x 310	2	14
PM-5454	5454	19.3 x 19.3	490 x 490	7.8	2
PP-5454	5454	19.3 x 19.3	490 x 490	3	14
PM-7236	7236	26.4 x 12.2	640 x 310	6.8	2
PP-7236	7236	26.4 x 12.2	670 x 310	2.8	14
PM-7254	7254	26.4 x 19.3	670 x 490	10.6	2
PP-7254	7254	26.4 x 19.3	670 x 490	4.4	14

INNER PANEL RISERS

4 Per Pack



Not for 129mm deep enclosures

Part No.	Raises Panel	Code
P10-M6	10mm (0.39")	1
P15-M6	15mm (0.59")	1
P20-M6	20mm (0.79")	1
P30-M6	30mm (1.18")	1
P40-M6	40mm (1.57")	1
P50-M6	50mm (1.97")	1
P60-M6	60mm (2.36")	1
P70-M6	70mm (2.76")	1
P80-M6	80mm (3.15")	1
P90-M6	90mm (3.54")	1
P100-M6	100mm (3.94")	1

WALL MOUNTING BRACKETS

SUPPLIED 4 PER PACKAGE

For 129mm deep enclosures


RAL-JBWB-1 Plated Steel
CB-13-IN Stainless Steel



For all enclosures other than 129mm deep

OFC-400 Plastic
RAL-JBWB-2 Plated Steel
CB-18-IN Stainless Steel

HINGES



BFE



RAL-JB-HNG

2 hinges per package

BFE - For all enclosures

RAL-JB-HNG - Not for use with 129mm deep enclosures

LOCKING SCREWS TO FIX COVERS

Replacement Slotted - Head Screws

4 per pack

Part No.	Description
RAL-JBS-1	For 129mm deep enclosure
RAL-JBS-2	Not for 129mm deep enclosure

Manual - Thumb Screw

Part No.	Description
RAL-JBTS	Not for 129mm deep enclosures 4 per pack

Part No.	Code	Part No.	Code
BFE	1	RAL-JBS-2	14
CB-13-IN	1	RAL-JBTS	14
CB-18-IN	1	RAL-JBWB-1	14
RAL-JB-HNG	14	RAL-JBWB-2	14
RAL-JBS-1	14		

NEMA / EEMAC TYPE 4, 4X

NON-METALLIC RAL-WM SERIES

FIBERGLASS REINFORCED POLYESTER ENCLOSURES RAL-WM SERIES



Part No.		H	Size			Ship Wt.	Code
			W	D			
RAL-WM-325	mm	300	250	140	1.9 kg	14	
	in	11.8	9.8	5.5	4.2 lbs		
RAL-WM-43	mm	400	300	200	3.6 kg	14	
	in	15.7	11.3	7.9	7.9 lbs		
RAL-WM-44	mm	400	400	200	4.3 kg	14	
	in	15.7	15.7	7.9	7.9 lbs		
RAL-WM-54	mm	500	400	200	15.7 kg	14	
	in	19.7	15.7	7.9	11.5 lbs		
RAL-WM-64	mm	600	400	230	15.7 kg	14	
	in	23.6	15.7	9	12.6 lbs		
RAL-WM-65	mm	600	500	230	6.8 kg	14	
	in	23.6	19.7	9	15 lbs		
RAL-WM-83	mm	800	300	230	6.4 kg	14	
	in	31.5	11.8	9	14 lbs		
RAL-WM-86	mm	800	600	300	12.6 kg	14	
	in	31.5	23.6	11.8	27.8 lbs		

FIBERGLASS REINFORCED POLYESTER ENCLOSURES WITH 3 POINT CLOSING SYSTEM RAL-WM SERIES



Part No.		H	Size			Ship Wt.	Code
			W	D			
RAL-WM-43-3L	mm	400	300	200	4.1 kg	14	
	in	15.7	11.8	7.9	4.2 lbs		
RAL-WM-44-3L	mm	400	400	200	4.8 kg	14	
	in	15.7	15.7	7.9	10.5 lbs		
RAL-WM-54-3L	mm	500	400	200	6.3 kg	14	
	in	19.7	15.7	7.9	13.9 lbs		
RAL-WM-64-3L	mm	600	400	230	7.87 kg	14	
	in	23.6	15.7	9	17.1 lbs		
RAL-WM-65-3L	mm	600	500	230	8.1 kg	14	
	in	23.6	19.7	9	17.9 lbs		
RAL-WM-83-3L	mm	800	300	230	6.4 kg	14	
	in	31.5	11.8	9	14 lbs		
RAL-WM-86-3L	mm	800	600	300	12.7 kg	14	
	in	31.5	23.6	11.8	27.9 lbs		

FIBERGLASS REINFORCED POLYESTER ENCLOSURES RAL-WM SERIES



Part No.		H	Size			Ship Wt.	Code
			W	D			
RAL-WM-325P	mm	300	250	140	2 kg	14	
	in	11.8	9.8	5.5	4.4 lbs		
RAL-WM-43P	mm	400	300	200	3.6 kg	14	
	in	15.7	11.8	7.9	7.9 lbs		
RAL-WM-44P	mm	400	400	200	4.3 kg	14	
	in	15.7	15.7	7.9	11.1 lbs		
RAL-WM-54P	mm	500	400	200	5.2 kg	14	
	in	19.7	15.7	7.9	11.5 lbs		
RAL-WM-64P	mm	600	400	230	7 kg	14	
	in	23.6	15.7	9	15.4 lbs		
RAL-WM-65P	mm	600	500	230	7.6 kg	14	
	in	23.6	19.7	9	16.8 lbs		
RAL-WM-86P	mm	800	600	300	6.4 kg	14	
	in	31.5	23.6	11.8	14 lbs		

FIBERGLASS REINFORCED POLYESTER ENCLOSURES WITH WINDOW AND 3 POINT SWING HANDLE RAL-WM SERIES



Part No.		H	Size			Ship Wt.	Code
			W	D			
RAL-WM-43P-3L	mm	400	300	200	4.1 kg	14	
	in	15.7	11.8	7.9	9 lbs		
RAL-WM-44P-3L	mm	400	400	200	4.8 kg	14	
	in	15.7	15.7	7.9	10.5 lbs		
RAL-WM-54P-3L	mm	500	400	200	6.3 kg	14	
	in	19.7	15.7	7.9	13.9 lbs		
RAL-WM-64P-3L	mm	600	400	230	7.8 kg	14	
	in	23.6	15.7	9	17.1 lbs		
RAL-WM-65P-3L	mm	600	500	230	8.1 kg	14	
	in	23.6	19.7	9	17.9 lbs		
RAL-WM-83P-3L	mm	800	300	230	6.45 kg	14	
	in	31.5	11.8	9	14 lbs		
RAL-WM-86P-3L	mm	800	600	300	12.7 kg	14	
	in	31.5	23.6	11.8	27.9 lbs		

RAL-WM SERIES ACCESSORIES

OPTIONAL INNER PANELS

PBM = Metal
PBP = Polyester



Part No.	For Enclosure	Height x Width Inches	Height x Width Millimeters	Wt. Lbs.	Code
PBM-325	RAL-325	10.5 x 8.4	268 x 213	1.8	2
PBP-325	RAL-325	10.5 x 8.4	268 x 213	0.8	14
PBM-43	RAL-43	14.1 x 10.2	358 x 260	3.0	2
PBP-43	RAL-43	14.1 x 10.2	358 x 260	1.3	14
PBM-44	RAL-44	14.1 x 14.2	358 x 360	4.2	2
PBP-44	RAL-44	14.1 x 14.2	358 x 360	1.9	14
PBM-54	RAL-54	18 x 14.2	458 x 360	5.4	2
PBP-54	RAL-54	18 x 14.2	458 x 360	2.5	14
PBM-64	RAL-64	22 x 14.2	558 x 360	6.5	2
PBP-64	RAL-64	22 x 14.2	558 x 360	3.0	14
PBM-65	RAL-65	22 x 18.1	558 x 460	8.2	2
PBP-65	RAL-65	22 x 18.1	558 x 460	3.9	14
PBM-83	RAL-83	29.8 x 9.8	756 x 248	6.3	2
PBP-83	RAL-83	29.8 x 9.8	756 x 248	3.2	14
PBM-86	RAL-68,86	29.7 x 21.9	754 x 556	13.6	2
PBP-86	RAL-68,86	29.7 x 21.9	754 x 556	6.5	14

ADJUSTABLE BASE PLATE KIT




Part No.	Raises Base Plate	Code
SDP-200	70mm - 145mm	1
SDP-230	50mm - 175mm	1
SDP-300	30mm - 205mm	1

INTERNAL DOOR



Part No.	For Enclosure	Wt. Lbs.	Code
ID-43	RAL-WM-43	1.5	14
ID-44	RAL-WM-44	3.5	14
ID-54	RAL-WM-54	4.1	14
ID-64	RAL-WM-64	5	14
ID-65	RAL-WM-65	3.2	14
PUI-83	RAL-WM-83	3.2	1
ID-86	RAL-WM-86	5.2	14

WALL MOUNTING



Part No.	Description	Code
OMF-14	Group of 4 wall brackets that allow the insertion of wires and tubes between the enclosure and the wall	14
RAL-WMA	Wall anchor for direct wall mounting (4 per pack)	1

POLE MOUNTING

Part No.	For Cabinet Width (mm)	Code
PMK-250	250	14
PMK-300	300	14
PMK-400	400	14
PMK-500	500	14
PMK-600	600	14

Pole strap not included

CABINET COUPLING

Vertical or horizontal combining of enclosures




Part No.	Description	Code
UA-230X100	Coupling flange for top & bottom of RAL-325 or RAL-43	1
UA-350X150	Coupling flange for top & bottom of RAL-44, 54, 64, 65, 83 or 86	1
UA-350X150B	Coupling flange for sides of RAL-WM-43, 44, 54, 64, 65, 83 or 86	1

RAL-WM SERIES ACCESSORIES



RAL-RL



CTR-11



RAL-KL



EK-01



EK-02




LLT-11




RAL-WMK



RAL-PH



PH2



DP-01



DV



DVM



RAL-PSH

Par No.	Description	Code
CTR-11	11mm Triangular lock	1
DP-01	Document pocket. Light grey non-metallic. Self adhesive. 9.24" x 10.5" x 1.25"	8
DV	Used for draining condensation	1
DVM	Small drain valve 1" x 1" (1 per pack)	1
EK-01	Metallic DIN Key	4
EK-02	DIN Key	1
LLT-11	11mm Triangular Key	1
PH2	Bi-chromated padlocking hasp	1
RAL-KL	Lock with key	1
RAL-PH	Zinc padlockable hasp	14
RAL-PSH	Padlockable swing handle	1
RAL-RL	DIN 3mm lock replacement	1
RAL-WMK	Replacement latch bar / key	14

NEMA / EEMAC Type 4, 4X, IP66 NON-METALLIC NMSL & NM3L SERIES

POLYCARBONATE ENCLOSURE WITH QUICK RELEASE SNAP LATCH NMSL SERIES




Part No.	Description	Wt. Lbs.	Code
NMSL-201608	20" x 16" x 8" Solid Cover Enclosure	17.4	6
NMSL-201608-C	20" x 16" x 8" Clear Cover Enclosure	17.4	6
NMSL-242410	24" x 24" x 10" Solid Cover Enclosure	35	6
NMSL-242410-C	24" x 24" x 10" Clear Cover Enclosure	35	6

OPTIONAL INNER PANELS (Can be mounted on door)



Part No.	Description	Wt. Lbs.	Code
SP-2016	19.4" x 15.4" Steel Panel	6.5	2
AP-2016	19.4" x 15.4" Aluminum Panel	2.4	2
SP-2424	22.1" x 22.1" Steel Panel	9.2	2
AP-2424	22.1" x 22.1" Aluminum Panel	3.5	2

OPTIONAL SWING PANELS (GMMR & GSR is required for mounting)



Part No.	Description	Wt. Lbs.	Code
SPKA-2016	Aluminum Swing Panel	4.2	6
SPKA-2424	Aluminum Swing Panel	7.0	6

OPTIONAL Rail & Frame System




Part No.	Description	Wt. Lbs.	Code
GSR-2016	Frame for 20 x 16 Enclosure	3.4	6
GSR-2424	Frame for 24 x 24 Enclosure	4.4	6
GMMR-08	Depth rails for 20 x 16 Enclosure	1.3	6
GMMR-10	Depth rails for 24 x 24 Enclosure	1.2	6

POLYCARBONATE ENCLOSURE WITH SWING HANDLE NM3L SERIES Includes GMMR & GSR Mounting Kits



Part No.	Description	Wt. Lbs.	Code
NM3L-201608	20" x 16" x 8" Solid Cover Enclosure	17.4	6
NM3L-201608-C	20" x 16" x 8" Clear Cover Enclosure	17.4	6
NM3L-242410	24" x 24" x 10" Solid Cover Enclosure	35	6
NM3L-242410-C	24" x 24" x 10" Clear Cover Enclosure	35	6

OPTIONAL SIDE PANELS (GMMR & GSR is required for mounting)



Part No.	Description	Wt. Lbs.	Code
ASP-2016	18.8" x 14.9" Aluminum Panel	2.9	6
ASP-2424	21.75" x 7.88" Aluminum Panel	3.9	6

OPTIONAL POLE MOUNTING KITS



Part No.	Description	Wt. Lbs.	Code
PMK-216	For 16" Wide Enclosure (2" Pole)	4.4	1
PMK-316	For 16" Wide Enclosure (3" Pole)	5.0	1
PMK-416	For 16" Wide Enclosure (4" Pole)	5.0	1
PMK-1216	For 16" Wide Enclosure (12" Pole)	5.5	1
PMK-224	For 24" Wide Enclosure (2" Pole)	4.4	1
PMK-324	For 24" Wide Enclosure (3" Pole)	4.6	1
PMK-424	For 24" Wide Enclosure (4" Pole)	5.0	1
PMK-1224	For 24" Wide Enclosure (12" Pole)	5.0	1

NON-METALLIC MODULAR UDP SERIES ACCESSORIES

OPTIONAL SWING HANDLES



Part No.	Description	Code
UDH-02	Security handle with 2 key locks	1

DOOR STOP

For 750 mm and 1000 mm wide enclosures



Part No.	Description	Code
UDS-01	For door opening left	1
UDS-02	For door opening right	1


INTERNAL DOOR



Part No.	For Enclosure Height x Width		Code
UID-5075	500	750	1
UID-10050	1000	500	1


WALL MOUNT BRACKETS

4 stainless brackets per pack




Part No.	Description	Code
UWB-01	Included with enclosure	-
UWB-02	For enclosure with rain hood	1

ADJUSTABLE INNER PANEL KIT



Part No.	Code
UPD-01	1

RAIN HOOD



Part No.	Width	Code
URH-5032	500 mm	1
URH-7532	750 mm	1

POLE MOUNTING KIT



Part No.	For Enclosure	Code
UPM-500	500 mm wide	1
UPM-750	750 mm wide	1

OPTIONAL INNER PANEL



Part No.	Description	For Enclosure H/W W/H		Ship Wt	Code
UMPP-5075	Non-Metallic	500	750	4.1	1
UMPZ-5075	Metallic	500	750	8.8	1
UMPP-10050	Non-Metallic	1000	500	5.3	1
UMPZ-100500	Metallic	1000	500	12.4	1

FIBERGLASS REINFORCED POLYESTER WINDOW ENCLOSURE WITH SWING HANDLE UDPT SERIES



Part No.		Size			Ship Wt.	Code
		H	W	D		
UDPT-5075	mm	500	750	320	18.8	1
	in	19.7	29.5	12.6	41.5	
UDPT-10050	mm	1000	500	320	22.9	1
	in	39.4	19.7	12.6	50.5	

NEMA / EEMAC TYPE 4, 4X NON-METALLIC

MODULAR ENCLOSURE FIBERGLASS REINFORCED WITH PADLOCKABLE SWING HANDLE RAL SERIES IP55 C€



Part No.		Size	H	W	D	Ship Wt.	Code
RAL-55	mm	500	500	300		14.1 kg	1
	in	19.7	19.7	11.8		31.1 lbs	
RAL-57	mm	500	750	300		17.5 kg	1
	in	19.7	29.5	11.8		38.6 lbs	
RAL-75	mm	750	500	300		17.5 kg	1
	in	29.5	19.7	11.8		38.6 lbs	
RAL-77	mm	750	750	300		22.6 kg	1
	in	29.5	29.5	11.8		49.8 lbs	
RAL-105	mm	1000	500	300		19.6 kg	1
	in	39.4	19.7	11.8		43.2 lbs	
RAL-107	mm	1000	750	300		27.7 kg	1
	in	39.4	29.5	11.8		61.1 lbs	

POLYESTER FLOOR PEDESTAL

Part No.	Description	Weight lbs.	Code
F0-500	500mm (19.7") high for RAL-55, 75, 105	18.6	1
F1-500	750mm (29.5") high for RAL-55, 75, 105	24.7	1
F2-500	1000mm (39.4") high for RAL-55, 75, 105	32.4	1
F0-750	500mm(19.7") high for RAL-57, 77, 107	22.5	1
F1-750	750mm (29.5") high for RAL-57, 77, 107	31.9	1
F2-750	1000mm (39.4") high for RAL-57, 77, 107	37.5	1

WATER TIGHT 22mm AND 30mm PUSH BUTTON ENCLOSURE NMPB70 SERIES



Part No.		Size	H	W	D	Hole Size	Ship Wt.	No. of Holes	Code
NMPB70-1-22	mm	110	80	70		22	0.4 lbs	1	7
	in	4.33	3.15	2.76					
NMPB70-1-30	mm	110	80	70		30	0.4 lbs	1	7
	in	4.33	3.15	2.76					
NMPB70-2-22	mm	130	80	70		22	0.5 lbs	2	7
	in	5.12	3.15	2.76					
NMPB70-2-30	mm	130	80	70		30	0.5 lbs	2	7
	in	5.12	3.15	2.76					
NMPB70-3-22	mm	180	80	70		22	0.6 lbs	3	7
	in	7.09	3.15	2.76					
NMPB70-3-30	mm	180	80	70		30	0.6 lbs	3	7
	in	7.09	3.15	2.76					
NMPB70-4-22	mm	250	80	70		22	0.8 lbs	4	7
	in	9.84	3.15	2.76					
NMPB70-4-30	mm	250	80	70		30	0.8 lbs	4	7
	in	9.84	3.15	2.76					

OPTIONAL ACCESSORIES

Part No.	Description	Code
PB40	Polycarbonate Wall Mounting Bracket	7
CB20	Replacement Cover Screw for NMPB70	7
CB35	Replacement Cover Screw for NMPB85	7

OPTIONAL INNER PANELS



Part No.	Description	For Enclosure	Wt. Lbs.	Code
PMM-55	Metal Panel	RAL-55	9.3	1
PMP-55	Non-metallic Panel	RAL-55	2.4	1
PMM-57	Metal Panel	RAL-57	12.6	1
PMP-57	Non-metallic Panel	RAL-57	3.9	1
PMM-75	Metal Panel	RAL-75	12.6	1
PMP-75	Non-metallic Panel	RAL-75	3.9	1
PMM-77	Metal Panel	RAL-77	18.9	1
PMP-77	Non-metallic Panel	RAL-77	6.2	1
PMM-105	Metal Panel	RAL-105	19.6	1
PMP-105	Non-metallic Panel	RAL-105	7.5	1
PMM-107	Metal Panel	RAL-107	25.9	1
PMP-107	Non-metallic Panel	RAL-107	9.3	1

WALL MOUNTING BRACKETS

Part No.	Description	Code
RAL-WMB	Set of 4 brackets	1

KEYED LOCKING HANDLE

Part No.	Description	Code
CML-12T-MG	Padlocking Handle with Key Lock	1

WATER TIGHT 22mm AND 30mm PUSH BUTTON ENCLOSURE NMPB85 SERIES



Part No.		Size	H	W	D	Hole Size	Ship Wt.	No. of Holes	Code
NMPB85-1-22	mm	110	80	85		22	0.5 lbs	1	7
	in	4.33	3.15	3.35					
NMPB85-1-30	mm	110	80	85		30	0.5 lbs	1	7
	in	4.33	3.15	3.35					
NMPB85-2-22	mm	130	80	85		22	0.6 lbs	2	7
	in	5.12	3.15	3.35					
NMPB85-2-30	mm	130	80	85		30	0.6 lbs	2	7
	in	5.12	3.15	3.35					
NMPB85-3-22	mm	180	80	85		22	0.7 lbs	3	7
	in	7.09	3.15	3.35					
NMPB85-3-30	mm	180	80	85		30	0.7 lbs	3	7
	in	7.09	3.15	3.35					
NMPB85-4-22	mm	250	80	85		22	0.9 lbs	4	7
	in	9.84	3.15	3.35					
NMPB85-4-30	mm	250	80	85		30	0.9 lbs	4	7
	in	9.84	3.15	3.35					



NEMA / EEMAC TYPE 4, 4X NON METALLIC Fiberglass Reinforced Polyester Enclosures With Marine Grade Gelcoat

Made to UL & CSA Specifications - Approvals Pending

WALL MOUNT SINGLE DOOR FRP-WM-SD SERIES

(Inner Panel Included)



Part No.	Size			List Price
	H	W	D	
FRP-WM-SD-202008	20	20	8	Consult Factory
FRP-WM-SD-302408	30	24	8	Consult Factory
FRP-WM-SD-162410	16	24	10	Consult Factory
FRP-WM-SD-202010	20	20	10	Consult Factory
FRP-WM-SD-242410	24	20	10	Consult Factory
FRP-WM-SD-482410	24	24	10	Consult Factory
FRP-WM-SD-202012	48	24	12	Consult Factory
FRP-WM-SD-242012	20	20	12	Consult Factory
FRP-WM-SD-242412	24	24	12	Consult Factory
FRP-WM-SD-243612	24	20	12	Consult Factory
FRP-WM-SD-302412	30	24	12	Consult Factory
FRP-WM-SD-363012	36	30	12	Consult Factory
FRP-WM-SD-303012	30	30	12	Consult Factory
FRP-WM-SD-363612	36	36	12	Consult Factory
FRP-WM-SD-483612	48	36	12	Consult Factory
FRP-WM-SD-603612	60	36	12	Consult Factory
FRP-WM-SD-482416	48	24	16	Consult Factory
FRP-WM-SD-363016	36	30	16	Consult Factory
FRP-WM-SD-363616	36	36	16	Consult Factory
FRP-WM-SD-483616	48	36	16	Consult Factory
FRP-WM-SD-603616	60	36	16	Consult Factory
FRP-WM-SD-363618	36	36	18	Consult Factory
FRP-WM-SD-603618	60	36	18	Consult Factory
FRP-WM-SD-363023	36	30	23	Consult Factory
FRP-WM-SD-362430	36	24	30	Consult Factory

WALL MOUNT DOUBLE DOOR FRP-WM-DD SERIES

(Inner Panel Included)



Part No.	Size			List Price
	H	W	D	
FRP-WM-DD-363612	36	36	12	Consult Factory
FRP-WM-DD-364812	36	48	12	Consult Factory
FRP-WM-DD-484812	48	48	12	Consult Factory
FRP-WM-DD-306016	30	60	16	Consult Factory
FRP-WM-DD-365216	36	52	16	Consult Factory
FRP-WM-DD-486018	48	60	18	Consult Factory
FRP-WM-DD-484820	48	48	20	Consult Factory

FREE STANDING SINGLE DOOR FRP-FS-SD SERIES

(Inner Panel Included)



Part No.	Size			List Price
	H	W	D	
FRP-FS-SD-722512	72	25	12	Consult Factory
FRP-FS-SD-683212	68	32	12	Consult Factory
FRP-FS-SD-603013	60	30	13	Consult Factory
FRP-FS-SD-582419	58	24	18	Consult Factory
FRP-FS-SD-903018	90	30	18	Consult Factory
FRP-FS-SD-723020	72	30	20	Consult Factory
FRP-FS-SD-683024	68	30	24	Consult Factory
FRP-FS-SD-723624	72	36	24	Consult Factory
FRP-FS-SD-683626	68	36	26	Consult Factory
FRP-FS-SD-722425	72	24	25	Consult Factory
FRP-FS-SD-723030	72	30	30	Consult Factory
FRP-FS-SD-723636	72	36	36	Consult Factory

FREE STANDING DOUBLE DOOR FRP-FS-DD SERIES

(Inner Panel Included)



Part No.	Size			List Price
	H	W	D	
FRP-FS-DD-604812	60	48	12	Consult Factory
FRP-FS-DD-726012	72	60	12	Consult Factory
FRP-FS-DD-905414	90	54	14	Consult Factory
FRP-FS-DD-576115	57	61	15	Consult Factory
FRP-FS-DD-724824	72	48	24	Consult Factory
FRP-FS-DD-784824	78	48	24	Consult Factory
FRP-FS-DD-726024	72	60	24	Consult Factory
FRP-FS-DD-686825	68	68	25	Consult Factory
FRP-FS-DD-606026	60	60	26	Consult Factory
FRP-FS-DD-726030	72	60	31	Consult Factory
FRP-FS-DD-705731	70	57	31	Consult Factory

NEMA / EEMAC TYPE 4, 4X NON METALLIC Fiberglass Reinforced Polyester Insulated Enclosures With Marine Grade Gelcoat

NEW

Double Walled Construction - Fully Encapsulated Polyurethane Foam
Made to UL & CSA Specifications - Approvals Pending

WALL MOUNT SINGLE DOOR FRPI-WM-SD SERIES

(Inner Panel Included)



Part No.	Size			List Price
	H	W	D	
FRPI-WM-SD-202008	20	20	8	Consult Factory
FRPI-WM-SD-302408	30	24	8	Consult Factory
FRPI-WM-SD-162410	16	24	10	Consult Factory
FRPI-WM-SD-202010	20	20	10	Consult Factory
FRPI-WM-SD-242410	24	20	10	Consult Factory
FRPI-WM-SD-482410	24	24	10	Consult Factory
FRPI-WM-SD-202012	48	24	12	Consult Factory
FRPI-WM-SD-242012	20	20	12	Consult Factory
FRPI-WM-SD-242412	24	24	12	Consult Factory
FRPI-WM-SD-243612	24	20	12	Consult Factory
FRPI-WM-SD-302412	30	24	12	Consult Factory
FRPI-WM-SD-363012	36	30	12	Consult Factory
FRPI-WM-SD-303012	30	30	12	Consult Factory
FRPI-WM-SD-363612	36	36	12	Consult Factory
FRPI-WM-SD-483612	48	36	12	Consult Factory
FRPI-WM-SD-603612	60	36	12	Consult Factory
FRPI-WM-SD-482416	48	24	16	Consult Factory
FRPI-WM-SD-363016	36	30	16	Consult Factory
FRPI-WM-SD-363616	36	36	16	Consult Factory
FRPI-WM-SD-483616	48	36	16	Consult Factory
FRPI-WM-SD-603616	60	36	16	Consult Factory
FRPI-WM-SD-363618	36	36	18	Consult Factory
FRPI-WM-SD-603618	60	36	18	Consult Factory
FRPI-WM-SD-363023	36	30	23	Consult Factory
FRPI-WM-SD-362430	36	24	30	Consult Factory

WALL MOUNT DOUBLE DOOR FRPI-WM-DD SERIES

(Inner Panel Included)



Part No.	Size			List Price
	H	W	D	
FRPI-WM-DD-363612	36	36	12	Consult Factory
FRPI-WM-DD-364812	36	48	12	Consult Factory
FRPI-WM-DD-484812	48	48	12	Consult Factory
FRPI-WM-DD-306016	30	60	16	Consult Factory
FRPI-WM-DD-365216	36	52	16	Consult Factory
FRPI-WM-DD-486018	48	60	18	Consult Factory
FRPI-WM-DD-484820	48	48	20	Consult Factory

FREE STANDING SINGLE DOOR FRPI-FS-SD SERIES

(Inner Panel Included)



Part No.	Size			List Price
	H	W	D	
FRPI-FS-SD-722512	72	25	12	Consult Factory
FRPI-FS-SD-683212	68	32	12	Consult Factory
FRPI-FS-SD-603013	60	30	13	Consult Factory
FRPI-FS-SD-582419	58	24	18	Consult Factory
FRPI-FS-SD-903018	90	30	18	Consult Factory
FRPI-FS-SD-723020	72	30	20	Consult Factory
FRPI-FS-SD-683024	68	30	24	Consult Factory
FRPI-FS-SD-723624	72	36	24	Consult Factory
FRPI-FS-SD-683626	68	36	26	Consult Factory
FRPI-FS-SD-722425	72	24	25	Consult Factory
FRPI-FS-SD-723030	72	30	30	Consult Factory
FRPI-FS-SD-723636	72	36	36	Consult Factory

FREE STANDING DOUBLE DOOR FRPI-FS-DD SERIES

(Inner Panel Included)



Part No.	Size			List Price
	H	W	D	
FRPI-FS-DD-604812	60	48	12	Consult Factory
FRPI-FS-DD-726012	72	60	12	Consult Factory
FRPI-FS-DD-905414	90	54	14	Consult Factory
FRPI-FS-DD-724824	72	48	24	Consult Factory
FRPI-FS-DD-784824	78	48	24	Consult Factory
FRPI-FS-DD-726024	72	60	24	Consult Factory
FRPI-FS-DD-686825	68	68	25	Consult Factory
FRPI-FS-DD-606026	60	60	26	Consult Factory
FRPI-FS-DD-726030	72	60	31	Consult Factory
FRPI-FS-DD-705731	70	57	31	Consult Factory