



**Ralston**  
Metal Products Limited

# **INDUSTRIAL METAL CABINETS & ENCLOSURES**

**RANGE &  
DIMENSIONS**



## N1 SERIES

Type 1 Enclosure

| Part No.  | H  | x | Size |   |    | D |
|-----------|----|---|------|---|----|---|
|           |    |   | W    | x | D  |   |
| N1-060604 | 6  |   | 6    |   | 4  |   |
| N1-080604 | 8  |   | 6    |   | 4  |   |
| N1-080804 | 8  |   | 8    |   | 4  |   |
| N1-100804 | 10 |   | 8    |   | 4  |   |
| N1-121004 | 12 |   | 10   |   | 4  |   |
| N1-121204 | 12 |   | 12   |   | 4  |   |
| N1-151204 | 15 |   | 12   |   | 4  |   |
| N1-060606 | 6  |   | 6    |   | 6  |   |
| N1-080606 | 8  |   | 6    |   | 6  |   |
| N1-100806 | 10 |   | 8    |   | 6  |   |
| N1-101006 | 10 |   | 10   |   | 6  |   |
| N1-121006 | 12 |   | 10   |   | 6  |   |
| N1-121206 | 12 |   | 12   |   | 6  |   |
| N1-151206 | 15 |   | 12   |   | 6  |   |
| N1-161207 | 16 |   | 12   |   | 7  |   |
| N1-201607 | 20 |   | 16   |   | 7  |   |
| N1-202007 | 20 |   | 20   |   | 7  |   |
| N1-241207 | 24 |   | 12   |   | 7  |   |
| N1-242007 | 24 |   | 20   |   | 7  |   |
| N1-242407 | 24 |   | 24   |   | 7  |   |
| N1-302007 | 30 |   | 20   |   | 7  |   |
| N1-302407 | 30 |   | 24   |   | 7  |   |
| N1-362407 | 36 |   | 24   |   | 7  |   |
| N1-242009 | 24 |   | 20   |   | 9  |   |
| N1-242409 | 24 |   | 24   |   | 9  |   |
| N1-302409 | 30 |   | 24   |   | 9  |   |
| N1-362409 | 36 |   | 24   |   | 9  |   |
| N1-363009 | 36 |   | 30   |   | 9  |   |
| N1-422409 | 42 |   | 24   |   | 9  |   |
| N1-302412 | 30 |   | 24   |   | 12 |   |
| N1-363012 | 36 |   | 30   |   | 12 |   |
| N1-423012 | 42 |   | 30   |   | 12 |   |
| N1-483612 | 48 |   | 36   |   | 12 |   |

## IBOR SERIES

Type 12 Lift Off Cover Enclosure



| Part No.    | H  | x | Size |   |     | D |
|-------------|----|---|------|---|-----|---|
|             |    |   | W    | x | D   |   |
| IBOR-040403 | 4  |   | 4    |   | 3   |   |
| IBOR-060403 | 6  |   | 4    |   | 3   |   |
| IBOR-080603 | 8  |   | 6    |   | 3.5 |   |
| IBOR-060404 | 6  |   | 4    |   | 4   |   |
| IBOR-060604 | 6  |   | 6    |   | 4   |   |
| IBOR-100804 | 10 |   | 8    |   | 4   |   |
| IBOR-121005 | 12 |   | 10   |   | 5   |   |
| IBOR-141206 | 14 |   | 12   |   | 6   |   |

## IBSC SERIES

Type 12 Screw Cover Enclosure



| Part No.    | H  | x | Size |   |     | D |
|-------------|----|---|------|---|-----|---|
|             |    |   | W    | x | D   |   |
| IBSC-040403 | 4  |   | 4    |   | 3   |   |
| IBSC-060403 | 6  |   | 4    |   | 3   |   |
| IBSC-080603 | 8  |   | 6    |   | 3.5 |   |
| IBSC-060604 | 6  |   | 4    |   | 4   |   |
| IBSC-100804 | 10 |   | 8    |   | 4   |   |
| IBSC-121005 | 12 |   | 10   |   | 5   |   |
| IBSC-141206 | 14 |   | 12   |   | 6   |   |
| IBSC-161406 | 16 |   | 14   |   | 6   |   |

## IBOH SERIES

Type 12 Hinge Cover Enclosure



| Part No.    | H  | x | Size |   |     | D |
|-------------|----|---|------|---|-----|---|
|             |    |   | W    | x | D   |   |
| IBOH-040403 | 4  |   | 4    |   | 3   |   |
| IBOH-060403 | 6  |   | 4    |   | 3   |   |
| IBOH-080603 | 8  |   | 6    |   | 3.5 |   |
| IBOH-040404 | 4  |   | 4    |   | 4   |   |
| IBOH-060404 | 6  |   | 4    |   | 4   |   |
| IBOH-060604 | 6  |   | 6    |   | 4   |   |
| IBOH-080804 | 8  |   | 8    |   | 4   |   |
| IBOH-100804 | 10 |   | 8    |   | 4   |   |
| IBOH-120604 | 12 |   | 6    |   | 4   |   |
| IBOH-121005 | 12 |   | 10   |   | 5   |   |
| IBOH-080606 | 8  |   | 6    |   | 6   |   |
| IBOH-100806 | 10 |   | 8    |   | 6   |   |
| IBOH-101006 | 10 |   | 10   |   | 6   |   |
| IBOH-121206 | 12 |   | 12   |   | 6   |   |
| IBOH-140806 | 14 |   | 8    |   | 6   |   |
| IBOH-141206 | 14 |   | 12   |   | 6   |   |
| IBOH-161006 | 16 |   | 10   |   | 6   |   |
| IBOH-161406 | 16 |   | 14   |   | 6   |   |
| IBOH-121008 | 12 |   | 10   |   | 8   |   |
| IBOH-141208 | 14 |   | 12   |   | 8   |   |
| IBOH-161408 | 16 |   | 14   |   | 8   |   |
| IBOH-161410 | 16 |   | 14   |   | 10  |   |

## PB35-BC SERIES

Type 12 Enclosure



| Part No.  | H     | x | Size |   |      | D |
|-----------|-------|---|------|---|------|---|
|           |       |   | W    | x | D    |   |
| PB35-1-BC | 3.5   |   | 3.25 |   | 2.75 |   |
| PB35-2-BC | 5.75  |   | 3.25 |   | 2.75 |   |
| PB35-3-BC | 8     |   | 3.25 |   | 2.75 |   |
| PB35-4-BC | 10.25 |   | 3.25 |   | 2.75 |   |
| PB35-6-BC | 9.5   |   | 6.25 |   | 3    |   |
| PB35-9-BC | 9.5   |   | 8.5  |   | 3    |   |

## BP37-BC SERIES


Type 12 Enclosure



| Part No.  | H   | x | Size |   |      | D |
|-----------|-----|---|------|---|------|---|
|           |     |   | W    | x | D    |   |
| BP37-1-BC | 4   |   | 4    |   | 4.75 |   |
| BP37-2-BC | 6   |   | 4    |   | 4.75 |   |
| BP37-3-BC | 8   |   | 4    |   | 4.75 |   |
| BP37-4-BC | 10  |   | 4    |   | 4.75 |   |
| BP37-6-BC | 9.5 |   | 6.25 |   | 4.75 |   |
| BP37-9-BC | 9.5 |   | 8.5  |   | 4.75 |   |

## C88 SERIES

Type 12 Enclosure



| Part No.   | H  | x | Size |   |       | D |
|------------|----|---|------|---|-------|---|
|            |    |   | W    | x | D     |   |
| C88-080807 | 8  |   | 8    |   | 7.17  |   |
| C88-081207 | 8  |   | 12   |   | 7.17  |   |
| C88-081607 | 8  |   | 16   |   | 7.17  |   |
| C88-082007 | 8  |   | 20   |   | 7.17  |   |
| C88-121209 | 12 |   | 12   |   | 9.17  |   |
| C88-121609 | 12 |   | 16   |   | 9.17  |   |
| C88-122009 | 12 |   | 20   |   | 9.17  |   |
| C88-122409 | 12 |   | 24   |   | 9.17  |   |
| C88-161611 | 16 |   | 16   |   | 11.17 |   |
| C88-162011 | 16 |   | 20   |   | 11.17 |   |
| C88-162411 | 16 |   | 24   |   | 11.17 |   |
| C88-163011 | 16 |   | 30   |   | 11.17 |   |
| C88-202013 | 20 |   | 20   |   | 13.17 |   |
| C88-203013 | 20 |   | 30   |   | 13.17 |   |

## N12 SERIES

Type 12 Enclosure



| Part No.   | H  | x | Size |   |    | D |
|------------|----|---|------|---|----|---|
|            |    |   | W    | x | D  |   |
| N12-161206 | 16 |   | 12   |   | 6  |   |
| N12-161606 | 16 |   | 16   |   | 6  |   |
| N12-201606 | 20 |   | 16   |   | 6  |   |
| N12-202006 | 20 |   | 20   |   | 6  |   |
| N12-242006 | 24 |   | 20   |   | 6  |   |
| N12-242406 | 24 |   | 24   |   | 6  |   |
| N12-302006 | 30 |   | 20   |   | 6  |   |
| N12-302406 | 30 |   | 24   |   | 6  |   |
| N12-362406 | 36 |   | 24   |   | 6  |   |
| N12-161208 | 16 |   | 12   |   | 8  |   |
| N12-161608 | 16 |   | 16   |   | 8  |   |
| N12-201608 | 20 |   | 16   |   | 8  |   |
| N12-202008 | 20 |   | 20   |   | 8  |   |
| N12-241208 | 24 |   | 12   |   | 8  |   |
| N12-241608 | 24 |   | 16   |   | 8  |   |
| N12-242008 | 24 |   | 20   |   | 8  |   |
| N12-242408 | 24 |   | 24   |   | 8  |   |
| N12-243008 | 24 |   | 30   |   | 8  |   |
| N12-302408 | 30 |   | 24   |   | 8  |   |
| N12-303008 | 30 |   | 30   |   | 8  |   |
| N12-362408 | 36 |   | 24   |   | 8  |   |
| N12-363008 | 36 |   | 30   |   | 8  |   |
| N12-422408 | 42 |   | 24   |   | 8  |   |
| N12-423008 | 42 |   | 30   |   | 8  |   |
| N12-423608 | 42 |   | 36   |   | 8  |   |
| N12-482408 | 48 |   | 24   |   | 8  |   |
| N12-483008 | 48 |   | 30   |   | 8  |   |
| N12-483608 | 48 |   | 36   |   | 8  |   |
| N12-603608 | 60 |   | 36   |   | 8  |   |
| N12-202010 | 20 |   | 20   |   | 10 |   |
| N12-242010 | 24 |   | 20   |   | 10 |   |
| N12-302010 | 30 |   | 20   |   | 10 |   |
| N12-302410 | 30 |   | 24   |   | 10 |   |
| N12-362410 | 36 |   | 24   |   | 10 |   |
| N12-363010 | 36 |   | 30   |   | 10 |   |
| N12-363610 | 36 |   | 36   |   | 10 |   |
| N12-423010 | 42 |   | 30   |   | 10 |   |
| N12-483010 | 48 |   | 30   |   | 10 |   |
| N12-483610 | 48 |   | 36   |   | 10 |   |
| N12-603610 | 60 |   | 36   |   | 10 |   |
| N12-242412 | 24 |   | 24   |   | 12 |   |
| N12-302412 | 30 |   | 24   |   | 12 |   |
| N12-303012 | 30 |   | 30   |   | 12 |   |
| N12-362412 | 36 |   | 24   |   | 12 |   |
| N12-363012 | 36 |   | 30   |   | 12 |   |
| N12-423012 | 42 |   | 30   |   | 12 |   |
| N12-423612 | 42 |   | 36   |   | 12 |   |
| N12-483612 | 48 |   | 36   |   | 12 |   |
| N12-603612 | 60 |   | 36   |   | 12 |   |
| N12-723012 | 72 |   | 30   |   | 12 |   |
| N12-723612 | 72 |   | 36   |   | 12 |   |
| N12-242016 | 24 |   | 20   |   | 16 |   |
| N12-302416 | 30 |   | 24   |   | 16 |   |
| N12-363016 | 36 |   | 30   |   | 16 |   |
| N12-423616 | 42 |   | 36   |   | 16 |   |
| N12-483616 | 48 |   | 36   |   | 16 |   |
| N12-603616 | 60 |   | 36   |   | 16 |   |

## N12-FS SERIES

Type 12 Enclosure



| Part No.      | H  | x | Size |   | D  |
|---------------|----|---|------|---|----|
|               |    |   | W    | x |    |
| N12-FS-722418 | 72 |   | 24   |   | 18 |
| N12-FS-723018 | 72 |   | 30   |   | 18 |
| N12-FS-723618 | 72 |   | 36   |   | 18 |
| N12-FS-603624 | 60 |   | 36   |   | 24 |
| N12-FS-723024 | 72 |   | 30   |   | 24 |
| N12-FS-723624 | 72 |   | 36   |   | 24 |
| N12-FS-903624 | 90 |   | 36   |   | 24 |

## N12-FS-DA SERIES

Type 12 Enclosure



| Part No.       | H  | x | Size |   | D  |
|----------------|----|---|------|---|----|
|                |    |   | W    | x |    |
| N12-FS-DA-2424 | 72 |   | 24   |   | 24 |
| N12-FS-DA-3024 | 72 |   | 30   |   | 24 |
| N12-FS-DA-3624 | 72 |   | 36   |   | 24 |

## N12-FS-DD SERIES

Type 12 Enclosure



| Part No.     | H  | x | Size |   | D  |
|--------------|----|---|------|---|----|
|              |    |   | W    | x |    |
| N12-FS-DD-48 | 72 |   | 48   |   | 24 |
| N12-FS-DD-60 | 72 |   | 60   |   | 24 |
| N12-FS-DD-72 | 72 |   | 72   |   | 24 |

## N12-FS-DD-DA SERIES

Type 12 Enclosure



| Part No.        | H  | x | Size |   | D  |
|-----------------|----|---|------|---|----|
|                 |    |   | W    | x |    |
| N12-FS-DD-DA-48 | 72 |   | 48   |   | 24 |
| N12-FS-DD-DA-60 | 72 |   | 60   |   | 24 |
| N12-FS-DD-DA-72 | 72 |   | 72   |   | 24 |

## EWD SERIES

Type 12 Enclosure



| Part No.    |    | H    | x | Size |   | D    |
|-------------|----|------|---|------|---|------|
|             |    |      |   | W    | x |      |
| EWD-0608030 | mm | 600  |   | 800  |   | 300  |
|             | in | 23.6 |   | 31.5 |   | 11.8 |
| EWD-0601020 | mm | 600  |   | 1000 |   | 200  |
|             | in | 23.6 |   | 39.4 |   | 7.9  |
| EWD-0801230 | mm | 800  |   | 1200 |   | 300  |
|             | in | 31.5 |   | 47.2 |   | 11.8 |
| EWD-1001030 | mm | 1000 |   | 1000 |   | 300  |
|             | in | 39.4 |   | 39.4 |   | 11.8 |
| EWD-1001230 | mm | 1000 |   | 1200 |   | 300  |
|             | in | 39.4 |   | 47.2 |   | 11.8 |
| EWD-1201030 | mm | 1200 |   | 1000 |   | 300  |
|             | in | 47.2 |   | 39.4 |   | 11.8 |
| EWD-1201230 | mm | 1200 |   | 1200 |   | 300  |
|             | in | 47.2 |   | 47.2 |   | 11.8 |
| EWD-1401030 | mm | 1400 |   | 1000 |   | 300  |
|             | in | 55.1 |   | 39.4 |   | 11.8 |

## N12-DD SERIES

Type 12 Enclosure



| Part No.      | H  | x  | Size |   | D |
|---------------|----|----|------|---|---|
|               |    |    | W    | x |   |
| N12-DD-604808 | 60 | 48 | 8    |   |   |
| N12-DD-244210 | 24 | 42 | 10   |   |   |
| N12-DD-304210 | 30 | 42 | 10   |   |   |
| N12-DD-604810 | 60 | 48 | 10   |   |   |
| N12-DD-606010 | 60 | 60 | 10   |   |   |
| N12-DD-726010 | 72 | 60 | 10   |   |   |
| N12-DD-727210 | 72 | 72 | 10   |   |   |
| N12-DD-364812 | 36 | 48 | 12   |   |   |
| N12-DD-484812 | 48 | 48 | 12   |   |   |
| N12-DD-604812 | 60 | 48 | 12   |   |   |
| N12-DD-606012 | 60 | 60 | 12   |   |   |
| N12-DD-726012 | 72 | 60 | 12   |   |   |
| N12-DD-727212 | 72 | 72 | 12   |   |   |
| N12-DD-604816 | 60 | 48 | 16   |   |   |
| N12-DD-606016 | 60 | 60 | 16   |   |   |
| N12-DD-727216 | 72 | 72 | 16   |   |   |
| N12-DD-604820 | 60 | 48 | 20   |   |   |
| N12-DD-726020 | 72 | 60 | 20   |   |   |
| N12-DD-727220 | 72 | 72 | 20   |   |   |
| N12-DD-727224 | 72 | 72 | 24   |   |   |

## N12-MD SERIES

Type 12 Enclosure



| Part No. | # of Doors | H  | x | Size |   | D    |
|----------|------------|----|---|------|---|------|
|          |            |    |   | W    | x |      |
| N12-MD-3 | 3          | 86 |   | 112  |   | 15.5 |
| N12-MD-4 | 4          | 86 |   | 149  |   | 15.5 |
| N12-MD-5 | 5          | 86 |   | 187  |   | 15.5 |

## ETB SERIES

Type 12, 4 Enclosure



| Part No.   |    | H    | x | Size |   | D   |
|------------|----|------|---|------|---|-----|
|            |    |      |   | W    | x |     |
| ETB-181508 | mm | 180  |   | 150  |   | 80  |
|            | in | 7.1  |   | 5.9  |   | 3.1 |
| ETB-201808 | mm | 200  |   | 180  |   | 80  |
|            | in | 7.9  |   | 7.1  |   | 3.1 |
| ETB-202008 | mm | 200  |   | 200  |   | 80  |
|            | in | 7.9  |   | 7.9  |   | 3.1 |
| ETB-202012 | mm | 200  |   | 200  |   | 120 |
|            | in | 7.9  |   | 7.9  |   | 4.7 |
| ETB-301508 | mm | 300  |   | 150  |   | 80  |
|            | in | 11.8 |   | 5.9  |   | 3.1 |
| ETB-301512 | mm | 300  |   | 150  |   | 120 |
|            | in | 11.8 |   | 5.9  |   | 4.7 |
| ETB-302008 | mm | 300  |   | 200  |   | 80  |
|            | in | 11.8 |   | 7.9  |   | 3.1 |
| ETB-302012 | mm | 300  |   | 200  |   | 120 |
|            | in | 11.8 |   | 7.9  |   | 4.7 |
| ETB-303008 | mm | 300  |   | 300  |   | 80  |
|            | in | 11.8 |   | 11.8 |   | 3.1 |
| ETB-303012 | mm | 300  |   | 300  |   | 120 |
|            | in | 15.7 |   | 7.9  |   | 4.7 |
| ETB-402012 | mm | 400  |   | 200  |   | 120 |
|            | in | 15.7 |   | 7.9  |   | 4.7 |
| ETB-403012 | mm | 400  |   | 300  |   | 120 |
|            | in | 15.7 |   | 11.8 |   | 4.7 |
| ETB-404012 | mm | 400  |   | 400  |   | 120 |
|            | in | 15.7 |   | 15.7 |   | 4.7 |
| ETB-502012 | mm | 500  |   | 200  |   | 120 |
|            | in | 19.7 |   | 7.9  |   | 4.7 |
| ETB-503012 | mm | 500  |   | 300  |   | 120 |
|            | in | 19.7 |   | 11.8 |   | 4.7 |
| ETB-504012 | mm | 500  |   | 400  |   | 120 |
|            | in | 19.7 |   | 15.7 |   | 4.7 |
| ETB-602012 | mm | 600  |   | 200  |   | 120 |
|            | in | 23.6 |   | 7.9  |   | 4.7 |
| ETB-603012 | mm | 600  |   | 300  |   | 120 |
|            | in | 23.6 |   | 11.8 |   | 4.7 |
| ETB-604012 | mm | 600  |   | 400  |   | 120 |
|            | in | 23.6 |   | 15.7 |   | 4.7 |
| ETB-802012 | mm | 800  |   | 200  |   | 120 |
|            | in | 31.5 |   | 7.9  |   | 4.7 |
| ETB-804012 | mm | 800  |   | 400  |   | 120 |
|            | in | 31.5 |   | 15.7 |   | 4.7 |

## IBWR SERIES

Type 4 Lift Off Cover Enclosure



| Part No.    | H  | x | Size |   | D |
|-------------|----|---|------|---|---|
|             |    |   | W    | x |   |
| IBWR-060403 | 6  |   | 4    |   | 3 |
| IBWR-060604 | 6  |   | 6    |   | 4 |
| IBWR-100804 | 10 |   | 8    |   | 4 |
| IBWR-121005 | 12 |   | 10   |   | 5 |

## IBWRH SERIES

Type 4 Hinge Cover Enclosure



| Part No.     | H  | x | Size |   | D   |
|--------------|----|---|------|---|-----|
|              |    |   | W    | x |     |
| IBWRH-040403 | 4  |   | 4    |   | 3   |
| IBWRH-060403 | 6  |   | 4    |   | 3   |
| IBWRH-080603 | 8  |   | 6    |   | 3.5 |
| IBWRH-060604 | 6  |   | 6    |   | 4   |
| IBWRH-100804 | 10 |   | 8    |   | 4   |
| IBWRH-121005 | 12 |   | 10   |   | 5   |
| IBWRH-100806 | 10 |   | 8    |   | 6   |
| IBWRH-121206 | 12 |   | 12   |   | 6   |
| IBWRH-141206 | 14 |   | 12   |   | 6   |
| IBWRH-161406 | 16 |   | 14   |   | 6   |
| IBWRH-141208 | 14 |   | 12   |   | 8   |
| IBWRH-161410 | 16 |   | 14   |   | 10  |



## N4X SERIES

Type 4 Enclosure



| Part No.   | H  | Size |    |   |    |
|------------|----|------|----|---|----|
|            |    | x    | W  | x | D  |
| N4X-161206 | 16 |      | 12 |   | 6  |
| N4X-161606 | 16 |      | 16 |   | 6  |
| N4X-201606 | 20 |      | 16 |   | 6  |
| N4X-202006 | 20 |      | 20 |   | 6  |
| N4X-242006 | 24 |      | 20 |   | 6  |
| N4X-242406 | 24 |      | 24 |   | 6  |
| N4X-161208 | 16 |      | 12 |   | 8  |
| N4X-201608 | 20 |      | 16 |   | 8  |
| N4X-202008 | 20 |      | 20 |   | 8  |
| N4X-242008 | 24 |      | 20 |   | 8  |
| N4X-242408 | 24 |      | 24 |   | 8  |
| N4X-302408 | 30 |      | 24 |   | 8  |
| N4X-303008 | 30 |      | 30 |   | 8  |
| N4X-362408 | 36 |      | 24 |   | 8  |
| N4X-363008 | 36 |      | 30 |   | 8  |
| N4X-423608 | 42 |      | 36 |   | 8  |
| N4X-242010 | 24 |      | 20 |   | 10 |
| N4X-302410 | 30 |      | 24 |   | 10 |
| N4X-362410 | 36 |      | 24 |   | 10 |
| N4X-423010 | 42 |      | 30 |   | 10 |
| N4X-302412 | 30 |      | 24 |   | 12 |
| N4X-363012 | 36 |      | 30 |   | 12 |
| N4X-423612 | 42 |      | 36 |   | 12 |
| N4X-483612 | 48 |      | 36 |   | 12 |
| N4X-603616 | 60 |      | 36 |   | 16 |

## N43P SERIES

Type 4 Enclosure



| Part No.    | H  | Size |    |   |    |
|-------------|----|------|----|---|----|
|             |    | x    | W  | x | D  |
| N43P-242006 | 24 |      | 20 |   | 6  |
| N43P-242008 | 24 |      | 20 |   | 8  |
| N43P-242408 | 24 |      | 24 |   | 8  |
| N43P-302408 | 30 |      | 24 |   | 8  |
| N43P-303008 | 30 |      | 30 |   | 8  |
| N43P-362408 | 36 |      | 24 |   | 8  |
| N43P-363008 | 36 |      | 30 |   | 8  |
| N43P-423608 | 42 |      | 36 |   | 8  |
| N43P-483608 | 48 |      | 36 |   | 8  |
| N43P-242010 | 24 |      | 20 |   | 10 |
| N43P-363010 | 36 |      | 30 |   | 10 |
| N43P-423010 | 42 |      | 30 |   | 10 |
| N43P-483610 | 48 |      | 36 |   | 10 |
| N43P-242412 | 24 |      | 24 |   | 12 |
| N43P-302412 | 30 |      | 24 |   | 12 |
| N43P-363012 | 36 |      | 30 |   | 12 |
| N43P-363612 | 36 |      | 36 |   | 12 |
| N43P-423612 | 42 |      | 36 |   | 12 |
| N43P-483612 | 48 |      | 36 |   | 12 |
| N43P-603612 | 60 |      | 36 |   | 12 |
| N43P-483616 | 48 |      | 36 |   | 16 |
| N43P-603616 | 60 |      | 36 |   | 16 |

## N4-FS SERIES

Type 4 Enclosure



| Part No.     | H  | Size |    |   |    |
|--------------|----|------|----|---|----|
|              |    | x    | W  | x | D  |
| N4-FS-723612 | 72 |      | 36 |   | 12 |
| N4-FS-722418 | 72 |      | 24 |   | 18 |
| N4-FS-723618 | 72 |      | 36 |   | 18 |

## EWS SERIES

Type 4, 12 Enclosure



| Part No.    |    | H    | Size |      |   |      |
|-------------|----|------|------|------|---|------|
|             |    |      | x    | W    | x | D    |
| EWS-0202015 | mm | 200  |      | 200  |   | 150  |
|             | in | 7.9  |      | 7.9  |   | 5.9  |
| EWS-0252015 | mm | 250  |      | 200  |   | 150  |
|             | in | 9.8  |      | 7.9  |   | 5.9  |
| EWS-0252515 | mm | 250  |      | 250  |   | 150  |
|             | in | 9.8  |      | 9.8  |   | 5.9  |
| EWS-0302015 | mm | 300  |      | 200  |   | 150  |
|             | in | 11.8 |      | 7.9  |   | 5.9  |
| EWS-0302515 | mm | 300  |      | 250  |   | 150  |
|             | in | 11.8 |      | 9.8  |   | 5.9  |
| EWS-0302520 | mm | 300  |      | 250  |   | 200  |
|             | in | 11.8 |      | 9.8  |   | 7.9  |
| EWS-0303015 | mm | 300  |      | 300  |   | 150  |
|             | in | 11.8 |      | 11.8 |   | 5.9  |
| EWS-0303020 | mm | 300  |      | 300  |   | 200  |
|             | in | 11.8 |      | 11.8 |   | 7.9  |
| EWS-0352515 | mm | 350  |      | 250  |   | 150  |
|             | in | 13.8 |      | 9.8  |   | 5.9  |
| EWS-0352520 | mm | 350  |      | 250  |   | 200  |
|             | in | 13.8 |      | 9.8  |   | 7.9  |
| EWS-0403015 | mm | 400  |      | 300  |   | 150  |
|             | in | 15.7 |      | 11.8 |   | 5.9  |
| EWS-0403020 | mm | 400  |      | 300  |   | 200  |
|             | in | 15.7 |      | 11.8 |   | 7.9  |
| EWS-0404020 | mm | 400  |      | 400  |   | 200  |
|             | in | 15.7 |      | 15.7 |   | 7.9  |
| EWS-0405020 | mm | 400  |      | 500  |   | 200  |
|             | in | 15.7 |      | 19.7 |   | 7.9  |
| EWS-0503015 | mm | 500  |      | 300  |   | 150  |
|             | in | 19.7 |      | 11.8 |   | 5.9  |
| EWS-0503020 | mm | 500  |      | 300  |   | 200  |
|             | in | 19.7 |      | 11.8 |   | 7.9  |
| EWS-0503515 | mm | 500  |      | 350  |   | 150  |
|             | in | 19.7 |      | 13.8 |   | 5.9  |
| EWS-0503520 | mm | 500  |      | 350  |   | 200  |
|             | in | 19.7 |      | 13.8 |   | 7.9  |
| EWS-0504015 | mm | 500  |      | 400  |   | 150  |
|             | in | 19.7 |      | 15.7 |   | 5.9  |
| EWS-0504020 | mm | 500  |      | 400  |   | 200  |
|             | in | 19.7 |      | 15.7 |   | 7.9  |
| EWS-0504025 | mm | 500  |      | 400  |   | 250  |
|             | in | 19.7 |      | 15.7 |   | 9.8  |
| EWS-0505020 | mm | 500  |      | 500  |   | 200  |
|             | in | 19.7 |      | 19.7 |   | 7.9  |
| EWS-0505030 | mm | 500  |      | 500  |   | 300  |
|             | in | 19.7 |      | 19.7 |   | 11.8 |
| EWS-0604015 | mm | 600  |      | 400  |   | 150  |
|             | in | 23.6 |      | 15.7 |   | 5.9  |
| EWS-0604020 | mm | 600  |      | 400  |   | 200  |
|             | in | 23.6 |      | 15.7 |   | 7.9  |
| EWS-0604025 | mm | 600  |      | 400  |   | 250  |
|             | in | 23.6 |      | 15.7 |   | 9.8  |
| EWS-0605020 | mm | 600  |      | 500  |   | 200  |
|             | in | 23.6 |      | 19.7 |   | 7.9  |
| EWS-0605025 | mm | 600  |      | 500  |   | 250  |
|             | in | 23.6 |      | 19.7 |   | 9.8  |
| EWS-0606020 | mm | 600  |      | 600  |   | 200  |
|             | in | 23.6 |      | 23.6 |   | 7.9  |
| EWS-0606025 | mm | 600  |      | 600  |   | 250  |
|             | in | 23.6 |      | 23.6 |   | 9.8  |
| EWS-0606030 | mm | 600  |      | 600  |   | 300  |
|             | in | 23.6 |      | 23.6 |   | 11.8 |
| EWS-0608030 | mm | 600  |      | 800  |   | 300  |
|             | in | 23.6 |      | 31.5 |   | 11.8 |
| EWS-0705020 | mm | 700  |      | 500  |   | 200  |
|             | in | 27.6 |      | 19.7 |   | 7.9  |
| EWS-0705025 | mm | 700  |      | 500  |   | 250  |
|             | in | 27.6 |      | 19.7 |   | 9.8  |
| EWS-0805020 | mm | 800  |      | 500  |   | 200  |
|             | in | 31.5 |      | 19.7 |   | 7.9  |
| EWS-0805025 | mm | 800  |      | 500  |   | 250  |
|             | in | 31.5 |      | 19.7 |   | 9.8  |
| EWS-0806020 | mm | 800  |      | 600  |   | 200  |
|             | in | 31.5 |      | 23.6 |   | 7.9  |
| EWS-0806025 | mm | 800  |      | 600  |   | 250  |
|             | in | 31.5 |      | 23.6 |   | 9.8  |
| EWS-0806030 | mm | 800  |      | 600  |   | 300  |
|             | in | 31.5 |      | 23.6 |   | 11.8 |
| EWS-0808020 | mm | 800  |      | 800  |   | 200  |
|             | in | 31.5 |      | 31.5 |   | 7.9  |
| EWS-0808030 | mm | 800  |      | 800  |   | 300  |
|             | in | 31.5 |      | 31.5 |   | 11.8 |
| EWS-0906020 | mm | 900  |      | 600  |   | 200  |
|             | in | 35.4 |      | 23.6 |   | 7.9  |
| EWS-0906025 | mm | 900  |      | 600  |   | 250  |
|             | in | 35.4 |      | 23.6 |   | 9.8  |
| EWS-0906030 | mm | 900  |      | 600  |   | 300  |
|             | in | 35.4 |      | 23.6 |   | 11.8 |
| EWS-1006025 | mm | 1000 |      | 600  |   | 250  |
|             | in | 39.4 |      | 23.6 |   | 9.8  |
| EWS-1006030 | mm | 1000 |      | 600  |   | 300  |
|             | in | 39.4 |      | 23.6 |   | 11.8 |
| EWS-1008020 | mm | 1000 |      | 800  |   | 200  |
|             | in | 39.4 |      | 31.5 |   | 7.9  |
| EWS-1008025 | mm | 1000 |      | 800  |   | 250  |
|             | in | 39.4 |      | 31.5 |   | 9.8  |
| EWS-1008030 | mm | 1000 |      | 800  |   | 300  |
|             | in | 39.4 |      | 31.5 |   | 11.8 |
| EWS-1008040 | mm | 1000 |      | 800  |   | 400  |
|             | in | 39.4 |      | 31.5 |   | 15.7 |
| EWS-1206030 | mm | 1200 |      | 600  |   | 300  |
|             | in | 47.2 |      | 23.6 |   | 11.8 |
| EWS-1208030 | mm | 1200 |      | 800  |   | 300  |
|             | in | 47.2 |      | 31.5 |   | 11.8 |
| EWS-1208030 | mm | 1200 |      | 800  |   | 300  |
|             | in | 47.2 |      | 31.5 |   | 11.8 |
| EWS-1208040 | mm | 1200 |      | 800  |   | 400  |
|             | in | 47.2 |      | 31.5 |   | 15.7 |

## VGP SERIES

Type 4 Enclosure



| Part No.    | H  | Size |    |   |    |
|-------------|----|------|----|---|----|
|             |    | x    | W  | x | D  |
| V-GP-121206 | 12 |      | 12 |   | 6  |
| V-GP-161206 | 16 |      | 12 |   | 6  |
| V-GP-161606 | 16 |      | 16 |   | 6  |
| V-GP-201606 | 20 |      | 16 |   | 6  |
| V-GP-202006 | 20 |      | 20 |   | 6  |
| V-GP-161208 | 16 |      | 12 |   | 8  |
| V-GP-162008 | 16 |      | 20 |   | 8  |
| V-GP-201608 | 20 |      | 16 |   | 8  |
| V-GP-202008 | 20 |      | 20 |   | 8  |
| V-GP-202408 | 20 |      | 24 |   | 8  |
| V-GP-241608 | 24 |      | 16 |   | 8  |
| V-GP-242008 | 24 |      | 20 |   | 8  |
| V-GP-242408 | 24 |      | 24 |   | 8  |
| V-GP-243008 | 24 |      | 30 |   | 8  |
| V-GP-302008 | 30 |      | 20 |   | 8  |
| V-GP-302408 | 30 |      | 24 |   | 8  |
| V-GP-303008 | 30 |      | 30 |   | 8  |
| V-GP-362408 | 36 |      | 24 |   | 8  |
| V-GP-363008 | 36 |      | 30 |   | 8  |
| V-GP-242010 | 24 |      | 20 |   | 10 |
| V-GP-302010 | 30 |      | 20 |   | 10 |
| V-GP-302410 | 30 |      | 24 |   | 10 |
| V-GP-362410 | 36 |      | 24 |   | 10 |
| V-GP-423010 | 42 |      | 30 |   | 10 |
| V-GP-202012 | 20 |      | 20 |   | 12 |
| V-GP-242412 | 24 |      | 24 |   | 12 |
| V-GP-302412 | 30 |      | 24 |   | 12 |
| V-GP-363012 | 36 |      | 30 |   | 12 |
| V-GP-363612 | 36 |      | 36 |   | 12 |
| V-GP-423612 | 42 |      | 36 |   | 12 |
| V-GP-482412 | 48 |      | 24 |   | 12 |
| V-GP-483612 | 48 |      | 36 |   | 12 |
| V-GP-602412 | 60 |      | 24 |   | 12 |
| V-GP-603612 | 60 |      | 36 |   | 12 |
| V-GP-242416 | 24 |      | 24 |   | 16 |
| V-GP-363016 | 36 |      | 30 |   | 16 |
| V-GP-483616 | 48 |      | 36 |   | 16 |
| V-GP-603616 | 60 |      | 36 |   | 16 |

## VGW SERIES


Type 4 Enclosure



| Part No.    | H  | Size |    |   |    |
|-------------|----|------|----|---|----|
|             |    | x    | W  | x | D  |
| V-GW-121206 | 12 |      | 12 |   | 6  |
| V-GW-161206 | 16 |      | 12 |   | 6  |
| V-GW-161606 | 16 |      | 16 |   | 6  |
| V-GW-201606 | 20 |      | 16 |   | 6  |
| V-GW-202006 | 20 |      | 20 |   | 6  |
| V-GW-161208 | 16 |      | 12 |   | 8  |
| V-GW-162008 | 16 |      | 20 |   | 8  |
| V-GW-201608 | 20 |      | 16 |   | 8  |
| V-GW-202008 | 20 |      | 20 |   | 8  |
| V-GW-202408 | 20 |      | 24 |   | 8  |
| V-GW-241608 | 24 |      | 16 |   | 8  |
| V-GW-242008 | 24 |      | 20 |   | 8  |
| V-GW-242408 | 24 |      | 24 |   | 8  |
| V-GW-243008 | 24 |      | 30 |   | 8  |
| V-GW-302008 | 30 |      | 20 |   | 8  |
| V-GW-302408 | 30 |      | 24 |   | 8  |
| V-GW-242010 | 24 |      | 20 |   | 10 |
| V-GW-302010 | 30 |      | 20 |   | 10 |
| V-GW-302410 | 30 |      | 24 |   | 10 |
| V-GW-202012 | 20 |      | 20 |   | 12 |
| V-GW-242412 | 24 |      | 24 |   | 12 |
| V-GW-302412 | 30 |      | 24 |   | 12 |
| V-GW-242416 | 24 |      | 24 |   | 16 |

## HALP SERIES

Type 4X Aluminum  
Enclosure



| Part No.      |    | Size |   |      |     |
|---------------|----|------|---|------|-----|
|               |    | H    | x | W    | x D |
| HALP-050503GE | mm | 45   |   | 50   | 30  |
|               | in | 1.8  |   | 1.9  | 1.2 |
| HALP-060604GE | mm | 64   |   | 58   | 36  |
|               | in | 2.5  |   | 2.3  | 1.4 |
| HALP-061004GE | mm | 64   |   | 98   | 36  |
|               | in | 2.5  |   | 3.9  | 1.4 |
| HALP-061504GE | mm | 64   |   | 150  | 36  |
|               | in | 2.5  |   | 5.9  | 1.4 |
| HALP-080806GE | mm | 80   |   | 75   | 57  |
|               | in | 3.2  |   | 2.9  | 2.2 |
| HALP-081306GE | mm | 80   |   | 125  | 57  |
|               | in | 3.2  |   | 4.9  | 2.2 |
| HALP-081806GE | mm | 80   |   | 175  | 57  |
|               | in | 3.2  |   | 6.9  | 2.2 |
| HALP-082506GE | mm | 80   |   | 250  | 57  |
|               | in | 3.2  |   | 9.8  | 2.2 |
| HALP-121208GE | mm | 120  |   | 122  | 80  |
|               | in | 4.7  |   | 4.8  | 3.1 |
| HALP-122208GE | mm | 120  |   | 220  | 80  |
|               | in | 4.7  |   | 8.7  | 3.1 |
| HALP-123608GE | mm | 120  |   | 360  | 80  |
|               | in | 4.7  |   | 14.2 | 3.1 |
| HALP-121209GE | mm | 120  |   | 122  | 90  |
|               | in | 4.7  |   | 4.8  | 3.5 |
| HALP-122209GE | mm | 120  |   | 220  | 90  |
|               | in | 4.7  |   | 8.7  | 3.5 |
| HALP-161609GE | mm | 160  |   | 160  | 90  |
|               | in | 6.3  |   | 6.3  | 3.5 |
| HALP-162609GE | mm | 160  |   | 260  | 90  |
|               | in | 6.3  |   | 10.2 | 3.5 |
| HALP-163609GE | mm | 160  |   | 360  | 90  |
|               | in | 6.3  |   | 14.2 | 3.5 |
| HALP-165609GE | mm | 160  |   | 560  | 90  |
|               | in | 6.3  |   | 22.1 | 3.5 |
| HALP-232011GE | mm | 230  |   | 200  | 110 |
|               | in | 9.1  |   | 7.9  | 4.3 |
| HALP-233311GE | mm | 230  |   | 330  | 110 |
|               | in | 9.1  |   | 13   | 4.3 |
| HALP-233318GE | mm | 230  |   | 330  | 180 |
|               | in | 9.1  |   | 13   | 7.1 |
| HALP-234011GE | mm | 230  |   | 400  | 110 |
|               | in | 9.1  |   | 15.7 | 4.3 |
| HALP-236011GE | mm | 230  |   | 600  | 110 |
|               | in | 9.1  |   | 23.6 | 4.3 |
| HALP-244221GE | mm | 240  |   | 420  | 210 |
|               | in | 9.5  |   | 16.5 | 8.3 |

## ETBS SERIES

Type 4X Enclosure  
Stainless Steel



| Part No.    |    | Enclosure Size |   |      |     | Inner Panel |      |
|-------------|----|----------------|---|------|-----|-------------|------|
|             |    | H              | x | W    | x D | H           | x W  |
| ETBS-181508 | mm | 180            |   | 150  | 80  | 162         | 125  |
|             | in | 7.1            |   | 5.9  | 3.1 | 6.4         | 4.9  |
| ETBS-201808 | mm | 200            |   | 180  | 80  | 182         | 155  |
|             | in | 7.9            |   | 7.1  | 3.1 | 7.2         | 6.1  |
| ETBS-202008 | mm | 200            |   | 200  | 80  | 182         | 175  |
|             | in | 7.9            |   | 7.9  | 3.1 | 7.2         | 6.9  |
| ETBS-202012 | mm | 200            |   | 200  | 120 | 182         | 175  |
|             | in | 7.9            |   | 7.9  | 4.7 | 7.2         | 6.9  |
| ETBS-301508 | mm | 300            |   | 150  | 80  | 282         | 125  |
|             | in | 11.8           |   | 5.9  | 3.1 | 11.1        | 4.9  |
| ETBS-301512 | mm | 300            |   | 150  | 120 | 282         | 125  |
|             | in | 11.8           |   | 5.9  | 4.7 | 11.1        | 4.9  |
| ETBS-302012 | mm | 300            |   | 200  | 120 | 282         | 175  |
|             | in | 11.8           |   | 7.9  | 4.7 | 11.1        | 6.9  |
| ETBS-303012 | mm | 300            |   | 300  | 120 | 282         | 275  |
|             | in | 11.8           |   | 11.8 | 4.7 | 11.1        | 10.8 |
| ETBS-402012 | mm | 400            |   | 200  | 120 | 382         | 175  |
|             | in | 15.7           |   | 7.9  | 4.7 | 15          | 6.9  |
| ETBS-403012 | mm | 400            |   | 300  | 120 | 382         | 275  |
|             | in | 15.7           |   | 11.8 | 4.7 | 15          | 10.8 |
| ETBS-404012 | mm | 400            |   | 400  | 120 | 382         | 375  |
|             | in | 15.7           |   | 15.7 | 4.7 | 15          | 14.8 |
| ETBS-502012 | mm | 500            |   | 200  | 120 | 482         | 175  |
|             | in | 19.7           |   | 7.9  | 4.7 | 19          | 6.9  |
| ETBS-503012 | mm | 500            |   | 300  | 120 | 482         | 275  |
|             | in | 19.7           |   | 11.8 | 4.7 | 19          | 10.8 |
| ETBS-504012 | mm | 500            |   | 400  | 120 | 482         | 375  |
|             | in | 19.7           |   | 15.7 | 4.7 | 19          | 14.8 |
| ETBS-602012 | mm | 600            |   | 200  | 120 | 582         | 175  |
|             | in | 23.6           |   | 7.9  | 4.7 | 22.9        | 6.9  |
| ETBS-603012 | mm | 600            |   | 300  | 120 | 582         | 275  |
|             | in | 23.6           |   | 11.8 | 4.7 | 22.9        | 10.8 |
| ETBS-604012 | mm | 600            |   | 400  | 120 | 582         | 375  |
|             | in | 23.6           |   | 15.7 | 4.7 | 22.9        | 14.8 |
| ETBS-802012 | mm | 800            |   | 200  | 120 | 782         | 175  |
|             | in | 31.5           |   | 7.9  | 4.7 | 30.8        | 6.9  |
| ETBS-804012 | mm | 800            |   | 400  | 120 | 782         | 375  |
|             | in | 31.5           |   | 15.7 | 4.7 | 30.8        | 14.8 |

## IBWRH-SS SERIES

Type 4X Hinge Cover  
Enclosure, Stainless Steel



| Part No.        | H  | x | Size |   | D |
|-----------------|----|---|------|---|---|
|                 |    |   | W    | x |   |
| IBWRH-SS-060604 | 6  |   | 6    |   | 4 |
| IBWRH-SS-080604 | 8  |   | 6    |   | 4 |
| IBWRH-SS-100804 | 10 |   | 8    |   | 4 |
| IBWRH-SS-121005 | 12 |   | 10   |   | 5 |
| IBWRH-SS-080806 | 8  |   | 8    |   | 6 |
| IBWRH-SS-121206 | 12 |   | 12   |   | 6 |
| IBWRH-SS-141206 | 14 |   | 12   |   | 6 |
| IBWRH-SS-161406 | 16 |   | 14   |   | 6 |
| IBWRH-SS-100808 | 10 |   | 8    |   | 8 |
| IBWRH-SS-141208 | 14 |   | 12   |   | 8 |

## N4X-SS SERIES

Type 4X Enclosure  
Stainless Steel



| Part No.      | H  | x | Size |   | D  |
|---------------|----|---|------|---|----|
|               |    |   | W    | x |    |
| N4X-SS-161206 | 16 |   | 12   |   | 6  |
| N4X-SS-161606 | 16 |   | 16   |   | 6  |
| N4X-SS-162006 | 16 |   | 20   |   | 6  |
| N4X-SS-201606 | 20 |   | 16   |   | 6  |
| N4X-SS-202006 | 20 |   | 20   |   | 6  |
| N4X-SS-242006 | 24 |   | 20   |   | 6  |
| N4X-SS-161208 | 16 |   | 12   |   | 8  |
| N4X-SS-201608 | 20 |   | 16   |   | 8  |
| N4X-SS-202008 | 20 |   | 20   |   | 8  |
| N4X-SS-202408 | 20 |   | 24   |   | 8  |
| N4X-SS-241608 | 24 |   | 16   |   | 8  |
| N4X-SS-242008 | 24 |   | 20   |   | 8  |
| N4X-SS-242408 | 24 |   | 24   |   | 8  |
| N4X-SS-243008 | 24 |   | 30   |   | 8  |
| N4X-SS-302008 | 30 |   | 20   |   | 8  |
| N4X-SS-302408 | 30 |   | 24   |   | 8  |
| N4X-SS-303008 | 30 |   | 30   |   | 8  |
| N4X-SS-362408 | 36 |   | 24   |   | 8  |
| N4X-SS-363008 | 36 |   | 30   |   | 8  |
| N4X-SS-423608 | 42 |   | 36   |   | 8  |
| N4X-SS-483608 | 48 |   | 36   |   | 8  |
| N4X-SS-201610 | 20 |   | 16   |   | 10 |
| N4X-SS-242010 | 24 |   | 20   |   | 10 |
| N4X-SS-362410 | 36 |   | 24   |   | 10 |
| N4X-SS-363010 | 36 |   | 30   |   | 10 |
| N4X-SS-423010 | 42 |   | 30   |   | 10 |
| N4X-SS-242412 | 24 |   | 24   |   | 12 |
| N4X-SS-302412 | 30 |   | 24   |   | 12 |
| N4X-SS-363012 | 36 |   | 30   |   | 12 |
| N4X-SS-363612 | 36 |   | 36   |   | 12 |
| N4X-SS-483612 | 48 |   | 36   |   | 12 |
| N4X-SS-603612 | 60 |   | 36   |   | 12 |
| N4X-SS-302416 | 30 |   | 24   |   | 16 |
| N4X-SS-363016 | 36 |   | 30   |   | 16 |
| N4X-SS-483616 | 48 |   | 36   |   | 16 |

## N4X-3PSS SERIES

Type 4X Enclosure  
Stainless Steel



| Part No.        | H  | x | Size |   | D  |
|-----------------|----|---|------|---|----|
|                 |    |   | W    | x |    |
| N4X-3PSS-242006 | 24 |   | 20   |   | 6  |
| N4X-3PSS-242008 | 24 |   | 20   |   | 8  |
| N4X-3PSS-242408 | 24 |   | 24   |   | 8  |
| N4X-3PSS-302408 | 30 |   | 24   |   | 8  |
| N4X-3PSS-303008 | 30 |   | 30   |   | 8  |
| N4X-3PSS-362408 | 36 |   | 24   |   | 8  |
| N4X-3PSS-363008 | 36 |   | 30   |   | 8  |
| N4X-3PSS-483608 | 48 |   | 36   |   | 8  |
| N4X-3PSS-242010 | 24 |   | 20   |   | 10 |
| N4X-3PSS-363010 | 36 |   | 30   |   | 10 |
| N4X-3PSS-423010 | 42 |   | 30   |   | 10 |
| N4X-3PSS-483610 | 48 |   | 36   |   | 10 |
| N4X-3PSS-242412 | 24 |   | 24   |   | 12 |
| N4X-3PSS-302412 | 30 |   | 24   |   | 12 |
| N4X-3PSS-363012 | 36 |   | 30   |   | 12 |
| N4X-3PSS-363612 | 36 |   | 36   |   | 12 |
| N4X-3PSS-423612 | 42 |   | 36   |   | 12 |
| N4X-3PSS-483612 | 48 |   | 36   |   | 12 |
| N4X-3PSS-603612 | 60 |   | 36   |   | 12 |
| N4X-3PSS-483616 | 48 |   | 36   |   | 16 |
| N4X-3PSS-603616 | 60 |   | 36   |   | 16 |

## VSS SERIES

Type 4X Enclosure  
Stainless Steel



| Part No.    | H  | x | Size |   | D  |
|-------------|----|---|------|---|----|
|             |    |   | W    | x |    |
| V-SS-121206 | 12 |   | 12   |   | 6  |
| V-SS-161206 | 16 |   | 12   |   | 6  |
| V-SS-161606 | 16 |   | 16   |   | 6  |
| V-SS-201608 | 20 |   | 16   |   | 8  |
| V-SS-202008 | 20 |   | 20   |   | 8  |
| V-SS-202408 | 20 |   | 24   |   | 8  |
| V-SS-241608 | 24 |   | 16   |   | 8  |
| V-SS-242008 | 24 |   | 20   |   | 8  |
| V-SS-242408 | 24 |   | 24   |   | 8  |
| V-SS-302408 | 30 |   | 24   |   | 8  |
| V-SS-303008 | 30 |   | 30   |   | 8  |
| V-SS-362408 | 36 |   | 24   |   | 8  |
| V-SS-363008 | 36 |   | 30   |   | 8  |
| V-SS-423612 | 42 |   | 36   |   | 12 |
| V-SS-483612 | 48 |   | 36   |   | 12 |

## VSW SERIES

Type 4X Enclosure  
Stainless Steel



| Part No.    | H  | x | Size |   | D |
|-------------|----|---|------|---|---|
|             |    |   | W    | x |   |
| V-SW-121206 | 12 |   | 12   |   | 6 |
| V-SW-161206 | 16 |   | 12   |   | 6 |
| V-SW-161606 | 16 |   | 16   |   | 6 |
| V-SW-201608 | 20 |   | 16   |   | 8 |
| V-SW-202008 | 20 |   | 20   |   | 8 |
| V-SW-202408 | 20 |   | 24   |   | 8 |
| V-SW-241608 | 24 |   | 16   |   | 8 |
| V-SW-242008 | 24 |   | 20   |   | 8 |
| V-SW-242408 | 24 |   | 24   |   | 8 |
| V-SW-302408 | 30 |   | 24   |   | 8 |

## EWSS SERIES

Type 4X Enclosure  
Stainless Steel



| Part No. |  | Enclosure Dimensions |  |
|----------|--|----------------------|--|
|----------|--|----------------------|--|

## EST SERIES

Type 4X Enclosure  
Stainless Steel



| Part No.    | Enclosure Dimensions |      |      |      |      |
|-------------|----------------------|------|------|------|------|
|             |                      | H1   | H    | x W  | x D  |
| EST-0432015 | mm                   | 300  | 430  | 200  | 155  |
|             | in                   | 11.8 | 16.9 | 7.9  | 6.1  |
| EST-0404021 | mm                   | 306  | 400  | 400  | 210  |
|             | in                   | 12   | 15.7 | 15.7 | 8.3  |
| EST-0553020 | mm                   | 400  | 555  | 300  | 200  |
|             | in                   | 15.7 | 21.9 | 11.8 | 7.9  |
| EST-0604021 | mm                   | 506  | 600  | 400  | 210  |
|             | in                   | 19.9 | 23.6 | 15.7 | 8.3  |
| EST-0665020 | mm                   | 500  | 660  | 500  | 200  |
|             | in                   | 19.7 | 26   | 19.7 | 7.9  |
| EST-0754020 | mm                   | 600  | 755  | 400  | 200  |
|             | in                   | 23.6 | 29.7 | 15.7 | 7.9  |
| EST-0626030 | mm                   | 400  | 620  | 600  | 300  |
|             | in                   | 15.7 | 24.4 | 23.6 | 11.8 |
| EST-1026030 | mm                   | 800  | 1020 | 600  | 300  |
|             | in                   | 31.5 | 40.2 | 23.6 | 11.8 |
| EST-1228030 | mm                   | 1000 | 1220 | 800  | 300  |
|             | in                   | 39.4 | 48   | 31.5 | 11.8 |
| EST-1428030 | mm                   | 1200 | 1420 | 800  | 300  |
|             | in                   | 47.2 | 55.9 | 31.5 | 11.8 |

## HDW SERIES

Type 4X Enclosure  
Hygienic Design  
Stainless Steel



| Part No.    | Enclosure Dimensions |      |      |      |      |
|-------------|----------------------|------|------|------|------|
|             |                      | H    | H1   | x W  | x D  |
| HDW-0442215 | mm                   | 350  | 442  | 220  | 155  |
|             | in                   | 13.8 | 17.4 | 8.7  | 4.5  |
| HDW-0553921 | mm                   | 430  | 552  | 390  | 210  |
|             | in                   | 16.9 | 21.7 | 15.4 | 8.3  |
| HDW-0675121 | mm                   | 550  | 672  | 510  | 210  |
|             | in                   | 21.7 | 26.5 | 20.1 | 8.3  |
| HDW-0773921 | mm                   | 650  | 772  | 390  | 210  |
|             | in                   | 25.6 | 30.4 | 15.4 | 8.3  |
| HDW-0776121 | mm                   | 650  | 772  | 610  | 210  |
|             | in                   | 25.6 | 30.4 | 24   | 8.3  |
| HDW-0606130 | mm                   | 430  | 605  | 610  | 300  |
|             | in                   | 16.9 | 23.8 | 24   | 11.8 |
| HDW-1228130 | mm                   | 1050 | 1225 | 810  | 300  |
|             | in                   | 41.3 | 48.2 | 31.9 | 11.8 |
| HDW-1428130 | mm                   | 1250 | 1425 | 810  | 300  |
|             | in                   | 49.2 | 56.1 | 31.9 | 11.8 |

## N4X-DD-SS SERIES

Type 4X Enclosure  
Stainless Steel



| Part No.         | H  | Size |    |     |
|------------------|----|------|----|-----|
|                  |    | x    | W  | x D |
| N4X-DD-SS-604812 | 60 |      | 48 | 12  |
| N4X-DD-SS-606012 | 60 |      | 60 | 12  |
| N4X-DD-SS-726012 | 72 |      | 60 | 12  |
| N4X-DD-SS-727212 | 72 |      | 72 | 12  |
| N4X-DD-SS-727220 |    |      |    |     |

## VCSS SERIES

Type 4X Enclosure  
Stainless Steel



| Part No. | H      | Size |    |       |
|----------|--------|------|----|-------|
|          |        | x    | W  | x D   |
| VCSS-24  | 40.125 |      | 24 | 18.25 |
| VCSS-32  | 40.125 |      | 32 | 18.25 |
| VCSS-40  | 40.125 |      | 40 | 18.25 |
| VCSS-48  | 40.125 |      | 48 | 18.25 |

## NMPB70 SERIES

Type 4X Enclosure



| Part No.<br>Solid Cover |    | H    | x | Size |     | Hole Size |
|-------------------------|----|------|---|------|-----|-----------|
|                         |    |      |   | W    | x D |           |
| NMPB70-1-22             | mm | 110  |   | 80   |     | 22        |
|                         | in | 4.33 |   | 3.15 |     | 2.76      |
| NMPB70-1-30             | mm | 110  |   | 80   |     | 30        |
|                         | in | 4.33 |   | 3.15 |     | 2.76      |
| NMPB70-2-22             | mm | 130  |   | 80   |     | 22        |
|                         | in | 5.12 |   | 3.15 |     | 2.76      |
| NMPB70-2-30             | mm | 130  |   | 80   |     | 30        |
|                         | in | 5.12 |   | 3.15 |     | 2.76      |
| NMPB70-3-22             | mm | 180  |   | 80   |     | 22        |
|                         | in | 7.09 |   | 3.15 |     | 2.76      |
| NMPB70-3-30             | mm | 180  |   | 80   |     | 30        |
|                         | in | 7.09 |   | 3.15 |     | 2.76      |
| NMPB70-4-22             | mm | 250  |   | 80   |     | 22        |
|                         | in | 9.84 |   | 3.15 |     | 2.76      |
| NMPB70-4-30             | mm | 250  |   | 80   |     | 30        |
|                         | in | 9.84 |   | 3.15 |     | 2.76      |

## NMPB85 SERIES

Type 4X Enclosure

| Part No.<br>Solid Cover |    | H    | x | Size |     | Hole Size |
|-------------------------|----|------|---|------|-----|-----------|
|                         |    |      |   | W    | x D |           |
| NMPB85-1-22             | mm | 110  |   | 80   |     | 22        |
|                         | in | 4.33 |   | 3.15 |     | 3.35      |
| NMPB85-1-30             | mm | 110  |   | 80   |     | 30        |
|                         | in | 4.33 |   | 3.15 |     | 3.35      |
| NMPB85-2-22             | mm | 130  |   | 80   |     | 22        |
|                         | in | 5.12 |   | 3.15 |     | 3.35      |
| NMPB85-2-30             | mm | 130  |   | 80   |     | 30        |
|                         | in | 5.12 |   | 3.15 |     | 3.35      |
| NMPB85-3-22             | mm | 180  |   | 80   |     | 22        |
|                         | in | 7.09 |   | 3.15 |     | 3.35      |
| NMPB85-3-30             | mm | 180  |   | 80   |     | 30        |
|                         | in | 7.09 |   | 3.15 |     | 3.35      |
| NMPB85-4-22             | mm | 250  |   | 80   |     | 22        |
|                         | in | 9.84 |   | 3.15 |     | 3.35      |
| NMPB85-4-30             | mm | 250  |   | 80   |     | 30        |
|                         | in | 9.84 |   | 3.15 |     | 3.35      |

## NMSC SERIES

Type 4X Screw cover  
Polycarbonate Enclosure



| Part No.<br>Solid Cover | Part No.<br>Clear Cover | H    | x | Size |      |
|-------------------------|-------------------------|------|---|------|------|
|                         |                         |      |   | W    | x D  |
| NMSC-100802             | NMSC-100802-C           | 10.5 |   | 8.5  | 3.45 |
| NMSC-060604             | NMSC-060604-C           | 6.5  |   | 6.5  | 5.2  |
| NMSC-080604             | NMSC-080604-C           | 8.4  |   | 6.4  | 5.2  |
| NMSC-080804             | NMSC-080804-C           | 8.4  |   | 8.5  | 5.2  |
| NMSC-100804             | NMSC-100804-C           | 10.5 |   | 8.5  | 5.2  |
| NMSC-121004             | NMSC-121004-C           | 12.5 |   | 10.5 | 5.2  |
| NMSC-100806             | NMSC-100806-C           | 10.5 |   | 8.5  | 7.25 |
| NMSC-121006             | NMSC-121006-C           | 12.5 |   | 10.5 | 7.25 |
| NMSC-141206             | NMSC-141206-C           | 14.6 |   | 12.6 | 7.3  |
| NMSC-161407             | NMSC-161407-C           | 16.5 |   | 14.5 | 8.5  |
| NMSC-181610             | NMSC-181610-C           | 19   |   | 17   | 11.5 |

## NMHC SERIES

Type 4X Hinge cover  
Polycarbonate Enclosure



| Part No.<br>Solid Cover | Part No.<br>Clear Cover | H    | x | Size |      |
|-------------------------|-------------------------|------|---|------|------|
|                         |                         |      |   | W    | x D  |
| NMHC-100802             | NMHC-100802-C           | 10.5 |   | 8.5  | 3.45 |
| NMHC-060604             | NMHC-060604-C           | 6.5  |   | 6.5  | 5.2  |
| NMHC-080604             | NMHC-080604-C           | 8.4  |   | 6.4  | 5.2  |
| NMHC-080804             | NMHC-080804-C           | 8.4  |   | 8.5  | 5.2  |
| NMHC-100804             | NMHC-100804-C           | 10.5 |   | 8.5  | 5.2  |
| NMHC-121004             | NMHC-121004-C           | 12.5 |   | 10.5 | 5.2  |
| NMHC-100806             | NMHC-100806-C           | 10.5 |   | 8.5  | 7.25 |
| NMHC-121006             | NMHC-121006-C           | 12.5 |   | 10.5 | 7.25 |
| NMHC-141206             | NMHC-141206-C           | 14.6 |   | 12.6 | 7.3  |
| NMHC-161407             | NMHC-161407-C           | 16.5 |   | 14.5 | 8.5  |
| NMHC-181610             | NMHC-181610-C           | 19   |   | 17   | 11.5 |

## NMQR SERIES

Type 4X Hinge cover  
Polycarbonate Enclosure



| Part No.<br>Solid Cover | Part No.<br>Clear Cover | H    | x | Size<br>W x D |
|-------------------------|-------------------------|------|---|---------------|
| NMQR-100802             | NMQR-100802-C           | 10.5 |   | 8.5 x 3.45    |
| NMQR-060604             | NMQR-060604-C           | 6.5  |   | 6.5 x 5.2     |
| NMQR-080604             | NMQR-080604-C           | 8.4  |   | 6.4 x 5.2     |
| NMQR-080804             | NMQR-080804-C           | 8.4  |   | 8.5 x 5.2     |
| NMQR-100804             | NMQR-100804-C           | 10.5 |   | 8.5 x 5.2     |
| NMQR-121004             | NMQR-121004-C           | 12.5 |   | 10.5 x 5.2    |
| NMQR-100806             | NMQR-100806-C           | 10.5 |   | 8.5 x 7.25    |
| NMQR-121006             | NMQR-121006-C           | 12.5 |   | 10.5 x 7.25   |
| NMQR-141206             | NMQR-141206-C           | 14.6 |   | 12.6 x 7.3    |
| NMQR-161407             | NMQR-161407-C           | 16.5 |   | 14.5 x 8.5    |
| NMQR-181610             | NMQR-181610-C           | 19   |   | 17 x 11.5     |

## EE SERIES

Type 4X Enclosure  
Fiberglass Reinforced Polyester



| Part No.<br>Solid Cover | H       | x | Size<br>W x D |
|-------------------------|---------|---|---------------|
| EE2727UP                | mm 270  |   | 270 x 187     |
|                         | in 10.6 |   | 10.6 x 7.4    |
| EE2736UP                | mm 270  |   | 360 x 187     |
|                         | in 10.6 |   | 14.2 x 7.4    |

## RAL-JB SERIES

Type 4X Enclosure  
Fiberglass Reinforced Polyester



| Part No.<br>Solid Cover | Part No.<br>Clear Cover | H       | x | Size<br>W x D |
|-------------------------|-------------------------|---------|---|---------------|
| RAL-JB-1313             | RAL-JB-1313-C           | mm 135  |   | 135 x 129     |
|                         |                         | in 5.3  |   | 5.3 x 5.1     |
| RAL-JB-1813             | RAL-JB-1813-C           | mm 180  |   | 135 x 129     |
|                         |                         | in 7.1  |   | 5.3 x 5.1     |
| RAL-JB-1818             | RAL-JB-1818-C           | mm 180  |   | 180 x 129     |
|                         |                         | in 7.1  |   | 7.1 x 5.1     |
| RAL-JB-2713             | RAL-JB-2713-C           | mm 270  |   | 135 x 129     |
|                         |                         | in 10.6 |   | 5.3 x 5.1     |
| RAL-JB-2718             | RAL-JB-2718-C           | mm 270  |   | 180 x 171     |
|                         |                         | in 10.6 |   | 7.1 x 6.7     |
| RAL-JB-2727             |                         | mm 270  |   | 270 x 171     |
|                         |                         | in 10.6 |   | 10.6 x 6.7    |
| RAL-JB-3618             | RAL-JB-3618-C           | mm 360  |   | 180 x 171     |
|                         |                         | in 14.2 |   | 7.1 x 6.7     |
| RAL-JB-3627             |                         | mm 360  |   | 270 x 171     |
|                         |                         | in 14.2 |   | 10.6 x 6.7    |
| RAL-JB-3627H            | RAL-JB-3627H-C          | mm 360  |   | 270 x 201     |
|                         |                         | in 14.2 |   | 10.6 x 7.9    |
| RAL-JB-3636             | RAL-JB-3636-C           | mm 360  |   | 360 x 171     |
|                         |                         | in 14.2 |   | 14.2 x 6.7    |
| RAL-JB-3636H            | RAL-JB-3636H-C          | mm 360  |   | 360 x 201     |
|                         |                         | in 14.2 |   | 14.2 x 7.9    |
| RAL-JB-5427             | RAL-JB-5427H-C          | mm 540  |   | 270 x 171     |
|                         |                         | in 21.3 |   | 10.6 x 6.7    |
| RAL-JB-5427H            |                         | mm 540  |   | 270 x 201     |
|                         |                         | in 21.3 |   | 10.6 x 7.9    |
| RAL-JB-5436             | RAL-JB-5436-C           | mm 540  |   | 360 x 171     |
|                         |                         | in 21.3 |   | 14.2 x 6.7    |
| RAL-JB-5436H            | RAL-JB-5436H-C          | mm 540  |   | 360 x 201     |
|                         |                         | in 21.3 |   | 14.2 x 7.9    |
| RAL-JB-5454             | RAL-JB-5454-C           | mm 540  |   | 540 x 171     |
|                         |                         | in 21.3 |   | 21.3 x 6.7    |
| RAL-JB-5454H            | RAL-JB-5454H-C          | mm 540  |   | 540 x 201     |
|                         |                         | in 21.3 |   | 21.3 x 7.9    |
| RAL-JB-7236H            | RAL-JB-7236H-C          | mm 720  |   | 360 x 201     |
|                         |                         | in 28.3 |   | 14.2 x 7.9    |
| RAL-JB-7254H            | RAL-JB-7254H-C          | mm 720  |   | 540 x 201     |
|                         |                         | in 28.3 |   | 21.3 x 7.9    |

\* Polyamide body, polycarbonate cover  
\*\* Polyester body, polycarbonate cover

## RAL-WM 1/4 TURN SERIES

Type 4X Enclosure  
Fiberglass Reinforced Polyester



| Part No.   | Part No.<br>With Window | H       | x | Size<br>W x D |
|------------|-------------------------|---------|---|---------------|
| RAL-WM-325 | RAL-WM-325-P            | mm 300  |   | 250 x 140     |
|            |                         | in 11.8 |   | 9.8 x 5.5     |
| RAL-WM-43  | RAL-WM-43-P             | mm 400  |   | 300 x 200     |
|            |                         | in 15.7 |   | 11.8 x 7.9    |
| RAL-WM-44  | RAL-WM-44-P             | mm 400  |   | 400 x 200     |
|            |                         | in 15.7 |   | 15.7 x 7.9    |
| RAL-WM-54  | RAL-WM-54-P             | mm 500  |   | 400 x 200     |
|            |                         | in 19.7 |   | 15.7 x 7.9    |
| RAL-WM-64  | RAL-WM-64-P             | mm 600  |   | 400 x 230     |
|            |                         | in 23.6 |   | 15.7 x 9      |
| RAL-WM-65  | RAL-WM-65-P             | mm 600  |   | 500 x 230     |
|            |                         | in 23.6 |   | 19.7 x 9      |
| RAL-WM-83  | RAL-WM-83-P             | mm 800  |   | 300 x 230     |
|            |                         | in 31.5 |   | 11.8 x 9      |
| RAL-WM-86  | RAL-WM-86-P             | mm 800  |   | 600 x 300     |
|            |                         | in 31.5 |   | 23.6 x 11.8   |

## RAL-WM SWING HANDLE SERIES

Type 4X Enclosure  
Fiberglass Reinforced Polyester



| Part No.     | Part No.<br>With Window | H       | x | Size<br>W x D |
|--------------|-------------------------|---------|---|---------------|
| RAL-WM-43-3L | RAL-WM-43-P-3L          | mm 400  |   | 300 x 200     |
|              |                         | in 15.7 |   | 11.8 x 7.9    |
| RAL-WM-44-3L | RAL-WM-44-P-3L          | mm 400  |   | 400 x 200     |
|              |                         | in 15.7 |   | 15.7 x 7.9    |
| RAL-WM-54-3L | RAL-WM-54-P-3L          | mm 500  |   | 400 x 200     |
|              |                         | in 19.7 |   | 15.7 x 7.9    |
| RAL-WM-64-3L | RAL-WM-64-P-3L          | mm 600  |   | 400 x 230     |
|              |                         | in 23.6 |   | 15.7 x 9      |
| RAL-WM-65-3L | RAL-WM-65-P-3L          | mm 600  |   | 500 x 230     |
|              |                         | in 23.6 |   | 19.7 x 9      |
| RAL-WM-83-3L | RAL-WM-83-P-3L          | mm 800  |   | 300 x 230     |
|              |                         | in 31.5 |   | 11.8 x 9      |
| RAL-WM-86-3L | RAL-WM-86-P-3L          | mm 800  |   | 600 x 300     |
|              |                         | in 31.5 |   | 23.6 x 11.8   |

## RAL SERIES

Type 4X  
Fiberglass Reinforced Enclosure



| Part No. | H       | x | Size<br>W x D |
|----------|---------|---|---------------|
| RAL-55   | mm 500  |   | 500 x 300     |
|          | in 19.7 |   | 19.7 x 11.8   |
| RAL-57   | mm 500  |   | 750 x 300     |
|          | in 19.7 |   | 29.5 x 11.8   |
| RAL-75   | mm 750  |   | 500 x 300     |
|          | in 29.5 |   | 19.7 x 11.8   |
| RAL-77   | mm 750  |   | 750 x 300     |
|          | in 29.5 |   | 29.5 x 11.8   |
| RAL-105  | mm 1000 |   | 500 x 300     |
|          | in 39.4 |   | 19.7 x 11.8   |
| RAL-107  | mm 1000 |   | 750 x 300     |
|          | in 39.4 |   | 29.5 x 11.8   |

## FRP-FS-DD SERIES

Type 4X Enclosure  
Fiberglass Reinforced Polyester



| Non-Insulated    | Insulated         | H  | x | Size<br>W x D |
|------------------|-------------------|----|---|---------------|
| FRP-FS-DD-604812 | FRPI-FS-DD-604812 | 60 |   | 48 x 12       |
| FRP-FS-DD-726012 | FRPI-FS-DD-726012 | 72 |   | 60 x 12       |
| FRP-FS-DD-905414 | FRPI-FS-DD-905414 | 90 |   | 54 x 14       |
| FRP-FS-DD-576115 |                   | 57 |   | 61 x 15       |
| FRP-FS-DD-724824 | FRPI-FS-DD-724824 | 72 |   | 48 x 24       |
| FRP-FS-DD-784824 | FRPI-FS-DD-784824 | 78 |   | 48 x 24       |
| FRP-FS-DD-726024 | FRPI-FS-DD-726024 | 72 |   | 60 x 24       |
| FRP-FS-DD-686825 | FRPI-FS-DD-686825 | 68 |   | 68 x 25       |
| FRP-FS-DD-606026 | FRPI-FS-DD-606026 | 60 |   | 60 x 26       |
| FRP-FS-DD-726030 | FRPI-FS-DD-726030 | 72 |   | 60 x 31       |
| FRP-FS-DD-705731 | FRPI-FS-DD-705731 | 70 |   | 57 x 31       |



## FRP-FS-SD SERIES

Type 4X Enclosure

Fiberglass Reinforced Polyester



| Non-Insulated    | Insulated         | H  | Size |    |   |    |
|------------------|-------------------|----|------|----|---|----|
|                  |                   |    | x    | W  | x | D  |
| FRP-FS-SD-722512 | FRPI-FS-SD-722512 | 72 |      | 25 |   | 12 |
| FRP-FS-SD-683212 | FRPI-FS-SD-683212 | 68 |      | 32 |   | 12 |
| FRP-FS-SD-603013 | FRPI-FS-SD-603013 | 60 |      | 30 |   | 13 |
| FRP-FS-SD-582419 | FRPI-FS-SD-582419 | 58 |      | 24 |   | 18 |
| FRP-FS-SD-903018 | FRPI-FS-SD-903018 | 90 |      | 30 |   | 18 |
| FRP-FS-SD-723020 | FRPI-FS-SD-723020 | 72 |      | 30 |   | 20 |
| FRP-FS-SD-683024 | FRPI-FS-SD-683024 | 68 |      | 30 |   | 24 |
| FRP-FS-SD-723624 | FRPI-FS-SD-723624 | 72 |      | 36 |   | 24 |
| FRP-FS-SD-683626 | FRPI-FS-SD-683626 | 68 |      | 36 |   | 26 |
| FRP-FS-SD-722425 | FRPI-FS-SD-722425 | 72 |      | 24 |   | 25 |
| FRP-FS-SD-723030 | FRPI-FS-SD-723030 | 72 |      | 30 |   | 30 |
| FRP-FS-SD-723636 | FRPI-FS-SD-723636 | 72 |      | 36 |   | 36 |

## FRP-WM-DD SERIES

Type 4X

Fiberglass Polyester Enclosure



| Non-Insulated    | Insulated         | H  | Size |    |   |    |
|------------------|-------------------|----|------|----|---|----|
|                  |                   |    | x    | W  | x | D  |
| FRP-WM-DD-363612 | FRPI-WM-DD-363612 | 36 |      | 36 |   | 12 |
| FRP-WM-DD-364812 | FRPI-WM-DD-364812 | 36 |      | 48 |   | 12 |
| FRP-WM-DD-484812 | FRPI-WM-DD-484812 | 48 |      | 48 |   | 12 |
| FRP-WM-DD-306016 | FRPI-WM-DD-306016 | 30 |      | 60 |   | 16 |
| FRP-WM-DD-365216 | FRPI-WM-DD-365216 | 36 |      | 52 |   | 16 |
| FRP-WM-DD-486018 | FRPI-WM-DD-486018 | 48 |      | 60 |   | 18 |
| FRP-WM-DD-484820 | FRPI-WM-DD-484820 | 48 |      | 48 |   | 20 |

## FRP-WM-SD SERIES

Type 4X

Fiberglass Reinforced



| Non-Insulated    | Insulated         | H  | Size |    |   |    |
|------------------|-------------------|----|------|----|---|----|
|                  |                   |    | x    | W  | x | D  |
| FRP-WM-SD-202008 | FRPI-WM-SD-202008 | 20 |      | 20 |   | 8  |
| FRP-WM-SD-302408 | FRPI-WM-SD-302408 | 30 |      | 24 |   | 8  |
| FRP-WM-SD-162410 | FRPI-WM-SD-162410 | 16 |      | 24 |   | 10 |
| FRP-WM-SD-202010 | FRPI-WM-SD-202010 | 20 |      | 20 |   | 10 |
| FRP-WM-SD-242010 | FRPI-WM-SD-242010 | 24 |      | 20 |   | 10 |
| FRP-WM-SD-242410 | FRPI-WM-SD-242410 | 24 |      | 24 |   | 10 |
| FRP-WM-SD-482410 | FRPI-WM-SD-482410 | 48 |      | 24 |   | 10 |
| FRP-WM-SD-202012 | FRPI-WM-SD-202012 | 20 |      | 20 |   | 12 |
| FRP-WM-SD-242012 | FRPI-WM-SD-242012 | 24 |      | 20 |   | 12 |
| FRP-WM-SD-242412 | FRPI-WM-SD-242412 | 24 |      | 24 |   | 12 |
| FRP-WM-SD-243612 | FRPI-WM-SD-243612 | 24 |      | 36 |   | 12 |
| FRP-WM-SD-302412 | FRPI-WM-SD-302412 | 30 |      | 24 |   | 12 |
| FRP-WM-SD-363012 | FRPI-WM-SD-363012 | 36 |      | 30 |   | 12 |
| FRP-WM-SD-303012 | FRPI-WM-SD-303012 | 30 |      | 30 |   | 12 |
| FRP-WM-SD-363012 | FRPI-WM-SD-363012 | 36 |      | 30 |   | 12 |
| FRP-WM-SD-363612 | FRPI-WM-SD-363612 | 36 |      | 36 |   | 12 |
| FRP-WM-SD-483612 | FRPI-WM-SD-483612 | 48 |      | 36 |   | 12 |
| FRP-WM-SD-603612 | FRPI-WM-SD-603612 | 60 |      | 36 |   | 12 |
| FRP-WM-SD-482416 | FRPI-WM-SD-482416 | 48 |      | 24 |   | 16 |
| FRP-WM-SD-363016 | FRPI-WM-SD-363016 | 36 |      | 30 |   | 16 |
| FRP-WM-SD-363616 | FRPI-WM-SD-363616 | 36 |      | 36 |   | 16 |
| FRP-WM-SD-483616 | FRPI-WM-SD-483616 | 48 |      | 36 |   | 16 |
| FRP-WM-SD-603616 | FRPI-WM-SD-603616 | 60 |      | 36 |   | 16 |
| FRP-WM-SD-363618 | FRPI-WM-SD-363618 | 36 |      | 36 |   | 18 |
| FRP-WM-SD-603618 | FRPI-WM-SD-603618 | 60 |      | 36 |   | 18 |
| FRP-WM-SD-363023 | FRPI-WM-SD-363023 | 36 |      | 30 |   | 23 |
| FRP-WM-SD-362430 | FRPI-WM-SD-362430 | 36 |      | 24 |   | 30 |

## 2000-FM SERIES

Type 12 Disconnect Enclosure



| Part No.       | Enclosure Dimensions |   |    |     |
|----------------|----------------------|---|----|-----|
|                | H                    | x | W  | x D |
| 2000-FM-604912 | 60                   |   | 49 | 12  |
| 2000-FM-606112 | 60                   |   | 61 | 12  |
| 2000-FM-726112 | 72                   |   | 61 | 12  |
| 2000-FM-727312 | 72                   |   | 73 | 12  |
| 2000-FM-604918 | 60                   |   | 49 | 18  |
| 2000-FM-606118 | 60                   |   | 61 | 18  |
| 2000-FM-726118 | 72                   |   | 61 | 18  |
| 2000-FM-727318 | 72                   |   | 73 | 18  |
| 2000-FM-604924 | 60                   |   | 49 | 24  |
| 2000-FM-606124 | 60                   |   | 61 | 24  |
| 2000-FM-727324 | 72                   |   | 73 | 24  |

## N12-SQD SERIES

Type 12 Disconnect Enclosure



| Part No.        | Size |   |      |     |
|-----------------|------|---|------|-----|
|                 | H    | x | W    | x D |
| N12-SQD-362508  | 36   |   | 25.5 | 8   |
| N12-SQD-363108  | 36   |   | 31.5 | 8   |
| N12-SQD-242110  | 24   |   | 21.5 | 10  |
| N12-SQD-242510  | 24   |   | 25.5 | 10  |
| N12-SQD-302510  | 30   |   | 25.5 | 10  |
| N12-SQD-362510  | 36   |   | 25.5 | 10  |
| N12-SQD-363110  | 36   |   | 31.5 | 10  |
| N12-SQD-423110  | 42   |   | 31.5 | 10  |
| N12-SQD-423710  | 42   |   | 37.5 | 10  |
| N12-SQD-483710  | 48   |   | 37.5 | 10  |
| N12-SQD-603710  | 60   |   | 37.5 | 10  |
| N12-SQD-363112  | 36   |   | 31.5 | 12  |
| N12-SQD-483712  | 48   |   | 37.5 | 12  |
| N12-SQD-603712  | 60   |   | 37.5 | 12  |
| N12-SQD-603712A | 60   |   | 37.5 | 12  |

## 2000-CP SERIES

Type 12 Disconnect Enclosure



| Part No.       | Enclosure Dimensions |   |    |     |
|----------------|----------------------|---|----|-----|
|                | H                    | x | W  | x D |
| 2000-CP-604912 | 60                   |   | 49 | 12  |
| 2000-CP-606112 | 60                   |   | 61 | 12  |
| 2000-CP-726112 | 72                   |   | 61 | 12  |
| 2000-CP-727312 | 72                   |   | 73 | 12  |
| 2000-CP-604918 | 60                   |   | 49 | 18  |
| 2000-CP-606118 | 60                   |   | 61 | 18  |
| 2000-CP-726118 | 72                   |   | 61 | 18  |
| 2000-CP-727318 | 72                   |   | 73 | 18  |
| 2000-CP-604924 | 60                   |   | 49 | 24  |
| 2000-CP-606124 | 60                   |   | 61 | 24  |
| 2000-CP-727324 | 72                   |   | 73 | 24  |

## 4000 SERIES

Type 12 Disconnect Enclosure



| Part No.        | Size |   |        |     |
|-----------------|------|---|--------|-----|
|                 | H    | x | W      | x D |
| 4000-1D-722818  | 72   |   | 27.75  | 18  |
| 4000-1D-723418  | 72   |   | 33.75  | 18  |
| 4000-1D-724018  | 72   |   | 39.75  | 18  |
| 4000-1D-844018  | 84   |   | 39.75  | 18  |
| 4000-1D-904018  | 90   |   | 39.75  | 18  |
| 4000-1D-904020  | 90   |   | 39.75  | 20  |
| 4000-1D-844024  | 84   |   | 39.75  | 24  |
| 4000-1D-904024  | 90   |   | 39.75  | 24  |
| 4000-2D-725418  | 72   |   | 54     | 18  |
| 4000-2D-726618  | 72   |   | 66     | 18  |
| 4000-2D-727818  | 72   |   | 78     | 18  |
| 4000-2D-847818  | 84   |   | 78     | 18  |
| 4000-2D-907818  | 90   |   | 78     | 18  |
| 4000-2D-907820  | 90   |   | 78     | 20  |
| 4000-2D-727824  | 72   |   | 78     | 24  |
| 4000-2D-847824  | 84   |   | 78     | 24  |
| 4000-2D-907824  | 90   |   | 78     | 24  |
| 4000-3D-7210018 | 72   |   | 99.25  | 18  |
| 4000-3D-7211818 | 72   |   | 117.25 | 18  |
| 4000-3D-8411818 | 84   |   | 117.25 | 18  |
| 4000-3D-8411824 | 84   |   | 117.25 | 24  |
| 4000-3D-9011824 | 90   |   | 117.25 | 24  |
| 4000-4D-8415618 | 84   |   | 155.50 | 18  |
| 4000-4D-9015618 | 90   |   | 155.50 | 18  |
| 4000-4D-8415624 | 84   |   | 155.50 | 24  |
| 4000-4D-9015624 | 90   |   | 155.50 | 24  |
| 4000-5D-8419518 | 84   |   | 194.75 | 18  |
| 4000-5D-9019518 | 90   |   | 194.75 | 18  |
| 4000-5D-8419524 | 84   |   | 194.75 | 24  |
| 4000-5D-9019524 | 90   |   | 194.75 | 24  |
| 4000-6D-8423324 | 84   |   | 233    | 24  |
| 4000-6D-9023324 | 90   |   | 233    | 24  |



## PB-35 SERIES

Type 12 Enclosure



| Part No.<br>30 mm | Part No.<br>22 mm | Size<br>H x W x D |      |      |
|-------------------|-------------------|-------------------|------|------|
| PB35-1-30         | PB35-1-22         | 3.5               | 3.25 | 2.75 |
| PB35-2-30         | PB35-2-22         | 5.75              | 3.25 | 2.75 |
| PB35-3-30         | PB35-3-22         | 8                 | 3.25 | 2.75 |
| PB35-4-30         | PB35-4-22         | 10.25             | 3.25 | 2.75 |
| PB35-6-30         | PB35-6-22         | 9.5               | 6.25 | 3    |
| PB35-9-30         | PB35-9-22         | 9.5               | 8.5  | 3    |
| PB35-12-30        | PB35-12-22        | 11.75             | 8.5  | 3    |

## PB-37 SERIES

Type 12 Enclosure



| Part No.<br>30 mm | Part No.<br>22 mm | Size<br>H x W x D |      |      |
|-------------------|-------------------|-------------------|------|------|
| PB37-1-30         | PB37-1-22         | 4                 | 4    | 4.75 |
| PB37-2-30         | PB37-2-22         | 6                 | 4    | 4.75 |
| PB37-3-30         | PB37-3-22         | 8                 | 4    | 4.75 |
| PB37-4-30         | PB37-4-22         | 10                | 4    | 4.75 |
| PB37-6-30         | PB37-6-22         | 9.5               | 6.25 | 4.75 |
| PB37-9-30         | PB37-9-22         | 9.5               | 8.5  | 4.75 |
| PB37-12-30        | PB37-12-22        | 11.75             | 8.5  | 4.75 |

## PB89 SERIES

Type 12 Enclosure



| Part No. | H     | x | Size<br>W x D |
|----------|-------|---|---------------|
| PB89-6   | 10.5  |   | 7.25 x 6      |
| PB89-9   | 10.5  |   | 9.5 x 6       |
| PB89-12  | 12.75 |   | 9.5 x 6       |

## EC SERIES

Type 12/4 Enclosure



| Part No.      | H       | x | Size<br>W x D |
|---------------|---------|---|---------------|
| EC-06         | mm 980  |   | 600 x 400     |
|               | in 38.6 |   | 23.6 x 15.7   |
| EC-08         | mm 980  |   | 800 x 400     |
|               | in 38.6 |   | 31.5 x 15.7   |
| EC-10         | mm 980  |   | 1000 x 400    |
|               | in 38.6 |   | 39.4 x 15.7   |
| EC-12         | mm 980  |   | 1200 x 400    |
| (2 door unit) | in 38.6 |   | 47.2 x 15.7   |
| EC-16         | mm 980  |   | 1600 x 400    |
| (2 door unit) | in 38.6 |   | 63 x 15.7     |

## VC SERIES

Type 4X Enclosure



| Part No.<br>Grey | Part No.<br>Stainless | Size<br>H x W x D |    |       |
|------------------|-----------------------|-------------------|----|-------|
| VCB-24           | VCSS-24               | 40.125            | 24 | 18.25 |
| VCB-32           | VCSS-32               | 40.125            | 32 | 18.25 |
| VCB-40 (2 dr)    | VCSS-40               | 40.125            | 40 | 18.25 |
| VCB-48 (2 dr)    | VCSS-48               | 40.125            | 48 | 18.25 |

## EC 3 PIECE ENCLOSURE SERIES

Base Unit



| Part No. | H       | x | Size<br>W x D |
|----------|---------|---|---------------|
| ECB-600  | mm 700  |   | 600 x 500     |
|          | in 27.6 |   | 23.6 x 19.7   |
| ECB-800  | mm 700  |   | 800 x 500     |
|          | in 27.6 |   | 31.5 x 19.7   |
| ECB-1000 | mm 700  |   | 1000 x 500    |
|          | in 27.6 |   | 39.4 x 19.7   |
| ECB-1200 | mm 700  |   | 1200 x 500    |
|          | in 27.6 |   | 47.2 x 19.7   |
| ECB-1600 | mm 700  |   | 1600 x 500    |
|          | in 27.6 |   | 63 x 19.7     |

Desk Unit

| Part No. | H      | x | Size<br>W x D |
|----------|--------|---|---------------|
| ECD-600  | mm 200 |   | 600 x 943     |
|          | in 7.9 |   | 23.6 x 37.1   |
| ECD-800  | mm 200 |   | 800 x 943     |
|          | in 7.9 |   | 31.5 x 37.1   |
| ECD-1000 | mm 200 |   | 1000 x 943    |
|          | in 7.9 |   | 39.4 x 37.1   |
| ECD-1200 | mm 200 |   | 1200 x 943    |
|          | in 7.9 |   | 47.2 x 37.1   |
| ECD-1600 | mm 200 |   | 1600 x 943    |
|          | in 7.9 |   | 63 x 37.1     |

Top Unit

| Part No. | H       | x | Size<br>W x D |
|----------|---------|---|---------------|
| ECT-600  | mm 470  |   | 600 x 490     |
|          | in 18.5 |   | 23.6 x 19.3   |
| ECT-800  | mm 470  |   | 800 x 490     |
|          | in 18.5 |   | 31.5 x 19.3   |
| ECT-1000 | mm 470  |   | 1000 x 490    |
|          | in 18.5 |   | 39.4 x 19.3   |
| ECT-1200 | mm 470  |   | 1200 x 490    |
|          | in 18.5 |   | 47.2 x 19.3   |
| ECT-1600 | mm 470  |   | 1600 x 490    |
|          | in 18.5 |   | 63 x 19.3     |

## MCM SERIES

Type 12 Enclosure



| Part No.<br>Top Unit | H       | x | Size<br>W x D |
|----------------------|---------|---|---------------|
| MCM-16066-R5         | mm 1600 |   | 600 x 600     |
|                      | in 63   |   | 23.6 x 23.6   |
| MCM-16068-R5         | mm 1600 |   | 600 x 800     |
|                      | in 63   |   | 23.6 x 31.5   |

## OICP SERIES

Type 12 Enclosure



| Part No.<br>Top Unit | H       | x | Size<br>W x D |
|----------------------|---------|---|---------------|
| OICP-305220          | mm 309  |   | 525 x 200     |
|                      | in 12.2 |   | 20.7 x 7.9    |
| OICP-343920          | mm 345  |   | 395 x 200     |
|                      | in 13.6 |   | 15.5 x 7.9    |
| OICP-355220          | mm 354  |   | 525 x 200     |
|                      | in 13.9 |   | 20.7 x 7.9    |
| OICP-395220          | mm 398  |   | 525 x 200     |
|                      | in 15.7 |   | 20.7 x 7.9    |
| OICP-414720          | mm 415  |   | 470 x 200     |
|                      | in 16.3 |   | 18.5 x 7.9    |

## EMS SERIES

Type 12 Modular Enclosure



| Part No.<br>Top Unit | H       | x | Size<br>W x D |
|----------------------|---------|---|---------------|
| EMS-14065            | mm 1400 |   | 600 x 500     |
|                      | in 55.1 |   | 23.6 x 19.7   |
| EMS-14085            | mm 1400 |   | 800 x 500     |
|                      | in 55.1 |   | 31.5 x 19.7   |
| EMS-16065            | mm 1600 |   | 600 x 500     |
|                      | in 63.0 |   | 23.6 x 19.7   |
| EMS-16085            | mm 1600 |   | 800 x 500     |
|                      | in 63.0 |   | 31.5 x 19.7   |
| EMS-18064            | mm 1800 |   | 600 x 400     |
|                      | in 70.9 |   | 23.6 x 15.7   |
| EMS-18065            | mm 1800 |   | 600 x 500     |
|                      | in 70.9 |   | 23.6 x 19.7   |
| EMS-18066            | mm 1800 |   | 600 x 600     |
|                      | in 70.9 |   | 23.6 x 23.6   |
| EMS-18084            | mm 1800 |   | 800 x 400     |
|                      | in 70.9 |   | 31.5 x 15.7   |
| EMS-18085            | mm 1800 |   | 800 x 500     |
|                      | in 70.9 |   | 31.5 x 19.7   |
| EMS-18086            | mm 1800 |   | 800 x 600     |
|                      | in 70.9 |   | 31.5 x 23.6   |
| EMS-18104            | mm 1800 |   | 1000 x 400    |
|                      | in 70.9 |   | 39.4 x 15.7   |
| EMS-18105            | mm 1800 |   | 1000 x 500    |
|                      | in 70.9 |   | 39.4 x 19.7   |
| EMS-18106            | mm 1800 |   | 1000 x 600    |
|                      | in 70.9 |   | 39.4 x 23.6   |
| EMS-20064            | mm 2000 |   | 600 x 400     |
|                      | in 78.7 |   | 23.6 x 15.7   |
| EMS-20065            | mm 2000 |   | 600 x 500     |
|                      | in 78.7 |   | 23.6 x 19.7   |
| EMS-20066            | mm 2000 |   | 600 x 600     |
|                      | in 78.7 |   | 23.6 x 23.6   |
| EMS-20068            | mm 2000 |   | 600 x 800     |
|                      | in 78.7 |   | 23.6 x 31.5   |
| EMS-20084            | mm 2000 |   | 800 x 400     |
|                      | in 78.7 |   | 31.5 x 15.7   |
| EMS-20085            | mm 2000 |   | 800 x 500     |
|                      | in 78.7 |   | 31.5 x 19.7   |
| EMS-20086            | mm 2000 |   | 800 x 600     |
|                      | in 78.7 |   | 31.5 x 23.6   |
| EMS-20088            | mm 2000 |   | 800 x 800     |
|                      | in 78.7 |   | 31.5 x 31.5   |
| EMS-20104            | mm 2000 |   | 1000 x 400    |
|                      | in 78.7 |   | 39.4 x 15.7   |
| EMS-20105            | mm 2000 |   | 1000 x 500    |
|                      | in 78.7 |   | 39.4 x 19.7   |
| EMS-20106            | mm 2000 |   | 1000 x 600    |
|                      | in 78.7 |   | 39.4 x 23.6   |
| EMS-20108            | mm 2000 |   | 1000 x 800    |
|                      | in 78.7 |   | 39.4 x 31.5   |
| EMS-22066            | mm 2200 |   | 600 x 600     |
|                      | in 86.6 |   | 23.6 x 23.6   |
| EMS-22068            | mm 2200 |   | 600 x 800     |
|                      | in 86.6 |   | 23.6 x 31.5   |
| EMS-22086            | mm 2200 |   | 800 x 600     |
|                      | in 86.6 |   | 31.5 x 23.6   |
| EMS-22088            | mm 2200 |   | 800 x 800     |
|                      | in 86.6 |   | 31.5 x 31.5   |

## EMD SERIES

Type 12 Modular Enclosure



| Part No.<br>Top Unit | H       | x | Size<br>W x D |
|----------------------|---------|---|---------------|
| EMD-14125            | mm 1400 |   | 1200 x 500    |
|                      | in 55.1 |   | 47.2 x 19.7   |
| EMD-16125            | mm 1600 |   | 1200 x 500    |
|                      | in 63.0 |   | 47.2 x 19.7   |
| EMD-18124            | mm 1800 |   | 1200 x 400    |
|                      | in 70.9 |   | 47.2 x 15.7   |
| EMD-18125            | mm 1800 |   | 1200 x 500    |
|                      | in 70.9 |   | 47.2 x 19.7   |
| EMD-18126            | mm 1800 |   | 1200 x 600    |
|                      | in 70.9 |   | 47.2 x 23.6   |
| EMD-18164            | mm 1800 |   | 1600 x 400    |
|                      | in 70.9 |   | 63.0 x 15.7   |
| EMD-20124            | mm 2000 |   | 1200 x 400    |
|                      | in 78.7 |   | 47.2 x 15.7   |
| EMD-20125            | mm 2000 |   | 1200 x 500    |
|                      | in 78.7 |   | 47.2 x 19.7   |
| EMD-20126            | mm 2000 |   | 1200 x 600    |
|                      | in 78.7 |   | 47.2 x 23.6   |
| EMD-20128            | mm 2000 |   | 1200 x 800    |
|                      | in 78.7 |   | 47.2 x 31.5   |
| EMD-20164            | mm 2000 |   | 1600 x 400    |
|                      | in 78.7 |   | 63.0 x 15.7   |
| EMD-20165            | mm 2000 |   | 1600 x 500    |
|                      | in 78.7 |   | 63.0 x 19.7   |
| EMD-20166            | mm 2000 |   | 1600 x 600    |
|                      | in 78.7 |   | 63.0 x 23.6   |
| EMD-22126            | mm 2200 |   | 1200 x 600    |
|                      | in 86.6 |   | 47.2 x 23.6   |

## CXI SERIES


Explosion Proof Push Button Stations



| Part No.    | No. of Holes | H   | Size |     |   | D |
|-------------|--------------|-----|------|-----|---|---|
|             |              |     | x    | W   | x |   |
| CXI 333-X1  | 1            | 3.5 |      | 3.5 |   | 3 |
| CXI 363-X2  | 2            | 6   |      | 3.5 |   | 3 |
| CXI 373-X3  | 3            | 7   |      | 3.5 |   | 3 |
| CXI 393-X4  | 4            | 9   |      | 3.5 |   | 3 |
| CXI 3113-X5 | 5            | 11  |      | 3.5 |   | 3 |
| CXI 3133-X6 | 6            | 13  |      | 3.5 |   | 3 |
| CXI 3153-X7 | 7            | 15  |      | 3.5 |   | 3 |
| CXI 3183-X8 | 8            | 18  |      | 3.5 |   | 3 |
| CXI 3183-X9 | 9            | 18  |      | 3.5 |   | 3 |

Small Explosion Proof Control Stations

| Part No. | H  | Size |      |   | D |
|----------|----|------|------|---|---|
|          |    | x    | W    | x |   |
| CXI 484  | 8  |      | 4.75 |   | 4 |
| CXI 6104 | 10 |      | 6.5  |   | 4 |
| CXI 6174 | 17 |      | 6.5  |   | 4 |
| CXI 6244 | 24 |      | 6.5  |   | 4 |
| CXI 6304 | 30 |      | 6.5  |   | 4 |



## CXJ SERIES

Explosion Proof

| Part No.    |                 | H  | Size |    |   | D |
|-------------|-----------------|----|------|----|---|---|
| Dome Cover  | Flat Cover      |    | x    | W  | x |   |
| CXJ-664     | CXJ-664-FCS     | 6  |      | 6  |   | 4 |
| CXJ-684     | CXJ-684-FCS     | 8  |      | 6  |   | 4 |
| CXJ-884     | CXJ-884-FCS     | 8  |      | 8  |   | 4 |
| CXJ-6104    | CXJ-6104-FCS    | 10 |      | 6  |   | 4 |
| CXJ-8104    | CXJ-8104-FCS    | 10 |      | 8  |   | 4 |
| CXJ-10104   | CXJ-10104-FCS   | 10 |      | 10 |   | 4 |
| CXJ-6124    | CXJ-6124-FCS    | 12 |      | 6  |   | 4 |
| CXJ-8124    | CXJ-8124-FCS    | 12 |      | 8  |   | 4 |
| CXJ-4164    | CXJ-12124-FCS   | 16 |      | 4  |   | 4 |
| CXJ-6164    | CXJ-10144-FCS   | 16 |      | 6  |   | 4 |
| CXJ-12124   | CXJ-14144-FCS   | 12 |      | 12 |   | 4 |
| CXJ-10144   | CXJ-6164-FCS    | 14 |      | 10 |   | 4 |
| CXJ-14144   | CXJ-16164-FCS   | 14 |      | 14 |   | 4 |
| CXJ-16164   | CXJ-12184-FCS   | 16 |      | 16 |   | 4 |
| CXJ-12184   | CXJ-18184-FCS   | 18 |      | 12 |   | 4 |
| CXJ-18184   | CXJ-12244-FCS   | 18 |      | 18 |   | 4 |
| CXJ-12244   | CXJ-12364-FCS   | 24 |      | 12 |   | 4 |
| CXJ-12364   | CXJ-4164-FCS    | 36 |      | 12 |   | 4 |
| CXJ-685     | CXJ-685-FCS     | 8  |      | 6  |   | 5 |
| CXJ-6115    | CXJ-6115-FCS    | 11 |      | 6  |   | 5 |
| CXJ-9115    | CXJ-9115-FCS    | 11 |      | 9  |   | 5 |
| CXJ-6135    | CXJ-6135-FCS    | 13 |      | 6  |   | 5 |
| #CXJ-6485   | #CXJ-6485-FCS   | 48 |      | 6  |   | 5 |
| CXJ-12205   | CXJ-12205-FCS   | 20 |      | 12 |   | 5 |
| CXJ-686     | CXJ-686-FCS     | 8  |      | 6  |   | 6 |
| CXJ-886     | CXJ-886-FCS     | 8  |      | 8  |   | 6 |
| CXJ-8106    | CXJ-8106-FCS    | 10 |      | 8  |   | 6 |
| CXJ-10106   | CXJ-10106-FCS   | 10 |      | 10 |   | 6 |
| CXJ-6126    | CXJ-6126-FCS    | 12 |      | 6  |   | 6 |
| CXJ-8126    | CXJ-8126-FCS    | 12 |      | 8  |   | 6 |
| CXJ-12126   | CXJ-12126-FCS   | 12 |      | 12 |   | 6 |
| CXJ-12126LW | CXJ-12126LW-FCS | 12 |      | 12 |   | 6 |
| CXJ-10146   | CXJ-10146-FCS   | 14 |      | 10 |   | 6 |
| CXJ-14146   | CXJ-14146-FCS   | 14 |      | 14 |   | 6 |
| CXJ-16166   | CXJ-16166-FCS   | 16 |      | 16 |   | 6 |

## CXJ SERIES con't

Explosion Proof

| Part No.    |                 | H  | Size |    |   | D  |
|-------------|-----------------|----|------|----|---|----|
| Dome Cover  | Flat Cover      |    | x    | W  | x |    |
| CXJ-6186    | CXJ-6186-FCS    | 18 |      | 6  |   | 6  |
| CXJ-12186   | CXJ-12186-FCS   | 18 |      | 12 |   | 6  |
| CXJ-18186   | CXJ-18186-FCS   | 18 |      | 18 |   | 6  |
| CXJ-12246   | CXJ-12246-FCS   | 24 |      | 12 |   | 6  |
| CXJ-16246   | CXJ-16246-FCS   | 24 |      | 16 |   | 6  |
| CXJ-18246   | CXJ-18246-FCS   | 24 |      | 18 |   | 6  |
| CXJ-14286   | CXJ-14286-FCS   | 28 |      | 14 |   | 6  |
| CXJ-12366   | CXJ-12366-FCS   | 36 |      | 12 |   | 6  |
| CXJ-12306   | CXJ-12366-FCS   | 30 |      | 12 |   | 6  |
| CXJ-888     | CXJ-888-FCS     | 8  |      | 8  |   | 8  |
| CXJ-8108    | CXJ-8108-FCS    | 10 |      | 8  |   | 8  |
| CXJ-8128    | CXJ-10108-FCS   | 12 |      | 8  |   | 8  |
| CXJ-10108   | CXJ-8128-FCS    | 10 |      | 10 |   | 8  |
| CXJ-12128   | CXJ-12128-FCS   | 12 |      | 12 |   | 8  |
| CXJ-10148   | CXJ-10148-FCS   | 14 |      | 10 |   | 8  |
| CXJ-14148   | CXJ-14148-FCS   | 14 |      | 14 |   | 8  |
| CXJ-16168   | CXJ-16168-FCS   | 16 |      | 16 |   | 8  |
| CXJ-12188   | CXJ-12188-FCS   | 18 |      | 12 |   | 8  |
| CXJ-18188   | CXJ-18188-FCS   | 18 |      | 18 |   | 8  |
| CXJ-12248   | CXJ-12248-FCS   | 24 |      | 12 |   | 8  |
| CXJ-16248   | CXJ-16248-FCS   | 24 |      | 16 |   | 8  |
| CXJ-18248   | CXJ-18248-FCS   | 24 |      | 18 |   | 8  |
| CXJ-24248   | CXJ-24248-FCS   | 24 |      | 24 |   | 8  |
| CXJ-18308   | CXJ-18308-FCS   | 30 |      | 18 |   | 8  |
| CXJ-24308   | CXJ-24308-FCS   | 30 |      | 24 |   | 8  |
| CXJ-12368   | CXJ-12368-FCS   | 36 |      | 12 |   | 8  |
| CXJ-18368   | CXJ-18368-FCS   | 36 |      | 18 |   | 8  |
| CXJ-24368   | CXJ-24368-FCS   | 36 |      | 24 |   | 8  |
| *CXJ-12468  | CXJ-12468-FCS   | 46 |      | 12 |   | 8  |
| *CXJ-38388  | -               | 38 |      | 38 |   | 8  |
| #CXJ-346810 | -               | 68 |      | 34 |   | 5  |
| CXJ-122410  | CXJ-122410-FCS  | 24 |      | 12 |   | 10 |
| CXJ-162410  | CXJ-162410-FCS  | 24 |      | 16 |   | 10 |
| CXJ-182410  | CXJ-182410-FCS  | 24 |      | 18 |   | 10 |
| CXJ-242410  | CXJ-242410-FCS  | 24 |      | 24 |   | 10 |
| CXJ-183610  | CXJ-183610-FCS  | 36 |      | 18 |   | 10 |
| CXJ-243610  | CXJ-243610-FCS  | 36 |      | 24 |   | 10 |
| *CXJ-164610 | *CXJ-164610-FCS | 46 |      | 16 |   | 10 |
| *CXJ-161812 | -               | 18 |      | 16 |   | 12 |
| *CXJ-182412 | -               | 24 |      | 18 |   | 12 |
| #CXJ-323612 | -               | 36 |      | 32 |   | 6  |
| #CXJ-383816 | -               | 38 |      | 38 |   | 16 |

## XJCT SERIES

Explosion Proof Instrument  
Housing/ Metering Station



| Part No.    |             | H    | Size |      |   | D   |
|-------------|-------------|------|------|------|---|-----|
| Solid Cover | Glass Cover |      | x    | W    | x |     |
| # XJCTS0*   | # XJCTG0*   | 3.75 |      | 3.75 |   | 2.5 |
| # XJCTS1    | # XJCTG1    | 5    |      | 5    |   | 3   |
| # XJCTS2    | # XJCTG2    | 6    |      | 6    |   | 4   |
| # XJCTS3    | # XJCTG3    | 6.5  |      | 6.5  |   | 4.5 |
| # XJCTS4    | # XJCTG4    | 7    |      | 7    |   | 6   |
| XJCTS5      | XJCTG5      | 8    |      | 8    |   | 4   |
| XJCTS6      | XJCTG6      | 8    |      | 8    |   | 6   |
| XJCTS7      | XJCTG7      | 10   |      | 8    |   | 6   |
| XJCTS8      | XJCTG8      | 10   |      | 10   |   | 6   |
| XJCTS9      | XJCTG9      | 10   |      | 10   |   | 8   |
| XJCTS10     | XJCTG10     | 11   |      | 12   |   | 7.5 |
| XJCTS11     | XJCTG11     | 12   |      | 12   |   | 6   |
| # XJCTS12   | # XJCTG12   | 5.5  |      | 6    |   | 4   |
| # XJCTS14   | # XJCTG14   | 9    |      | 7    |   | 4   |

## STOCK ENCLOSURE MODIFICATION


Made to your specifications.

- Windows
- Cut-outs & Holes
- Tapping
- Louvers
- Special Paint
- And More


## CUSTOM FABRICATED ENCLOSURES

Made to your specifications

Carbon Steel



Stainless Steel




Non Metallic



## INTERFACE PORTS

Countless configurations available



## LIGHTING

Enclosure lights and signal lights



## FILTER FANS / EXHAUST FILTERS

Available from 14 CFM to 515 CFM



## AIR CONDITIONERS

Available from 1,000 BTU to 20,000 BTU – top mount and side mount



## HEAT EXCHANGERS

Available from 4.1 Watt to 29.4 Watt – top mount and side mount



## HEATERS

Available from 5 Watt to 1,200 Watt



## THERMOSTATS

Standard units and tamperproof units







**Ralston**  
Metal Products Limited

Ralston Metal Products is committed to making quality enclosures that achieve total customer satisfaction and exceptional deliveries. Quality and dependability at Ralston is the direct result of the dedication and skillful execution of our team.

Ralston's success is built on providing customer solutions. Excellence is achieved at Ralston through our investment in the latest technologies which is specialized for our exacting needs and crucial to our dedication to product advancement.

**You create the need. We customize the solution.**

**Ralston Metal Products Limited**

Toll Free: 800 265 7611

Phone: 519 836 2968

Fax: 519 836 9763

Email: [service@ralstonmetal.com](mailto:service@ralstonmetal.com)

Website: [www.ralstonmetal.com](http://www.ralstonmetal.com)

**Watson Plant**

50 Watson Road, Guelph, ON, Canada N1L 1E2